


STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 3

AMENDED REPORT ☒**APPLICATION FOR PERMIT TO DRILL**

| | | | | | | |
|--|-------------------|---|----------------|---|--------------|-----------------|
| 2. TYPE OF WORK DRILL NEW WELL <input checked="" type="checkbox"/> REENTER P&A WELL <input type="checkbox"/> DEEPEN WELL <input type="checkbox"/> | | | | 1. WELL NAME and NUMBER FEDERAL 4-5D-64 | | |
| 4. TYPE OF WELL Oil Well Coalbed Methane Well: NO | | | | 3. FIELD OR WILDCAT UNDESIGNATED | | |
| 6. NAME OF OPERATOR BERRY PETROLEUM COMPANY | | | | 5. UNIT or COMMUNITIZATION AGREEMENT NAME | | |
| 8. ADDRESS OF OPERATOR 4000 South 4028 West Rt 2 Box 7735, Roosevelt, UT, 84066 | | | | 7. OPERATOR PHONE 303 999-4044 | | |
| 10. MINERAL LEASE NUMBER (FEDERAL, INDIAN, OR STATE) UTU8894A | | 11. MINERAL OWNERSHIP FEDERAL <input checked="" type="checkbox"/> INDIAN <input type="checkbox"/> STATE <input type="checkbox"/> FEE <input type="checkbox"/> | | 9. OPERATOR E-MAIL kao@bry.com | | |
| 12. SURFACE OWNERSHIP FEDERAL <input checked="" type="checkbox"/> INDIAN <input type="checkbox"/> STATE <input type="checkbox"/> FEE <input type="checkbox"/> | | | | 13. NAME OF SURFACE OWNER (if box 12 = 'fee') | | |
| 14. SURFACE OWNER PHONE (if box 12 = 'fee') | | | | 15. ADDRESS OF SURFACE OWNER (if box 12 = 'fee') | | |
| 16. SURFACE OWNER E-MAIL (if box 12 = 'fee') | | | | 17. INDIAN ALLOTTEE OR TRIBE NAME (if box 12 = 'INDIAN') | | |
| 18. INTEND TO COMMINGLE PRODUCTION FROM MULTIPLE FORMATIONS YES <input type="checkbox"/> (Submit Commingling Application) NO <input checked="" type="checkbox"/> | | | | 19. SLANT VERTICAL <input type="checkbox"/> DIRECTIONAL <input checked="" type="checkbox"/> HORIZONTAL <input type="checkbox"/> | | |
| 20. LOCATION OF WELL | FOOTAGES | QTR-QTR | SECTION | TOWNSHIP | RANGE | MERIDIAN |
| LOCATION AT SURFACE | 1520 FNL 1512 FWL | SEnw | 5 | 6.0 S | 4.0 W | U |
| Top of Uppermost Producing Zone | 773 FNL 765 FWL | NWNw | 5 | 6.0 S | 4.0 W | U |
| At Total Depth | 460 FNL 462 FWL | NWNw | 5 | 6.0 S | 4.0 W | U |
| 21. COUNTY DUCHESNE | | 22. DISTANCE TO NEAREST LEASE LINE (Feet) 1512 | | 23. NUMBER OF ACRES IN DRILLING UNIT 1280 | | |
| 25. DISTANCE TO NEAREST WELL IN SAME POOL (Applied For Drilling or Completed) 0 | | 26. PROPOSED DEPTH MD: 6213 TVD: 5985 | | | | |
| 27. ELEVATION - GROUND LEVEL 7176 | | 28. BOND NUMBER RLB0005651 | | 29. SOURCE OF DRILLING WATER / WATER RIGHTS APPROVAL NUMBER IF APPLICABLE 4311041 | | |

ATTACHMENTS**VERIFY THE FOLLOWING ARE ATTACHED IN ACCORDANCE WITH THE UTAH OIL AND GAS CONSERVATION GENERAL RULES**

| | |
|---|--|
| <input checked="" type="checkbox"/> WELL PLAT OR MAP PREPARED BY LICENSED SURVEYOR OR ENGINEER | <input checked="" type="checkbox"/> COMPLETE DRILLING PLAN |
| <input type="checkbox"/> AFFIDAVIT OF STATUS OF SURFACE OWNER AGREEMENT (IF FEE SURFACE) | <input type="checkbox"/> FORM 5. IF OPERATOR IS OTHER THAN THE LEASE OWNER |
| <input checked="" type="checkbox"/> DIRECTIONAL SURVEY PLAN (IF DIRECTIONALLY OR HORIZONTALLY DRILLED) | <input checked="" type="checkbox"/> TOPOGRAPHICAL MAP |
| NAME Kathy K. Fieldsted | TITLE Operations Assistant |
| SIGNATURE | PHONE 435 722-1325 |
| API NUMBER ASSIGNED 43013502630000 | DATE 02/11/2010 |
| APPROVAL | EMAIL kkf@bry.com |
|  Permit Manager | |

| Proposed Hole, Casing, and Cement | | | | | | |
|-----------------------------------|-----------------|-------------|----------|-------------|--|--|
| String | Hole Size | Casing Size | Top (MD) | Bottom (MD) | | |
| Surf | 12.25 | 8.625 | 0 | 350 | | |
| Pipe | Grade | Length | Weight | | | |
| | Grade J-55 ST&C | 350 | 24.0 | | | |
| | | | | | | |

| Proposed Hole, Casing, and Cement | | | | | | |
|-----------------------------------|-----------------|-------------|----------|-------------|--|--|
| String | Hole Size | Casing Size | Top (MD) | Bottom (MD) | | |
| Prod | 7.875 | 5.5 | 0 | 5985 | | |
| Pipe | Grade | Length | Weight | | | |
| | Grade J-55 LT&C | 5985 | 15.5 | | | |
| | | | | | | |

T6S, R4W, U.S.B.&M.

SEC. 32

Semi Set Stone,
Pile of Stones,
E-W Fenceline

T5S
T6S
S89°25'08"W - 2663.73' (Meas.)
N89°43'11"W - 2627.51' (Meas.)

Set Stone,
Pile of Stones,
E-W Fenceline

N00°09'57"E - 5241.07' (Meas. to True)
N00°09'57"E - 5264.28' (Meas. to CC)

C.C.
Set Stone

S89°25'08"W - 2663.73' (Meas.)

N89°43'11"W - 2627.51' (Meas.)

Re-Established
by Bearing Trees

C.C.
Set Stone,
E-W Fenceline

BERRY PETROLEUM COMPANY
Well location, FEDERAL #4-5D-64, located as
shown in the SE 1/4 NW 1/4 of Section 5,
T6S, R4W, U.S.B.&M., Duchesne County, Utah.

SE Cor - Sec 33
1983 Alum. Cop.
Pile of Stones,
Steel Post

S89°56'39"E - 5268.85' (Meas.)

BASIS OF ELEVATION

BENCH MARK (M67) LOCATED IN THE SW 1/4 OF SECTION
9, T5S, R4W, U.S.B.&M. TAKEN FROM THE DUCHESNE SE,
QUADRANGLE, UTAH, DUCHESNE COUNTY, 7.5 MINUTE QUAD.
(TOPOGRAPHIC MAP) PUBLISHED BY THE UNITED STATES
DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY. SAID
ELEVATION IS MARKED AS BEING 6097 FEET.

BASIS OF BEARINGS

BASIS OF BEARINGS IS A G.P.S. OBSERVATION.

FEDERAL #4-5D-64

Elev. Ungraded Ground = 7176'

Set Stone,
Pile of Stones


S00°14'40"E - 2627.17' (Meas. to CC)
S00°14'40"E - 2608.07' (Meas. to True)

S01°22'30"E - 2597.39' (Meas.)

Set Stone

S89°28'29"W - 5334.96' (Meas.)

Set Stone



S C A L E

C E R T I F I C A T E

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM
FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY
SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE
BEST OF MY KNOWLEDGE AND BELIEF.

REGISTERED LAND SURVEYOR
REGISTRATION NO. 161319
STATE OF UTAH


UNTAH ENGINEERING & LAND SURVEYING
85 SOUTH 200 EAST - VERNAL, UTAH 84078
(435) 789-1017

LEGEND:

- └─┘ = 90° SYMBOL
- = PROPOSED WELL HEAD.
- ▲ = SECTION CORNERS LOCATED.

| NAD 83 (TARGET BOTTOM HOLE) | NAD 83 (SURFACE LOCATION) |
|--|--|
| LATITUDE = 39°59'40.83" (39.994675) | LATITUDE = 39°59'30.47" (39.991797) |
| LONGITUDE = 110°22'00.28" (110.366744) | LONGITUDE = 110°21'46.83" (110.363008) |
| NAD 27 (TARGET BOTTOM HOLE) | NAD 27 (SURFACE LOCATION) |
| LATITUDE = 39°59'40.97" (39.994714) | LATITUDE = 39°59'30.61" (39.991836) |
| LONGITUDE = 110°21'57.73" (110.366036) | LONGITUDE = 110°21'44.28" (110.362300) |

| | | |
|-------------------------|---------------------------------|-------------------------|
| SCALE 1" = 1000' | DATE SURVEYED: 09-17-08 | DATE DRAWN: 10-21-08 |
| PARTY J.R. P.P. S.P. | REFERENCES G.L.O. PLAT | |
| WEATHER WARM | FILE BERRY PETROLEUM COMPANY | |



February 10, 2010

Berry Petroleum Company

Brundage Canyon Field

4000 South 4028 West

Rt. 2 Box 7755

Roosevelt, UT 84066

Ph: (435) 722-1325

Fax: (435) 722-1321

www.bry.com

Ms. Diana Whitney
State of Utah
Division of Oil, Gas and Mining
P.O. Box 145801
Salt Lake City, UT 84115-5801

Re: Directional Drilling R649-3-11
Federal 4-5D-64: 1,520' FNL, 1,512' FWL (SENW) (surface)
460' FNL, 460' FWL (NWNW) (bottomhole)
Section 5, T6S-R4W
Duchesne, County, Utah

Dcar Ms. Whitney:

Pursuant to the filing of Berry Petroleum's Application for Permit to Drill regarding the above referenced well on February 2, 2010, we are hereby submitting this letter in accordance with Oil & Gas Conservation Rule R649-3-11 pertaining to the Exception to Location and Siting of Wells.

- The Federal 4-5D-64 well is to be located within the Brundage Canyon Field Area.
- Berry is locating the well at the surface location and directionally drilling from this location to minimize surface disturbance and Berry will be able to utilize the existing road and pipelines in the area.
- Furthermore, Berry hereby certifies that it is the sole working interest owner with 460 feet of the entire directional well bore and the remainder of the Ute Tribal section.

Therefore, based on the above stated information Berry Petroleum Company requests the permit be granted pursuant to R649-3-11.

Respectfully Submitted,

Kathy K. Fieldsted
Operations Assistant



Geologic Prognosis

Well Name: FEDERAL 4-5D-64

| | |
|-------------------------|------------------------------|
| County | State/Province |
| Duchesne | Utah |
| Ground Elevation (ftKB) | Original KB Elevation (ftKB) |
| 7,176 | 7,190 |
| Elevation Estimated? | No |

| |
|----------------------|
| WSN: |
| WSN |
| 37053 |
| Permit Status |
| Permit Status |
| WO STATE |

Field Name
Ashley Forest

Renew
APD BLM Renew

| | | | | |
|----------------------------|---------------|---------|---------------|---------|
| SHL: | | | | |
| Surface Legal Location | N/S Dist (ft) | N/S Ref | E/W Dist (ft) | E/W Ref |
| SENW SECTION 5, T6S-R4W | 1,520.0 | N | 1,512.0 | W |
| BHL: | | | | |
| Bottom Hole Legal Location | NS Dist (ft) | NS Flag | EW Dist (ft) | EW Flag |
| NWNW SECTION 5, T6S-R4W | 460.0 | N | 589.0 | W |

Comment

DIRECTIONAL TOLERANCE: BOREHOLE MUST STAY WITHIN LEGAL WINDOW FOR 40-ACRE STATEWIDE SPACING FROM TOP OF DOUGLAS CREEK TO TD OF WELL. SHL WILL BE SHARED WITH THE FEDERAL 3-5D-64, 5-5D-64, AND 6-5D-64.

| Formation | Depth @ SHL TVD (ftKB) | Depth @ BHL TVD (ftKB) | Measured Depth (ftKB) |
|---|------------------------|------------------------|-----------------------|
| Uinta Fm | 0 | 0 | 0 |
| Green River Fm | 1,382 | 1,404 | 1,412 |
| Green River Upper Marker | 1,944 | 1,963 | 1,996 |
| Mahogany | 2,572 | 2,600 | 2,655 |
| Tgr3 Marker | 3,589 | 3,613 | 3,415 |
| *Douglas Creek Mbr. NWNW 773FNL, 765FWL | 4,341 | 4,368 | 4,502 |
| * Black Shale Mbr | 4,950 | 4,977 | 5,138 |
| 1/2 way through the objective section | 5,113 | 5,138 | 5,306 |
| *Castle Peak Mbr | 5,254 | 5,280 | 5,454 |
| Uteland Butte Mbr | 5,686 | 5,709 | 5,902 |
| Wasatch | 5,885 | 5,908 | 6,109 |
| TD | 5,985 | 6,008 | 6,213 |
| Base of Moderately Saline Water (less than 10,000 ppm) | 1,418 | 1,527 | |

Core Program

| | | | |
|--------------|---------|------------|------------|
| Type | Comment | Top (ftKB) | Btm (ftKB) |
| Core Program | None | | |

Drill Stem Tests

| | | | |
|----------|---------|------------|------------|
| Type | Comment | Top (ftKB) | Btm (ftKB) |
| DST Data | None | | |

Mud Logging

| | | | |
|-------------|---------|------------|------------|
| Type | Comment | Top (ftKB) | Btm (ftKB) |
| Mud Logging | None | | |

Logging Program

| | | | |
|-------------------|--|------------|------------|
| Type | Comment | Top (ftKB) | Btm (ftKB) |
| Open hole logging | Long Guard-SP-GR, Density/Neutron-GR All Logs - TD to base of surface casing. | | |

BOP Requirements: 2M

Estimated Drill Time: Est Days

7

Comp Time: 10 days

Prepared: Prognosis

8/6/2008

SHL Lat Long Survey

| | | |
|--------|-----------------|-------------------|
| Datum | Latitude (DMS) | Longitude (DMS) |
| NAD 27 | 39° 59' 30.9" N | 110° 21' 44.44" W |

BHL Lat Long Survey

| | | |
|---------------|-----------------|-------------------|
| Lat/Long D... | Latitude (DMS) | Longitude (DMS) |
| NAD 27 | 39° 59' 41.3" N | 110° 21' 57.96" W |

Comment

PREPARED; AUGUST 6, 2008 (JLE) SAMPLED WELL TO GRIDS. DIRECTIONAL WELL.

Revised: September 54, 2008 - (CCC) SHL Survey called in

Revised: October 10, 2008 - (CCC) Formation tops, re-ran grids

Revised: November 14, 2008 - (CCC) BHL directional survey

Revised: January 28, 2010-(JLE) Revised directional tolerance notation.

QUAD PAD. SHL SHARED WITH PROPOSED 3-5D-64, 5-5D-64, AND 6-5D-64 WELLS. ALL TVDS CALCULATED FROM ESTIMATED KB (7190').

**BERRY PETROLEUM COMPANY
DUCHESNE COUNTY, UTAH
STANDARD OPERATING PRACTICES
FOR GREEN RIVER PRODUCING WELLS ONLY
Town Ship's 3S, 4S, 5S, 6S
Range's 4W, 5W, 6W, 7W, 8W, 9W
Version: December 7, 2009**

DRILLING PROGRAM

All lease and/or unit operations will be conducted in such a manner that full compliance is made with applicable laws, regulations (43 CFR 3100 & 3160), Onshore Oil and Gas Order No. 1-7, and the approved plan of operations. The operator is fully responsible for the actions of his subcontractors. A copy of these conditions will be furnished to the field representative to ensure compliance.

BLM Notification Requirements

| | |
|--------------------------------|---|
| Location Construction: | 48 hours prior to construction of location and access roads including the Ute Tribe Energy and Mineral Department. |
| Location Completion: | Prior to moving the drilling rig. |
| Spud Notice: | At least 24 hours prior to spudding the well. |
| Casing String and Cementing: | 24 hours prior to running casing and cementing all casing strings. |
| BOP & Related Equipment Tests: | At least 24 hours prior to initiating pressure tests. |
| First Production Notice: | Within 5 days after new well begins or production resumes after well has been off production for more than 90 days. |

Details of the site inspection, including date, time, weather conditions and individuals present will be submitted with the site specific APD.

1. Estimated Tops of Important Geologic Markers:

Formations and depths will be submitted with the site specific APD.
Directional drilling plans will be submitted with the site specific APD.

2. Anticipated Depths of Oil, Gas, Water, and Other Mineral Bearing Zones:

Formations and depths will be submitted with the site specific APD.

All usable (<10,000 ppm TDS) water and prospectively valuable minerals encountered during drilling will be recorded by depth and adequately protected. All oil and gas shows will be recorded and evaluated to determine commercial potential. This information shall be reported to the BLM Vernal Field Office (BLM/VFO).

Report all water shows and water bearing geologic units to the geologic/engineering staff of the BLM/VFO prior to running the next string of casing or before plugging orders are requested. Usage of the State of Utah form Report of Water Encountered is acceptable, but not required.

All water shows must be reported within 1 (one) business day after being encountered.

Detected water flows shall be sampled, analyzed, and reported to the geologic/engineering staff of the BLM/VFO. The office may request additional water for further analysis.

The following information is requested for water shows and samples where applicable:

| | |
|--|---|
| Location | Date Sampled |
| Sampled Interval | Temperature |
| Hardness | pH |
| Flow Rate | |
| Water Classification (according to State of Utah) | |
| Dissolved Iron (Fe) (ug/l) | Dissolved Calcium (Ca) (mg/l) |
| Dissolved Magnesium (Mg) (mg/l) | Dissolved Sodium (Na) (mg/l) |
| Dissolved Bicarbonate (NaHCO ₃) (mg/l) | Dissolved Carbonate (CO ₃) (mg/l) |
| Dissolved Sulfate (SO ₄) (mg/l) | Dissolved Chloride (Cl) (mg/l) |
| Dissolved Total Solids (TDS) (mg/l) | |

3. Pressure Control Equipment: (Schematic Attached)

Berry Petroleum Company's minimum specifications for pressure control are as follows:

The BOP and related equipment shall meet the minimum requirements of Onshore Oil and Gas Order No. 2 for equipment and testing requirements, procedures, etc., for a 2M system when the well is drilled to the base of the Uteland Butte Limestone formation, and individual components shall be operable as designed. The attached diagram depicts the use of an annular in conjunction with double rams. However, an annular, double rams or both may be used depending on the drilling rig contracted. Chart recorders will be used for all pressure tests.

Test charts, with individual test results identified, shall be maintained on location while drilling and shall be made available to a BLM representative upon request.

All required BOP tests and/or drills shall be recorded in the IADC report.

The anticipated bottom hole pressure will be less than 3,000 psi.

4. Proposed Casing and Cementing Program:

The proposed Casing Program will be as follows:

| Purpose | Depth | Hole Size | Casing Size | Type | Connection | Weight |
|------------|-------|-----------|-------------|------|--------------|--------|
| Surface | 300' | 12 ¼" | 8-5/8" | J-55 | ST&C or LT&C | 24# |
| Production | TD | 7-7/8" | 5-1/2" | J-55 | LT&C | 15.5# |

The proposed casing and cementing program shall be conducted as approved to protect and/or isolate all usable water zones, potentially productive zones, lost circulation zones, abnormally pressured zones, and any prospectively valuable deposits of minerals. Any isolating medium other than cement shall receive approval prior to use. The casing setting depth shall be calculated to position the casing seat opposite a competent formation, which will contain the maximum pressure to which it will be exposed during normal drilling operations. Determination of casing setting depth shall be based on all relevant factors, including: presence/absence of hydrocarbons, fracture gradients, usable water zones, formation pressures, lost circulation zones, other minerals, or other unusual characteristics.

All casing, except conductor casing, shall be new or reconditioned and tested. Used casing shall meet or exceed API standards for new casing.

The surface casing shall be cemented back to the surface either during the primary cement job or by remedial cementing. If drive pipe is used, it may be left in place if its total length is less than twenty feet below the surface. If the total length of the drive pipe is equal to or greater than twenty feet, it will be pulled prior to cementing, or it will be cemented in place.

As a minimum, usable water zones shall be isolated and/or protected by having a cement top for the production casing at least 200 feet above the base of usable water or the top of the Upper Green River Marker (FOUCH MARKER as observed by Fouch in OC-81) , whichever is shallowest. If gilsonite is encountered while drilling, it shall be isolated and/or protected via the cementing program. Berry Petroleum Company will report mineral resources such as gilsonite, tar sands, oil shale, etc to the geologist in the BLM Vernal field office within 5 working days of each encounter. Each report will include well name/number date and depth of encounter, (KB or GL) of encounter, mineral resource encountered, vertical footage of the encounter and , name and phone number of person making report in case the BLM needs any follow up.

The top of cement will be determined by a Cement Bond Log (CBL). A copy of the CBL, in PDF format, will be submitted to BLM/VFO. If the cement top does not meet the requirements stated

above, BLM/VFO will be notified and a decision will be made as to whether remediation is warranted. If so, a remediation plan will be developed and submitted for approval by BLM/VFO.

Surface casing shall have centralizers on the bottom three joints, with a minimum of one centralizer per joint.

Top plugs shall be used to reduce contamination of cement by displacement fluid. A bottom plug or other acceptable technique, such as a suitable preflush fluid, inner string cement method, etc., shall be utilized to help isolate the cement from contamination by the mud being displaced ahead of the cement slurry.

All casing strings below the conductor shall be pressure tested to 0.22 psi per foot of casing string length or to 1500 psi, whichever is greater, but not to exceed 70% of the minimum internal yield. If pressure declines more than 10% in 30 minutes, corrective action shall be taken.

Casing design will be subject to revision based on geologic conditions encountered.

The cementing program will be as follows:

| Surface | Fill | Type & Amount |
|----------------------------------|----------|---|
| 0'-300' | 300' | Approximately 135 sx Class "G" (Type III) cement + additives or a similar slurry with a minimum weight of 15.8 ppg and approximate yield of 1.17 ft ³ /sk, minimum 24 hr compressive strength = 500 psi (Cement will be circulated to surface and topped off, if necessary.) |
| Production with lost circulation | | Type & Amount |
| 0'-3,500' | 11.0 ppg | Lead: +/- 219 sacks Premium Lite II Cement + 0.05 lbs/sack Static Free + 3 lbs/sack CSE + 3% bwoc Potassium Chloride + 0.25 lbs/sack Cello Flake + 2 Lbs/sack Kol Seal + 0.002 gps FP-6L + 10% bwoc Bentonite + 0.5% bwoc Sodium Metasilicate + 201.6% Fresh Water. Slurry Yield 3.82 ft ³ /sk |
| 3,500'-TD | 13.0 ppg | Tail: +/- 296 sacks Pemium Lite II High strength + 0.05 lbs/sack Static Free + 0.4% bwoc FL-63 + 0.25 lbs/sack Cello Flake + 2 lbs/sack Kol Seal + 0.002 gps FP-6L + 0.2% bwoc BA-59 + 92% Fresh Water. Slurry Yield 1.92 ft ³ /sk |

| <u>Production without lost circulation</u> | | <u>Type & Amount</u> |
|--|----------|---|
| 0' - 3500' | 11.0 ppg | Lead: +/- 219 sacks Premium Lite II Cement + 0.05 lbs/sack Static Free + 3 lbs/sack CSE + 3% bwow Potassium Chloride + 0.25 lbs/sack Cello Flake + 2 Lbs/sack Kol Seal + 0.002 gps FP-6L + 10% bwoc Bentonite + 0.5% bwoc Sodium Metasilicate + 201.6% Fresh Water. Slurry Yield 3.82 ft ³ /sk |
| 3500' - TD | 14.3 ppg | Tail: +/- 445 sacks (50:50) Poz (Fly Ash) : Class G Cement + 0.05 lbs/sack Static Free + 3% bwow Potassium Chloride + 0.5% bwoc EC-1 + 0.25lbs/sack Cello Flake + 0.002 gps FP-6L + 2% bwoc bentinite + 0.3% bwoc Sodium Metasilicate + 56.3% Fresh Water. Slurry Yield 1.26 ft ³ /sk |

For production casing, actual cement volumes will be determined from the caliper log plus a minimum of 20% excess.

For surface casing, waiting on cement (WOC) times will be adequate to achieve 500 psi compressive strength at the casing shoe prior to drilling out.

Anticipated cement tops will be reported as to depth, not the expected number of sacks of cement to be used. The BLM/VFO should be notified, with sufficient lead-time, in order to have a BLM/VFO representative on location while running all casing strings and cementing.

After cementing the surface pipe and/or any intermediate strings, but before commencing any test, the casing string shall stand cemented until the cement has reached a compressive strength of at least 500 psi at the shoe. WOC time shall be recorded in the Driller's Log.

The following reports shall be filed with the BLM/VFO within 30 days after the work is completed:

Progress reports, Form 3160-5, "Sundry Notices and Reports on Wells," must include the following information:

Setting of each string showing the size; grade; weight of casing set; setting depth; amounts and types of cement used; whether the cement circulated or the top of the cement behind the casing; depth of the cementing tools used; casing testing method and results; and the date of the work done. Spud date will be shown on the first reports submitted.

Auxiliary well control equipment to be used as follows:

An upper Kelly Cock will be kept in the string at all times.

A float may be used in the drill string.

A stabbing valve will be available on the rig floor and will fit all rotary connections.

A minimum two inch (2") choke manifold and pit level indicator.

5. Drilling Fluids Program:

| Interval | Weight | Viscosity | Fluid Loss | Remarks |
|----------|---------|-----------|------------|-----------------|
| 0'-300' | 8.3-8.6 | 27-40 | NC | Spud Mud or air |
| 300'-TD | 8.6-8.9 | 27-40 | NC | KCl Water |

Drilling fluids will be processed using either a closed loop system to process drilled solids or a lined reserve pit. And will be noted with a submitted site specifies APD.

No chromate additives will be used in the mud system on Federal and/or Indian lands without prior approval from the BLM to ensure adequate protection of fresh aquifers.

No chemicals subject to reporting under SARA Title III in an amount equal to or greater than 10,000 pounds will be used, produced, stored, transported, or disposed of annually in association with the drilling, testing, or completing of any wells. Furthermore, no extremely hazardous substances, as defined in 40 CFR 355, in threshold planning quantities, will be used, produced, stored, transported, or disposed of in association with the drilling, testing, or completing of this well.

5.1 Air Drilling Operations

From surface to ± 350 feet will be drilled with air or air mist. The air rig is equipped with 6 1/2" blooie line that is straight run and securely anchored. The blooie line is used with a discharge less than 100 ft from the wellbore in order to minimize the well pad size. The blooie line is not equipped with an automatic igniter or continuous pilot light and the compressor is located less than 100 ft from the well bore due to the low possibility of combustion with the air dust mixture. The trailer mounted compressor (capacity of 900 CFM). With a secondary air compressor (capacity of 1150 CFM). A truck with 70 bbls of water will be on stand by to be used as kill fluid, if necessary.

5.2 Variances

Berry Petroleum Company requests a variance from Onshore Order 2, III.E.1. which states, "...the following equipment shall be in place and operational during air/gas drilling: (1) Properly lubricated and maintained rotating head ... (2) Blooie line discharge 100 feet from well bore... (3) Automatic igniter or continuous pilot light on the blooie line... (4) compressors located... a minimum of 100 ft from the well bore..."

5.2.1

Berry Petroleum Company request permission to use a diverter bowl in place of a rotating head. The diverter bowl forces the air and cutting returns to the reserve pit and is used to drill the surface casing (surface to a total depth of +-350 feet). The surface casing occurs within the Uinta Formation which is a non-hydrocarbon bearing zone and thus has no possibility of gas pressure.

5.2.2

Berry Petroleum Company request permission to use a blooie line with a discharge less than 100 feet from the wellbore in order to minimize the size of the well pads and direct the cuttings and circulating mediums into the cuttings or reserve pit. The requested length of the blooie line to drill the surface casing (surface to a total depth of +-350 feet) is 50 feet. The surface casing occurs within the Uinta Formation which is a non-hydrocarbon bearing zone and thus has no possibility of gas pressure.

5.2.3

Berry Petroleum Company request permission to operate without an automatic igniter or continuous pilot light on the blooie line due to the fact the air rig is only used to drill the surface casing (surface to a total depth of +-350 feet). The surface casing occurs within the Uinta Formation which is a non-hydrocarbon bearing zone and thus has no possibility of gas pressure.

5.2.4

Berry Petroleum Company request permission to use a trailer mounted compressor located less than 100 feet from the well bore in order to minimize the well pad size. The trailer mounted compressor is located 50 feet from the wellbore and in an opposite direction of the blooie line. The compressor has the following safety features: (1) shut off valve on the trailer that is located approximately 15 ft from the air rig, (2) pressure relief valve on the compressor, and (3) Spark arresters on the motors. The compressor only used in the drilling of the surface casing (surface to a total depth of +-350 feet). The surface casing occurs within the Uinta Formation which is a non-hydrocarbon bearing zone and thus has no possibility of gas pressure.

6. Evaluation Program:

| | |
|-------------------|--|
| Logging Program: | HRI-SP with SDL-DSN; surface casing to TD. GR log will be run back to surface. Preserve samples from all show intervals. CBL will be run after production cementing. |
| Surveys: | Every 500' on straight wells and as needed on directionals |
| Mud Logger: | As deemed necessary |
| Drill Stem Tests: | As deemed necessary. |

Cores: As deemed necessary.

Samples (dry cut): As deemed necessary

A complete set of angular deviation and directional surveys of a directional well will be submitted to the Vernal BLM office engineer within 30 days of the completion of the well.

The Evaluation Program may change at the discretion of the well site geologist with an approval by the BLM/VFO Authorized Officer.

When utilized, mud or lithology logs will be submitted to the BLM/VFO.

Drill stem tests, if they are run, will adhere to the following requirements:

Initial opening of the drill stem test tools shall be restricted to daylight hours unless specific approval to start during other hours is obtained from the Authorized Officer. However, DST's may be allowed to continue at night if the test was initiated during daylight hours and the rate of flow is stabilized and if adequate lighting is available (i.e., lighting which is adequate for visibility and vapor-proof for safe operations). Packers can be released, but tripping shall not begin before daylight, unless prior approval is obtained from the Authorized Officer. Closed chamber DST's may be performed day or night.

Some means of reverse circulation shall be provided in case of flow to the surface showing evidence of hydrocarbons.

Separation equipment required for the anticipated recovery shall be properly installed before a test starts.

If a drill stem test is performed, all engines within 100 feet of the wellbore that are required to be operational during the test shall have spark arresters or water-cooled exhausts.

Daily drilling reports shall be submitted to the BLM/VFO after drilling operations are completed for each well, and daily completion records shall be submitted with the completion report of each well.

Whether the well is completed as a dry hole or a producer, the "Well Completion and Recompletion Report and Log" (Form 3160-4) will be submitted not later than 30 days after completion of the well or after completion of operations being performed, in accordance with 43 CFR 3164. One copy of all logs, core descriptions, core analyses, well test data, geologic summaries, sample descriptions, and all other surveys or data obtained and compiled during the drilling, workover, and/or completion operations will be filed with Form 3160-4. Samples (cuttings, fluids, and/or gases) if collected, will be submitted when requested by the BLM/VFO.

7. Abnormal Conditions:

No abnormal temperatures or pressures are anticipated. No hydrogen sulfide has been encountered or is known to exist from previous drilling in the area at this depth. Maximum anticipated bottomhole pressure will be approximately equal to total depth in feet multiplied by a 0.43 psi/foot gradient, and maximum anticipated surface pressure will be approximately equal to bottomhole pressure minus the pressure of a partially evacuated hole calculated at 0.22 psi/foot. These pressures will be expressed in psi in each site specific APD. Bottom hole pressures will be report to BLM on completion report.

8. Anticipated Starting Dates and Notification of Operations:

Drilling Activity:

| | |
|--------------------------------|---|
| Anticipated Commencement Date: | Upon approval of the site specific APD. |
| Drilling Days: | Approximately 6 days. |
| Completion Days: | Approximately 7 days. |

Notification of Operations:

The BLM/VFO will be notified at least 24 hours prior to the commencement of spudding the well (to be followed with a Sundry Notice, Form 3160-5), of initiating pressure tests of the blowout preventer and related equipment, and running casing and cementing all casing strings. Notification will be made during regular work hours (7:45 a.m. - 4:30 p.m., Monday-Friday except holidays).

No location will be constructed or moved, no well will be plugged, and no drilling or workover equipment will be removed from a well to be placed in suspended status without prior approval from the BLM/VFO Authorized Officer. If operations are to be suspended, prior approval of the BLM/VFO Authorized Officer will be obtained and notification given before resumption of operations.

A completion rig will be used for completion operations. All conditions of this approved plan will be applicable during all operations conducted with the completion rig.

Immediate Report: Spills, blowouts, fires, leaks, accidents, or any other unusual occurrences shall be promptly reported in accordance with the requirements of NTL-3A or its revision.

The date on which production is commenced or resumed will be construed for oil wells as the date on which liquid hydrocarbons are first sold or shipped from a temporary storage facility, such as a test tank, and for which a run ticket is required to be generated,

or the date on which liquid hydrocarbons are first produced into a permanent storage facility, whichever occurs first; and for gas wells, as the date on which associated liquid hydrocarbons are first sold or shipped from a temporary storage facility, such as a test tank, and for which a run ticket is required to be generated, or the date on which gas is measured through permanent metering facilities, whichever occurs first.

Should the well be successfully completed for production, the BLM/VFO Authorized Officer will be notified when the well is placed in a producing status. Such notification will be sent by written communication not later than 5 days following the date when the well is placed on production.

Pursuant to Onshore Order No. 7, with the approval of the BLM/VFO Authorized Officer, produced water may be temporarily disposed of into lined pits for a period of up to 90 days, unless tankage is in place. During this period, an application for approval of the permanent disposal method must be submitted to the BLM/VFO Authorized Officer.

Pursuant to NTL-4A, lessees or operators are authorized to vent/flame gas during the initial well evaluation tests, not to exceed 30 days or the first production of 50 MMCF of gas, whichever occurs first. An application must be filed with the BLM/VFO Authorized Officer and approval received for any venting/flaming of gas beyond the initial 30 days or authorized test period.

A schematic facilities diagram, as required by 43 CFR 3162.7-5(b.9.d), shall be submitted to the BLM/VFO Authorized Officer within 60 days of installation or first production, whichever occurs first. All site security regulations, as specified in Onshore Oil and Gas Order No. 3, shall be adhered to. All product lines entering and leaving hydrocarbon storage tanks will be effectively sealed in accordance with 43 CFR 3162.7-5(b.4).

Well abandonment operations shall not be commenced without the prior approval of the BLM/VFO Authorized Officer. In the case of newly drilled dry holes or failures, and in emergency situations, oral approval will be obtained from the BLM/VFO Authorized Officer. And followed up in writing on Form 3160-5 within 5 working days of verbal approval. A "Subsequent Report of Abandonment," Form 3160-5, will be filed with the BLM/VFO Authorized Officer within 30 days following completion of the well for abandonment. This report will indicate placement of the plugs and current status of the surface restoration. Final Abandonment will not be approved until the surface reclamation work required by the approved APD or approved abandonment notice has been completed to the satisfaction of the BLM/VFO Authorized Officer or representative, or the appropriate surface managing agency.

Pursuant to Onshore Oil and Gas Order No. 1, lessees and operators have the responsibility to see that their exploration, development, production, and construction operations are conducted in a manner which conforms with applicable Federal laws and regulations and with the State and local laws, to the extent to which they are applicable, to operations on Federal or Indian Lands.

9. Other information:

For new locations and as existing locations are maintained, all loading lines will be placed inside the berm surrounding the tank battery.

All off lease storage, off lease measurement, or commingling on-lease or off-lease will have prior approval from the BLM/VFO Authorized Officer.

The gas meter will be calibrated and any production tank will be strapped in place prior to any deliveries. Tests for meter accuracy will be conducted monthly following initial installation for three months and at least quarterly thereafter. The BLM/VFO Authorized Officer will be provided with a date and time for the initial meter calibration and all future meter proving schedules. A copy of the meter calibration reports will be submitted to the BLM/VFO. All measurement facilities will conform to API and AGA standards, Onshore Oil & Gas Order No. 4, and Onshore Oil & Gas Order No. 5 for natural gas and liquid hydrocarbon measurements.

The use of materials under BLM jurisdiction will conform to 43 CFR 3610.2-3.

Deviations from the proposed drilling and/or workover program shall be approved by the BLM/VFO Authorized Officer. Safe drilling and operating practices must be observed. All wells, whether drilling, producing, suspended, or abandoned, will be identified in accordance with 43 CFR 3162.


"Sundry Notice and Report on Wells" (form 3160-5) will be filed for approval for all changes of plans and other operations in accordance with 43 CFR 3162.3-2.

Section 102(b)(3) of the Federal Oil and Gas Royalty Management Act of 1982, as implemented by the applicable provisions of the operating regulations at Title 43 CFR 3162.4-1(c), requires that "not later than the 5th business day after any well begins production on which royalty is due anywhere on a lease site or allocated to a lease site, resumes production in the case of a well which has been off production for more than 90 days, the operator shall notify the Authorized Officer by letter or sundry notice, Form 3160-5, or orally, to be followed by a letter or sundry notice, of the date on which such production has begun or resumed."

APD approval is valid for a period of two years from the signature date. An extension period may be granted, if requested, prior to the expiration of the original approval period.

Any changes from this SOP will be changed with a sundry notice or sent in site specific with the APD.

SCHEMATIC DIAGRAM OF 2,000 PSI BOP STACK



Contact numbers
Berry Petroleum Company

| | |
|---|---|
| <u>Berry Petroleum Company Denver</u> | <u>303-999-4400</u> |
| <u>Berry Petroleum Company Roosevelt</u> | <u>435-722-1325</u> |
| <u>Fred Goodrich</u> | <u>Production Sup. Office 435-722-1325</u> |
| <u>TBD</u> | <u>Completion Sup. Office 435-722-1325</u> |
| <u>TBD</u> | <u>Drilling Sup. Office 435-722-1325</u> |

Contact Numbers
BLM

| | | |
|-----------------------------|--|-----------------------------------|
| <u>Carey Doyle</u> | <u>Engineer</u> | <u>Office 435-781-3406</u> |
| <u>Cell</u> | | <u>435-828-7874</u> |
| <u>Ryan Angus</u> | <u>Engineering</u> | <u>Office 435-781-4432</u> |
| <u>Cell</u> | | <u>435-828-7368</u> |
| <u>Michael Lee</u> | <u>Engineering</u> | <u>Office 435-781-4432</u> |
| <u>Cell</u> | | <u>435-828-7875</u> |
| <u>Jamie Sparger</u> | <u>Inspection & Enforcement</u> | <u>Office 435-781-4502</u> |
| <u>Cell</u> | | <u>435-828-3913</u> |
| <u>Bill Owens</u> | <u>Inspection & Enforcement</u> | <u>Office 435-781-4498</u> |
| <u>Cell</u> | | <u>435-828-7630</u> |

BERRY PETROLEUM COMPANY
FEDERAL #3-5D-64, #4-5D-64, #5-5D-64 & #6-5D-64
LOCATED IN DUCHESNE COUNTY, UTAH
SECTION 5, T6S, R4W, U.S.B.&M.




PHOTO: VIEW FROM PIT C TO LOCATION STAKES

CAMERA ANGLE: NORTHERLY



PHOTO: VIEW FROM BEGINNING OF PROPOSED ACCESS

CAMERA ANGLE: SOUTHWESTERLY



Uintah Engineering & Land Surveying
85 South 200 East Vernal, Utah 84078
(435) 789-1017 * FAX (435) 789-1813

LOCATION PHOTOS

10 22 08
MONTH DAY YEAR

PHOTO

TAKEN BY: J.R.

DRAWN BY: J.J.

REVISED: 00-00-00

BERRY PETROLEUM COMPANY


LOCATION LAYOUT FOR

FEDERAL #3-5D-64, #4-5D-64

#5-5D-64 & #6-5D-64

SECTION 5, T6S, R4W, U.S.B.&M.

SE 1/4 NW 1/4



Elev. Ungraded Ground at #4-5D Location Stake = 7175.8'
 Elev. Graded Ground at #4-5D Location Stake = 7172.9'

UINTAH ENGINEERING & LAND SURVEYING
 85 So. 200 East • Vernal, Utah 84078 • (435) 789-1017

BERRY PETROLEUM COMPANY


TYPICAL CROSS SECTIONS FOR

FEDERAL #3-5D-64, #4-5D-64

#5-5D-64 & #6-5D-64


SECTION 5, T6S, R4W, U.S.B.&M.

SE 1/4 NW 1/4




DATE: 10-20-08

DRAWN BY: S.P.




STA. 3+50


Preconstruction
Grade



STA. 1+75



STA. 0+50



STA. 0+00

NOTE:

Topsoil should not be
Stripped Below Finished
Grade on Substructure Area.

APPROXIMATE ACREAGES

WELL SITE DISTURBANCE = ±2.063 ACRES
ACCESS ROAD DISTURBANCE = ±0.125 ACRES
PIPELINE DISTURBANCE = ±0.168 ACRES
TOTAL = ±2.356 ACRES

* NOTE:
FILL QUANTITY INCLUDES
5% FOR COMPACTION


APPROXIMATE YARDAGES

(6") Topsoil Stripping = 1,640 Cu. Yds.
Remaining Location = 8,030 Cu. Yds.
TOTAL CUT = 9,670 CU.YDS.
FILL = 8,030 CU.YDS.

EXCESS MATERIAL = 1,640 Cu. Yds.
Topsoil = 1,640 Cu. Yds.

EXCESS UNBALANCE = 0 Cu. Yds.
(After Interim Rehabilitation)

UINTAH ENGINEERING & LAND SURVEYING
85 So. 200 East * Vernal, Utah 84078 * (435) 789-1017



LEGEND:

○ PROPOSED LOCATION

BERRY PETROLEUM COMPANY

FEDERAL #3-5D-64, #4-5D-64, #5-5D-64 & #6-5D-64
SECTION 5, T6S, R4W, U.S.B.&M.
SE 1/4 NW 1/4



Uintah Engineering & Land Surveying
85 South 200 East Vernal, Utah 84078
(435) 789-1017 * FAX (435) 789-1813




TOPOGRAPHIC
MAP

10 22 08
MONTH DAY YEAR

SCALE: 1:100,000 DRAWN BY: J.J. REVISED: 00-00-00





LEGEND:

————— EXISTING ROAD
 - - - - - PROPOSED ACCESS ROAD

BERRY PETROLEUM COMPANY

FEDERAL #3-5D-64, #4-5D-64, #5-5D-64 & #6-5D-64
SECTION 5, T6S, R4W, U.S.B.&M.
SE 1/4 NW 1/4



Uintah Engineering & Land Surveying
 85 South 200 East Vernal, Utah 84078
 (435) 789-1017 * FAX (435) 789-1813



TOPOGRAPHIC
MAP

10 22 08
 MONTH DAY YEAR

SCALE: 1" = 2000'

DRAWN BY: J.J.

REVISED: 00-00-00

B
TOPO



D
TOPO

REVISÉ: 00-00-00



Berry Petroleum
Brundage Project
5 ½ Production String
Well Name: Federal 4-5D-64

No loss of circulation

| | |
|----------------------|--------------------|
| T.D. | 5985 ft |
| Hole Size | 7 7/8 in |
| Casing Size | 5 ½ in |
| Casing Weight | 15.50 lb/ ft |
| Tail Cement Coverage | 5985 ft to 3500ft |
| Tail Cement Excess | 15 % |
| Lead Cement Coverage | 3500 ft to surface |
| Lead Cement Excess | 15 % |

Hifill Lead Cmt 200 sks 11.0 #/gal 3.82 cuft/sk 23.0 gal/sk

| | |
|--------------------|--------------|
| Premium Type V Cmt | 100 % (BWOC) |
| Gel | 16 % (BWOC) |
| Gilsonite | 10 #/sk |
| GR 3 | 3 #/sk |
| Salt | 3 % (BWOC) |
| Flocele | ¼ # /sk |

50/50 Poz Tail Cmt 395sks 14.2 #/gal 1.26 cuft/sk 5.75 gal/sk

| | |
|---------------------|-------------|
| Premium Class G Cmt | 50 % (BWOC) |
| Poz | 50 % (BWOP) |
| Gel | 2 % (BWOC) |
| Salt | 10 % (BWOW) |
| CDI 33 | .4 % (BWOC) |
| CFL 175 | .4 % (BWOC) |
| Flocel | ¼ #/sk |



Berry Petroleum
Brundage Project
5 ½ Production String
Well Name: Federal 4-5D-64

With Loss Circulation

| | |
|----------------------|--------------------|
| T.D. | 5985 ft |
| Hole Size | 7 7/8 in |
| Casing Size | 5 ½ in |
| Casing Weight | 15.50 lb/ ft |
| Tail Cement Coverage | 5985 ft to 3500 ft |
| Tail Cement Excess | 15 % |
| Lead Cement Coverage | 3500 ft to surface |
| Lead Cement Excess | 15 % |

Hifill Lead Cmt 200sks 11.0 #/gal 3.82 cuft/sk 23.0 gal/sk

| | |
|--------------------|--------------|
| Premium Type V Cmt | 100 % (BWOC) |
| Gel | 16 % (BWOC) |
| Gilsonite | 10 #/sk |
| GR 3 | 3 #/sk |
| Salt | 3 % (BWOC) |
| Flocele | ¼ # /sk |

Premium Lite Tail 295 sks 13.1#/gal 1.69 cuft/sk 8.8 gal/sk

| | |
|---------------------|-------------|
| Premium Class G Cmt | 65 % (BWOC) |
| Poz | 35 % (BWOP) |
| Gel | 6% (BWOC) |
| CDI 33 | .4 % (BWOC) |
| CFL 175 | .4 % (BWOC) |
| Flocele | ¼ # /sk |
| Salt | 10 % (BWOW) |



Berry Petroleum
Brundage Project
5 ½ Production String
Well Name: Federal 4-5D-64

| | |
|---|---------------------|
| Total Mix Water (Cement Only) | 6871 gallons |
| Water ahead | 10 bbls(8.33 ppg) |
| Mud Flush | 20 bbls(8.34 ppg) |
| Water Spacer | 10 bbls(8.33 ppg) |
| Lead Cement | 136 bbls(11 ppg) |
| Tail Cement(With No loss Circulation) | 88.6 bbls(14.2 ppg) |
| Wash Pump and Lines and Drop Top Plug Displacemnet (KCL) | 141.4bbls(8.4 ppg) |




Berry Petroleum
Brundage Project
8 5/8 Surface Casing
Well Name: Federal 4-5D-64

| | |
|-----------------|------------------|
| T.D. | 350 ft |
| Hole Size | 12 ¼ in |
| Casing Size | 8 5/8 in |
| Casing Weight | 24 lbs/ft |
| Cement Coverage | 350ft to Surface |
| Cement Excess | 50% |

| Cement 200 sacks | 15.8#/gal | 1.15cuft/sk | 5.0gal/sk |
|-------------------------|------------------|--------------------|------------------|
| G Cement | 100% BWOC | | |
| Calcium Chloride | 2% BWOC | | |
| Flocel | 1/4# per sack | | |

| | |
|-------------------------------|---------------------|
| Total mix water (cement only) | 1000 gallons |
| Water ahead | 10 bbls(8.33 ppg) |
| Gel Sweep | 20 bbls(8.44 ppg) |
| 200 sacks of Cement | 40.9 bbls(15.8 ppg) |
| Drop Rubber Top Plug | |
| Displacement | 19.3 bbls(8.33 ppg) |



LEGEND:

- | | |
|-------------------|-------------------------|
| ⊗ DISPOSAL WELLS | ⊗ WATER WELLS |
| ● PRODUCING WELLS | ⊗ ABANDONED WELLS |
| ⊙ SHUT IN WELLS | ⊙ TEMPORARILY ABANDONED |

BERRY PETROLEUM COMPANY

FEDERAL #3-5D-64, #4-5D-64, #5-5D-64 & #6-5D-64
SECTION 5, T6S, R4W, U.S.B.&M.
SE 1/4 NW 1/4



Uintah Engineering & Land Surveying
85 South 200 East Vernal, Utah 84078
(435) 789-1017 * FAX (435) 789-1813




TOPOGRAPHIC
MAP

10 22 08
MONTH DAY YEAR

SCALE: 1" = 2000' DRAWN BY: J.J. REVISED: 00-00-00






API Number: 4301350263
Well Name: FEDERAL 4-5D-64
Township 06.0 S Range 04.0 W Section 5
Meridian: UBM
Operator: BERRY PETROLEUM COMPANY

Map Prepared:
 Map Produced by Diana Mason

- | | |
|---------------|------------------------------------|
| Units | Wells Query |
| STATUS | Status |
| ACTIVE | APD - Approved Permit |
| EXPLORATORY | DRL - Spudded (Drilling Commenced) |
| GAS STORAGE | GIW - Gas Injection |
| NF PP OIL | GS - Gas Storage |
| NF SECONDARY | LA - Location Abandoned |
| PI OIL | LOC - New Location |
| PP GAS | OPS - Operation Suspended |
| PP GEOTHERMAL | PA - Plugged Abandoned |
| PP OIL | PGW - Producing Gas Well |
| SECONDARY | POW - Producing Oil Well |
| TERMINATED | RET - Returned APD |
| Fields | SGW - Shut-in Gas Well |
| Unknown | SOW - Shut-in Oil Well |
| ABANDONED | TA - Temp. Abandoned |
| ACTIVE | TW - Test Well |
| COMBINED | WDW - Water Disposal |
| INACTIVE | WW - Water Injection Well |
| STORAGE | WSW - Water Supply Well |
| TERMINATED | |
| Sections | |
| Township | |



WORKSHEET

APPLICATION FOR PERMIT TO DRILL

APD RECEIVED: 2/11/2010

API NO. ASSIGNED: 43013502630000

WELL NAME: FEDERAL 4-5D-64

OPERATOR: BERRY PETROLEUM COMPANY (N2480)

PHONE NUMBER: 435 722-1325

CONTACT: Kathy K. Fieldsted

PROPOSED LOCATION: SENW 5 060S 040W

Permit Tech Review: ☒

SURFACE: 1520 FNL 1512 FWL

Engineering Review: ☐

BOTTOM: 0460 FNL 0462 FWL

Geology Review: ☒

COUNTY: DUCHESNE

LATITUDE: 39.99192

LONGITUDE: -110.36228

UTM SURF EASTINGS: 554443.00

NORTHINGS: 4426845.00

FIELD NAME: UNDESIGNATED

LEASE TYPE: 1 - Federal

LEASE NUMBER: UTU8894A

PROPOSED PRODUCING FORMATION(S): GREEN RIVER

SURFACE OWNER: 1 - Federal

COALBED METHANE: NO

RECEIVED AND/OR REVIEWED:

- ☒ **PLAT**
- ☒ **Bond:** FEDERAL - RLB0005651
- ☐ **Potash**
- ☐ **Oil Shale 190-5**
- ☐ **Oil Shale 190-3**
- ☐ **Oil Shale 190-13**
- ☒ **Water Permit:** 4311041
- ☐ **RDCC Review:**
- ☐ **Fee Surface Agreement**
- ☐ **Intent to Commingle**

Commingle Approved

LOCATION AND SITING:

- ☐ **R649-2-3.**
- Unit:**
- ☐ **R649-3-2. General**
- ☐ **R649-3-3. Exception**
- ☒ **Drilling Unit**
- Board Cause No:** R649-3-11
- Effective Date:**
- Siting:**
- ☒ **R649-3-11. Directional Drill**

Comments: Presite Completed

Stipulations: 4 - Federal Approval - dmason
15 - Directional - dmason
23 - Spacing - dmason



State of Utah

DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER
Executive Director

Division of Oil, Gas and Mining

JOHN R. BAZA
Division Director

Permit To Drill

Well Name: FEDERAL 4-5D-64
API Well Number: 43013502630000
Lease Number: UTU8894A
Surface Owner: FEDERAL
Approval Date: 3/3/2010

Issued to:

BERRY PETROLEUM COMPANY, 4000 South 4028 West Rt 2 Box 7735, Roosevelt, UT 84066

Authority:

Pursuant to Utah Code Ann. §40-6-1 et seq., and Utah Administrative Code R649-3-1 et seq., the Utah Division of Oil, Gas and Mining issues conditions of approval, and permit to drill the listed well. This permit is issued in accordance with the requirements of R649-3-11. The expected producing formation or pool is the GREEN RIVER Formation(s), completion into any other zones will require filing a Sundry Notice (Form 9). Completion and commingling of more than one pool will require approval in accordance with R649-3-22.

Duration:

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date

General:

Compliance with the requirements of Utah Admin. R. 649-1 et seq., the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

Conditions of Approval:

State approval of this well does not supercede the required federal approval, which must be obtained prior to drilling.

In accordance with Utah Admin. R.649-3-11, Directional Drilling, the operator shall submit a complete angular deviation and directional survey report to the Division within 30 days following completion of the well.

This proposed well is located in an area for which drilling units (well spacing patterns) have not been established through an order of the Board of Oil, Gas and Mining (the "Board"). In order to avoid the possibility of waste or injury to correlative rights, the operator is requested, once the well has been drilled, completed, and has produced, to analyze geological and engineering data generated therefrom, as well as any similar data from surrounding areas if available. As soon as is practicable after completion of its analysis, and if the analysis suggests an area larger than the quarter-quarter section upon which the well is located is being drained, the operator is requested to seek an appropriate order from the Board establishing drilling and spacing units in conformance with such analysis by filing a Request for Agency Action with the Board.

Notification Requirements:

The operator is required to notify the Division of Oil, Gas and Mining of the following actions during drilling of this well:

- Within 24 hours following the spudding of the well – contact Carol Daniels at 801-538-5284 (please leave a voicemail message if not available)

OR


submit an electronic sundry notice (pre-registration required) via the Utah Oil & Gas website at <https://oilgas.ogm.utah.gov>

Reporting Requirements:

All reports, forms and submittals as required by the Utah Oil and Gas Conservation General Rules will be promptly filed with the Division of Oil, Gas and Mining, including but not limited to:

- Entity Action Form (Form 6) – due within 5 days of spudding the well
- Monthly Status Report (Form 9) – due by 5th day of the following calendar month
- Requests to Change Plans (Form 9) – due prior to implementation
- Written Notice of Emergency Changes (Form 9) – due within 5 days
- Notice of Operations Suspension or Resumption (Form 9) – due prior to implementation
- Report of Water Encountered (Form 7) – due within 30 days after completion
- Well Completion Report (Form 8) – due within 30 days after completion or plugging

Approved By:

A handwritten signature in black ink, appearing to read "Gil Hunt", with a stylized, flowing script.

Gil Hunt
Associate Director, Oil & Gas

| | | |
|--|--|--|
| STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING | | FORM 9 |
| SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals. | | 5. LEASE DESIGNATION AND SERIAL NUMBER: UTU8894A |
| 1. TYPE OF WELL Oil Well | | 6. IF INDIAN, ALLOTTEE OR TRIBE NAME: |
| 2. NAME OF OPERATOR: BERRY PETROLEUM COMPANY | | 7. UNIT or CA AGREEMENT NAME: |
| 3. ADDRESS OF OPERATOR: 4000 South 4028 West Rt 2 Box 7735 , Roosevelt, UT, 84066 | | 8. WELL NAME and NUMBER: FEDERAL 4-5D-64 |
| 4. LOCATION OF WELL FOOTAGES AT SURFACE: 1520 FNL 1512 FWL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: SENW Section: 5 Township: 06.0S Range: 04.0W Meridian: U | | 9. API NUMBER: 43013502630000 |
| PHONE NUMBER: 303 999-4044 Ext | | 9. FIELD and POOL or WILDCAT: UNDESIGNATED |
| COUNTY: DUCHESNE | | STATE: UTAH |
| 11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA | | |
| TYPE OF SUBMISSION | TYPE OF ACTION | |
| <input type="checkbox"/> NOTICE OF INTENT Approximate date work will start: | <input type="checkbox"/> ACIDIZE | |
| <input type="checkbox"/> SUBSEQUENT REPORT Date of Work Completion: | <input type="checkbox"/> ALTER CASING | |
| <input checked="" type="checkbox"/> SPUD REPORT Date of Spud: 5/21/2010 | <input type="checkbox"/> CASING REPAIR | |
| <input type="checkbox"/> DRILLING REPORT Report Date: | <input type="checkbox"/> CHANGE TO PREVIOUS PLANS | |
| | <input type="checkbox"/> CHANGE TUBING | |
| | <input type="checkbox"/> CHANGE WELL STATUS | |
| | <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS | |
| | <input type="checkbox"/> CONVERT WELL TYPE | |
| | <input type="checkbox"/> DEEPEN | |
| | <input type="checkbox"/> FRACTURE TREAT | |
| | <input type="checkbox"/> NEW CONSTRUCTION | |
| | <input type="checkbox"/> OPERATOR CHANGE | |
| | <input type="checkbox"/> PLUG AND ABANDON | |
| | <input type="checkbox"/> PLUG BACK | |
| | <input type="checkbox"/> PRODUCTION START OR RESUME | |
| | <input type="checkbox"/> RECLAMATION OF WELL SITE | |
| | <input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION | |
| | <input type="checkbox"/> REPERFORATE CURRENT FORMATION | |
| | <input type="checkbox"/> SIDETRACK TO REPAIR WELL | |
| | <input type="checkbox"/> TEMPORARY ABANDON | |
| | <input type="checkbox"/> TUBING REPAIR | |
| | <input type="checkbox"/> VENT OR FLARE | |
| | <input type="checkbox"/> WATER DISPOSAL | |
| | <input type="checkbox"/> WATER SHUTOFF | |
| | <input type="checkbox"/> SI TA STATUS EXTENSION | |
| | <input type="checkbox"/> APD EXTENSION | |
| | <input type="checkbox"/> WILDCAT WELL DETERMINATION | |
| | <input type="checkbox"/> OTHER: | |
| 12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. Please note that the Federal 4-5D-64 was spud on May 21, 2010 at approx. 4:30pm by Craig's. | | |
| Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY May 24, 2010 | | |
| NAME (PLEASE PRINT) Kathy K. Fieldsted | PHONE NUMBER 435 722-1325 | TITLE Sr. Regulatory & Permitting Tech. |
| SIGNATURE N/A | DATE 5/24/2010 | |

| | | |
|--|--|--|
| STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING | | FORM 9 |
| SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals. | | 5. LEASE DESIGNATION AND SERIAL NUMBER: UTU8894A |
| 1. TYPE OF WELL Oil Well | | 6. IF INDIAN, ALLOTTEE OR TRIBE NAME: |
| 2. NAME OF OPERATOR: BERRY PETROLEUM COMPANY | | 7. UNIT or CA AGREEMENT NAME: |
| 3. ADDRESS OF OPERATOR: 4000 South 4028 West Rt 2 Box 7735 , Roosevelt, UT, 84066 | | 8. WELL NAME and NUMBER: FEDERAL 4-5D-64 |
| 4. LOCATION OF WELL FOOTAGES AT SURFACE: 1520 FNL 1512 FWL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: SENW Section: 5 Township: 06.0S Range: 04.0W Meridian: U | | 9. API NUMBER: 43013502630000 |
| PHONE NUMBER: 303 999-4044 Ext | | 9. FIELD and POOL or WILDCAT: UNDESIGNATED |
| COUNTY: DUCHESNE | | STATE: UTAH |
| 11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA | | |
| TYPE OF SUBMISSION | TYPE OF ACTION | |
| <input type="checkbox"/> NOTICE OF INTENT Approximate date work will start: | <input type="checkbox"/> ACIDIZE | |
| <input type="checkbox"/> SUBSEQUENT REPORT Date of Work Completion: | <input type="checkbox"/> ALTER CASING | |
| <input checked="" type="checkbox"/> SPUD REPORT Date of Spud: 5/21/2010 | <input type="checkbox"/> CASING REPAIR | |
| <input type="checkbox"/> DRILLING REPORT Report Date: | <input type="checkbox"/> CHANGE TO PREVIOUS PLANS | |
| | <input type="checkbox"/> CHANGE WELL STATUS | |
| | <input type="checkbox"/> CHANGE TUBING | |
| | <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS | |
| | <input type="checkbox"/> DEEPEN | |
| | <input type="checkbox"/> FRACTURE TREAT | |
| | <input type="checkbox"/> NEW CONSTRUCTION | |
| | <input type="checkbox"/> OPERATOR CHANGE | |
| | <input type="checkbox"/> PLUG AND ABANDON | |
| | <input type="checkbox"/> PLUG BACK | |
| | <input type="checkbox"/> PRODUCTION START OR RESUME | |
| | <input type="checkbox"/> RECLAMATION OF WELL SITE | |
| | <input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION | |
| | <input type="checkbox"/> REPERFORATE CURRENT FORMATION | |
| | <input type="checkbox"/> SIDETRACK TO REPAIR WELL | |
| | <input type="checkbox"/> TEMPORARY ABANDON | |
| | <input type="checkbox"/> TUBING REPAIR | |
| | <input type="checkbox"/> VENT OR FLARE | |
| | <input type="checkbox"/> WATER DISPOSAL | |
| | <input type="checkbox"/> WATER SHUTOFF | |
| | <input type="checkbox"/> SI TA STATUS EXTENSION | |
| | <input type="checkbox"/> APD EXTENSION | |
| | <input type="checkbox"/> WILDCAT WELL DETERMINATION | |
| | <input type="checkbox"/> OTHER: | |
| 12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. Please note that the Federal 4-5D-64 was spud on May 21, 2010 at approx. 4:30pm by Craig's. | | |
| Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY May 24, 2010 | | |
| NAME (PLEASE PRINT) Kathy K. Fieldsted | PHONE NUMBER 435 722-1325 | TITLE Sr. Regulatory & Permitting Tech. |
| SIGNATURE N/A | DATE 5/24/2010 | |

| | | |
|--|--|--|
| STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING | | FORM 9 |
| SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals. | | 5. LEASE DESIGNATION AND SERIAL NUMBER: UTU8894A |
| 1. TYPE OF WELL Oil Well | | 6. IF INDIAN, ALLOTTEE OR TRIBE NAME: |
| 2. NAME OF OPERATOR: BERRY PETROLEUM COMPANY | | 7. UNIT or CA AGREEMENT NAME: |
| 3. ADDRESS OF OPERATOR: 4000 South 4028 West Rt 2 Box 7735 , Roosevelt, UT, 84066 | | 8. WELL NAME and NUMBER: FEDERAL 4-5D-64 |
| 4. LOCATION OF WELL FOOTAGES AT SURFACE: 1520 FNL 1512 FWL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: SENW Section: 5 Township: 06.0S Range: 04.0W Meridian: U | | 9. API NUMBER: 43013502630000 |
| PHONE NUMBER: 303 999-4044 Ext | | 9. FIELD and POOL or WILDCAT: UNDESIGNATED |
| COUNTY: DUCHESNE | | STATE: UTAH |
| 11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA | | |
| TYPE OF SUBMISSION | TYPE OF ACTION | |
| <input type="checkbox"/> NOTICE OF INTENT Approximate date work will start: | <input type="checkbox"/> ACIDIZE | |
| <input type="checkbox"/> SUBSEQUENT REPORT Date of Work Completion: | <input type="checkbox"/> ALTER CASING | |
| <input type="checkbox"/> SPUD REPORT Date of Spud: | <input type="checkbox"/> CASING REPAIR | |
| <input checked="" type="checkbox"/> DRILLING REPORT Report Date: 6/30/2010 | <input type="checkbox"/> CHANGE TO PREVIOUS PLANS | |
| | <input type="checkbox"/> CHANGE TUBING | |
| | <input type="checkbox"/> CHANGE WELL STATUS | |
| | <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS | |
| | <input type="checkbox"/> DEEPEN | |
| | <input type="checkbox"/> FRACTURE TREAT | |
| | <input type="checkbox"/> OPERATOR CHANGE | |
| | <input type="checkbox"/> PLUG AND ABANDON | |
| | <input type="checkbox"/> PRODUCTION START OR RESUME | |
| | <input type="checkbox"/> RECLAMATION OF WELL SITE | |
| | <input type="checkbox"/> REPERFORATE CURRENT FORMATION | |
| | <input type="checkbox"/> SIDETRACK TO REPAIR WELL | |
| | <input type="checkbox"/> TUBING REPAIR | |
| | <input type="checkbox"/> VENT OR FLARE | |
| | <input type="checkbox"/> WATER SHUTOFF | |
| | <input type="checkbox"/> SI TA STATUS EXTENSION | |
| | <input type="checkbox"/> WILDCAT WELL DETERMINATION | |
| | <input type="checkbox"/> OTHER: | |
| 12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. PLEASE SEE THE ATTACHED DRILLING HISTORY FOR THE FEDERAL 4-5D-64. | | |
| Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY July 01, 2010 | | |
| NAME (PLEASE PRINT) Kathy K. Fieldsted | PHONE NUMBER 435 722-1325 | TITLE Sr. Regulatory & Permitting Tech. |
| SIGNATURE N/A | DATE 7/1/2010 | |



Berry Daily Drilling Report

Report Date: 6/24/2010

Report #: 1, DFS:

Depth Progress: 0

Well Name: FEDERAL 4-5D-64

| | | | | | |
|--|--|---|----------------------------------|--------------------------|-----------------------------|
| API/UWI 43-013-50263 | Surface Legal Location SENV SECTION 5, T6S-R4W | Spud Date Notice | APD State Utah | AFE Number C10 032035 | Total AFE Amount 381,921 |
| Spud Date 6/24/2010 11:30:00 AM | Rig Release Date 6/29/2010 6:00:00 PM | KB-Ground Distance (ft) 14.00 | Ground Elevation (ftKB) 7,176 | Daily Cost 44,858 | Cum Cost To Date 44,858 |
| Operations at Report Time Picking up BHA | | Operations Next 24 Hours Drill out cement and shoe track. Drill new formation. | | Daily Mud Cost | Mud Additive Cost To Date |
| Operations Summary Move rig over new hole, Rig up , Nipple up, Test BOPE, Load pipe racks w/ HWDP, Drill collars, Motor, Strap, OD & ID BHA, Change out rails, rubber and screens on shale shaker, Pick up BHA. | | | | | |
| Remarks | | | | | |
| Weather Clear | Temperature (°F) 54.0 | Road Condition Good | Hole Condition Good | Daily Contacts | |
| | | | | Job Contact | Mobile |
| | | | | R. Boyd Cottam | |

Last Casing Set

| Casing Description | Set Depth (ftKB) | OD (in) | Comment |
|--------------------|------------------|---------|----------|
| Surface | 352 | 8 5/8 | Cemented |

Time Log

| Start Time | End Time | Dur (hrs) | Operation | Comment |
|------------|----------|-----------|--------------------|---|
| 06:00 | 20:00 | 14.00 | Rig Up & Tear Down | Safety meeting w/crew and truck drivers, Set out pipe tubs & catwalk, skid water tank, set out mud pumps, generators, parts house, and top drive motor. Set sub over new hole. Set in ramps, drive carrier onto ramps, set in mud pumps, generators, parts house, mud pit, set in brant equipment. Raise derrick and string guy wires, set in pipe tubs and catwalk. Rig up top drive and service loop. Rig up torque tube. Rig up floor, air lines, water lines, and hydrolic lines. |
| 20:00 | 23:00 | 3.00 | Test BOP | Pressure test BOPE, Pipe rams, Blind rams, Annular, Choke line, Kill line, Safety valves, Choke manifold, Casing, and test Accumulator. |
| 23:00 | 03:30 | 4.50 | Trips | Load pipe racks w/ BHA, and HWDP, strap, ID & OD, Replace rails, rubber, and screens on shale shaker. |
| 03:30 | 06:00 | 2.50 | Trips | Pick up directional tools |

Mud Checks

| Type | Time | Depth (ftKB) | Density (lb/gal) | Vis (s/qt) | PV Calc (cp) | Yield Point (lb/100ft²) |
|-----------------------|----------------------|------------------------|-----------------------|---------------------|---------------------|-------------------------|
| Gel (10s) (lb/100...) | Gel (10m) (lb/10...) | Gel (30m) (lb/10...) | Filtrate (mL/30min) | Filter Cake (/32") | pH | Solids (%) |
| MBT (lb/bbl) | Percent Oil (%) | Percent Water (%) | Chlorides (mg/L) | Calcium (mg/L) | KCL (%) | Electric Stab (V) |
| CEC for Cuttings | Whole Mud Add (bbl) | Mud Lost to Hole (bbl) | Mud Lost (Surf) (bbl) | Mud Vol (Res) (bbl) | Mud Vol (Act) (bbl) | |

Air Data

| | | | |
|-------------------------|--------------------------|------------------|-----------------------|
| Parasite ACFM (ft³/min) | Drillpipe ACFM (ft³/min) | ECD Bit (lb/gal) | ECD Parasite (lb/gal) |
|-------------------------|--------------------------|------------------|-----------------------|

Corrosion Inhibitor Injected in 24hr Period

| | | |
|----------------------------------|---------------------------|-----------------------------------|
| gls Injected down Parasite (gal) | gls Injected in Mud (gal) | gls Biocide Injected in Mud (gal) |
|----------------------------------|---------------------------|-----------------------------------|

Drill Strings

BHA #1, Steerable

| | | | |
|----------------|--------------------------|--------------------|----------------------|
| Bit Run | Drill Bit | IADC Bit Dull | TFA (incl Noz) (in²) |
| 1 | 7 7/8in, FX55M, 11505425 | ----- | 0.98 |
| Nozzles (/32") | 16/16/16/16/16 | String Length (ft) | String Wt (1000lbf) |
| | | 5,895.23 | BHA ROP (ft...) |
| | | | 71.5 |

Drill String Components

| Jts | Item Description | OD (in) | Len (ft) | Lobe config | Stages | rpm/gpm | Bit-Bend ft. (ft) | min gpm (gpm) | max gpm (gpm) | SN |
|-----|------------------|---------|----------|-------------|--------|---------|-------------------|---------------|---------------|--------|
| 1 | Motor | 6 1/2 | 28.42 | 0.8... | 3.5 | 0.210 | | | | 650318 |
| 1 | Pony sub | 6 1/2 | 9.58 | | | | | | | |
| 1 | NMDC | 6 1/2 | 29.45 | | | | | | | |
| 1 | Gap sub | 6 1/2 | 5.83 | | | | | | | |
| 3 | Drill Collars | 6 1/2 | 92.77 | | | | | | | |

Rigs

| | |
|---------------------|-------------------|
| Contractor Aztec | Rig Number 673 |
|---------------------|-------------------|

Mud Pumps

1, RFS, 1000

| | | |
|------------------|----------------------|--------------------|
| Pump Rating (hp) | Rod Diameter (in) | Stroke Length (in) |
| 1,000.0 | 2 1/4 | 10.00 |
| Liner Size (in) | Vol/Stk OR (bbl/stk) | |
| 6 1/2 | 0.078 | |
| Pressure (psi) | Slow Spd | Strokes (spm) |
| | No | Eff (%) |

2, RFS, 1000

| | | |
|------------------|----------------------|--------------------|
| Pump Rating (hp) | Rod Diameter (in) | Stroke Length (in) |
| 1,000.0 | 2 1/4 | 10.00 |
| Liner Size (in) | Vol/Stk OR (bbl/stk) | |
| 6 1/2 | 0.078 | |
| Pressure (psi) | Slow Spd | Strokes (spm) |
| | No | Eff (%) |

Mud Additive Amounts

| Description | Consumed | Daily Cost |
|-------------|----------|------------|
| | | |

Job Supplies

Diesel Fuel, <Unit Label?>

| Supply Item Description | Unit Label |
|-------------------------|----------------|
| Diesel Fuel | |
| Total Received | Total Consumed |
| | 5,357.0 |
| | Total Returned |

Diesel Fuel Consumption

| Date | Consumed |
|-----------|----------|
| 6/25/2010 | 770.0 |
| 6/26/2010 | 1,670.0 |
| 6/27/2010 | 1,250.0 |
| 6/28/2010 | 734.0 |
| 6/29/2010 | 933.0 |

RECEIVED July 01, 2010



Berry Daily Drilling Report

Report Date: 6/24/2010

Report #: 1, DFS:

Depth Progress: 0

Well Name: FEDERAL 4-5D-64

Drill String Components

| Jts | Item Description | OD (in) | Len (ft) | Lobe config | Stages | rpm/gpm | Bit-Bend ft. (ft) | min gpm (gpm) | max gpm (gpm) | SN |
|-----|------------------|---------|----------|-------------|--------|---------|-------------------|---------------|---------------|----|
| 30 | HWDP | 4 1/2 | 920.18 | | | | | | | |
| 150 | Drill Pipe | 4 1/2 | 4,809.00 | | | | | | | |

Drilling Parameters

| | | | | | | | | |
|--------------------|-----------------|------------------|------------------|------------------|-------------------|------------------|--------------------|------------------|
| Wellbore | Start (ftKB) | Depth End (ftKB) | Cum Depth (ft) | Drill Time (hrs) | Cum Drill Time .. | Int ROP (ft/hr) | Flow Rate (gpm) | |
| Original Hole | 352.0 | 352.0 | | 0.00 | | | | |
| WOB (1000lbf) | RPM (rpm) | SPP (psi) | Rot HL (1000lbf) | PU HL (1000lbf) | SO HL (1000lbf) | Drilling Torque | Off Btm Tq | |
| Q (g inj) (ft³/... | Motor RPM (rpm) | T (Inj) (°F) | P (BH Ann) (...) | T (bh) (°F) | P(Surf Ann) ... | T (surf ann) ... | Q (liq rtn) (g) .. | Q (g return) ... |

Deviation Surveys

All Survey

| | | | | | | | |
|---------|-----------|-------------|--------------|-----------|------------------|--------------|-------------------|
| Azim... | Date | Description | EW Tie In... | Inclin... | MD Tie In (ft... | NSTie In ... | TVD Tie In (ft... |
| | 6/24/2010 | All Survey | | | | | |

Survey Data

| | | | | | | | |
|-----------|----------|---------|------------|---------|---------|---------|---------------|
| MD (ftKB) | Incl (°) | Azm (°) | TVD (ftKB) | NS (ft) | EW (ft) | VS (ft) | DLS (°/100ft) |
| | | | | | | | |

RECEIVED July 01, 2010



Berry Daily Drilling Report

Report Date: 6/25/2010

Report #: 2, DFS: 0.8

Depth Progress: 1,390

Well Name: FEDERAL 4-5D-64

| | | | | | |
|---|--|---|----------------------------------|---------------------------------|----------------------------------|
| API/UWI 43-013-50263 | Surface Legal Location SENV SECTION 5, T6S-R4W | Spud Date Notice | APD State Utah | AFE Number C10 032035 | Total AFE Amount 381,921 |
| Spud Date 6/24/2010 11:30:00 AM | Rig Release Date 6/29/2010 6:00:00 PM | KB-Ground Distance (ft) 14.00 | Ground Elevation (ftKB) 7,176 | Daily Cost 39,321 | Cum Cost To Date 84,179 |
| Operations at Report Time Drilling @1742 | | Operations Next 24 Hours Drill 7 7/8" production hole. | | Daily Mud Cost 450 | Mud Additive Cost To Date 450 |
| Operations Summary Trip in hole, tagged cement @ 236', Build volume, chain BOP to sub, Rig service, Drill cement and shoe track, Drill 7 7/8" production hole. | | | | Depth Start (ftKB) 352 | Depth End (ftKB) 1,742 |
| Remarks | | | | Depth Start (TVD) (ftKB) 352 | Depth End (TVD) (ftKB) 1,709 |
| | | | | Target Formation Wasatch | Target Depth (ftKB) 5,830 |

| | | | |
|------------------|--------------------------|------------------------|------------------------|
| Weather Clear | Temperature ("F) 55.0 | Road Condition Good | Hole Condition Good |
|------------------|--------------------------|------------------------|------------------------|

Last Casing Set

| | | | |
|-------------------------------|-------------------------|------------------|---------------------|
| Casing Description Surface | Set Depth (ftKB) 352 | OD (in) 8 5/8 | Comment Cemented |
|-------------------------------|-------------------------|------------------|---------------------|

Time Log

| Start Time | End Time | Dur (hrs) | Operation | Comment |
|------------|----------|-----------|----------------------------|---|
| 06:00 | 08:00 | 2.00 | Trips | Trip in hole, tagged cement @ 286' |
| 08:00 | 09:00 | 1.00 | Condition Mud & Circulate | Build volume in mud pit, secure BOP with chains |
| 09:00 | 09:30 | 0.50 | Lubricate Rig | Rig service, Derrick insp. |
| 09:30 | 11:30 | 2.00 | Drill Out Cement/Retainers | Drill cement and shoe track. |
| 11:30 | 06:00 | 18.50 | Drilling | Drill 7 7/8" production hole |

Mud Checks

| | | | | | | |
|-----------------------|----------------------|------------------------|--------------------------|---------------------|---------------------|---|
| Type Water Base | Time 06:00 | Depth (ftKB) 352.0 | Density (lb/gal) 8.40 | Vis (s/qt) 27 | PV Calc (cp) 1.0 | Yield Point (lb/100ft ²) 1.000 |
| Gel (10s) (lb/100...) | Gel (10m) (lb/10...) | Gel (30m) (lb/10...) | Filtrate (mL/30min) | Filter Cake (1/32") | pH 7.0 | Solids (%) 1.0 |
| MBT (lb/bbl) | Percent Oil (%) | Percent Water (%) | Chlorides (mg/L) | Calcium (mg/L) | KCL (%) | Electric Stab (V) |
| CEC for Cuttings | Whole Mud Add (bbl) | Mud Lost to Hole (bbl) | Mud Lost (Surf) (bbl) | Mud Vol (Res) (bbl) | Mud Vol (Act) (bbl) | |

Air Data

| | | | |
|--------------------------------------|---------------------------------------|------------------|-----------------------|
| Parasite ACFM (ft ³ /min) | Drillpipe ACFM (ft ³ /min) | ECD Bit (lb/gal) | ECD Parasite (lb/gal) |
|--------------------------------------|---------------------------------------|------------------|-----------------------|

Corrosion Inhibitor Injected in 24hr Period

| | | |
|----------------------------------|---------------------------|-----------------------------------|
| gls Injected down Parasite (gal) | gls Injected in Mud (gal) | gls Biocide Injected in Mud (gal) |
|----------------------------------|---------------------------|-----------------------------------|

Drill Strings

| | | | |
|-------------------|---------------------------------------|--------------------------------|---|
| BHA #1, Steerable | | | |
| Bit Run 1 | Drill Bit 7 7/8in, FX55M, 11505425 | IADC Bit Dull ----- | TFA (incl Noz) (in ²) 0.98 |
| Nozzles (1/32") | 16/16/16/16/16 | String Length (ft) 5,895.23 | String Wt (1000lbf) 71.5 |

Drill String Components

| Jts | Item Description | OD (in) | Len (ft) | Lobe config | Stages | rpm/gpm | Bit-Bend ft. (ft) | min gpm (gpm) | max gpm (gpm) | SN |
|-----|------------------|---------|----------|-------------|--------|---------|-------------------|---------------|---------------|--------|
| 1 | Motor | 6 1/2 | 28.42 | 0.8... | 3.5 | 0.210 | | | | 650318 |
| 1 | Pony sub | 6 1/2 | 9.58 | | | | | | | |
| 1 | NMDC | 6 1/2 | 29.45 | | | | | | | |
| 1 | Gap sub | 6 1/2 | 5.83 | | | | | | | |
| 3 | Drill Collars | 6 1/2 | 92.77 | | | | | | | |
| 30 | HWDP | 4 1/2 | 920.18 | | | | | | | |
| 150 | Drill Pipe | 4 1/2 | 4,809.00 | | | | | | | |

Drilling Parameters

| | | | | | | | |
|----------------------------------|-----------------------|-----------------------------|----------------------------|---------------------------|-----------------------------|-------------------------|------------------------|
| Wellbore Original Hole | Start (ftKB) 352.0 | Depth End (ftKB) 1,742.0 | Cum Depth (ft) 1,390.00 | Drill Time (hrs) 18.50 | Cum Drill Time ... 18.50 | Int ROP (ft/hr) 75.1 | Flow Rate (gpm) 407 |
| WOB (1000lbf) 12 | RPM (rpm) 60 | SPP (psi) 850.0 | Rot HL (1000lbf) 83 | PU HL (1000lbf) 90 | SO HL (1000lbf) 75 | Drilling Torque | Off Btm Tq |
| Q (g inj) (ft ³ /...) | Motor RPM (rpm) 85 | T (Inj) ("F) | P (BH Ann) (...) | T (bh) ("F) | P(Surf Ann) ... | T (surf ann) ... | Q (liq rtn) (g...) |
| | | | | | | | Q (g return) ... |

Deviation Surveys

| | | | | | | | |
|------------|-------------------|---------------------------|--------------|-----------|------------------|--------------|-------------------|
| All Survey | | | | | | | |
| Azim... | Date 6/24/2010 | Description All Survey | EWTTie In... | Inclin... | MD Tie In (ft... | NSTie In ... | TVD Tie In (ft... |

Daily Contacts

| | |
|-------------|--------|
| Job Contact | Mobile |
|-------------|--------|

Rigs

| | |
|---------------------|-------------------|
| Contractor Aztec | Rig Number 673 |
|---------------------|-------------------|

Mud Pumps

| | | |
|-----------------------------|-------------------------------|-----------------------------|
| # 1, RFS, 1000 | | |
| Pump Rating (hp) 1,000.0 | Rod Diameter (in) 2 1/4 | Stroke Length (in) 10.00 |
| Liner Size (in) 6 1/2 | Vol/Stk OR (bbl/stk) 0.078 | |
| Pressure (psi) | Slow Spd No | Strokes (spm) Eff (%) |

2, RFS, 1000

| | | |
|-----------------------------|-------------------------------|-----------------------------|
| Pump Rating (hp) 1,000.0 | Rod Diameter (in) 2 1/4 | Stroke Length (in) 10.00 |
| Liner Size (in) 6 1/2 | Vol/Stk OR (bbl/stk) 0.078 | |
| Pressure (psi) | Slow Spd No | Strokes (spm) Eff (%) |

Mud Additive Amounts

| | | |
|-------------|----------|------------|
| Description | Consumed | Daily Cost |
| Engineering | 1.0 | 450.00 |

Job Supplies

| | | |
|--|---------------------------|----------------|
| Diesel Fuel, <Unit Label?> | | |
| Supply Item Description Diesel Fuel | Unit Label | |
| Total Received | Total Consumed 5,357.0 | Total Returned |

Diesel Fuel Consumption

| Date | Consumed |
|-----------|----------|
| 6/25/2010 | 770.0 |
| 6/26/2010 | 1,670.0 |
| 6/27/2010 | 1,250.0 |
| 6/28/2010 | 734.0 |
| 6/29/2010 | 933.0 |

RECEIVED July 01, 2010



Berry Daily Drilling Report

Report Date: 6/25/2010

Report #: 2, DFS: 0.8

Depth Progress: 1,390

Well Name: FEDERAL 4-5D-64

Survey Data

| MD (ftKB) | Incl (°) | Azm (°) | TVD (ftKB) | NS (ft) | EW (ft) | VS (ft) | DLS (°/100ft) |
|-----------|----------|---------|------------|---------|---------|---------|---------------|
| 446.00 | 0.31 | 172.14 | 446.00 | -1.20 | 0.16 | -0.93 | 0.07 |
| 507.00 | 0.57 | 315.75 | 507.00 | -1.14 | -0.02 | -0.75 | 1.38 |
| 568.00 | 2.10 | 320.76 | 567.98 | -0.06 | -0.94 | 0.66 | 2.51 |
| 630.00 | 3.43 | 322.96 | 629.91 | 2.30 | -2.78 | 3.60 | 2.15 |
| 691.00 | 4.70 | 322.34 | 690.75 | 5.74 | -5.41 | 7.86 | 2.08 |
| 753.00 | 6.06 | 322.87 | 752.48 | 10.36 | -8.93 | 13.58 | 2.19 |
| 814.00 | 7.29 | 324.36 | 813.06 | 16.07 | -13.13 | 20.53 | 2.04 |
| 876.00 | 8.53 | 325.33 | 874.47 | 23.05 | -18.04 | 28.85 | 2.01 |
| 937.00 | 9.76 | 325.77 | 934.69 | 31.04 | -23.52 | 38.29 | 2.02 |
| 998.00 | 11.03 | 325.77 | 994.69 | 40.14 | -29.71 | 48.99 | 2.08 |
| 1,059.00 | 12.35 | 325.77 | 1,054.43 | 50.36 | -36.67 | 61.00 | 2.16 |
| 1,122.00 | 13.89 | 326.03 | 1,115.78 | 62.21 | -44.68 | 74.90 | 2.45 |
| 1,185.00 | 14.85 | 325.42 | 1,176.81 | 75.12 | -53.49 | 90.11 | 1.54 |
| 1,247.00 | 15.47 | 323.48 | 1,236.65 | 88.31 | -62.92 | 105.95 | 1.29 |
| 1,311.00 | 16.48 | 321.11 | 1,298.18 | 102.24 | -73.70 | 123.29 | 1.88 |
| 1,373.00 | 17.67 | 319.44 | 1,357.44 | 116.23 | -85.34 | 141.32 | 2.08 |
| 1,498.00 | 18.90 | 319.18 | 1,476.13 | 145.96 | -110.91 | 180.24 | 0.99 |
| 1,623.00 | 17.45 | 315.93 | 1,594.89 | 174.75 | -137.18 | 219.05 | 1.41 |

RECEIVED July 01, 2010



Berry Daily Drilling Report

Report Date: 6/26/2010

Report #: 3, DFS: 1.8

Depth Progress: 1,888

Well Name: FEDERAL 4-5D-64

| | | | | | |
|---|--|----------------------------------|-----------------------------------|------------------------------------|------------------------------|
| API/UWI 43-013-50263 | Surface Legal Location SENW SECTION 5, T6S-R4W | Spud Date Notice | APD State Utah | AFE Number C10 032035 | Total AFE Amount 381,921 |
| Spud Date 6/24/2010 11:30:00 AM | Rig Release Date 6/29/2010 6:00:00 PM | KB-Ground Distance (ft) 14.00 | Ground Elevation (ftKB) 7,176 | Daily Cost 34,821 | Cum Cost To Date 119,000 |
| Operations at Report Time Drilling @ 3630' | Operations Next 24 Hours Drill 7 7/8" production hole | | Daily Mud Cost 4,562 | Mud Additive Cost To Date 5,012 | |
| Operations Summary Drilling to 3630' | | | Depth Start (ftKB) 1,742 | Depth End (ftKB) 3,630 | |
| Remarks | | | Depth Start (TVD) (ftKB) 1,709 | Depth End (TVD) (ftKB) 3,512 | |
| Weather Clear | Temperature (°F) 57.0 | Road Condition Good | Hole Condition Good | Target Formation Wasatch | Target Depth (ftKB) 5,830 |

Last Casing Set

| | | | |
|-------------------------------|-------------------------|------------------|---------------------|
| Casing Description Surface | Set Depth (ftKB) 352 | OD (in) 8 5/8 | Comment Cemented |
|-------------------------------|-------------------------|------------------|---------------------|

Time Log

| Start Time | End Time | Dur (hrs) | Operation | Comment |
|------------|----------|-----------|-----------|--|
| 06:00 | 06:00 | 24.00 | Drilling | Drill 1742' to 3630' WOB 18, RPM 70, GPM 448 |

Mud Checks

| | | | | | | |
|-----------------------|----------------------|---------------------------|-----------------------------|---------------------------|------------------------------|----------------------------------|
| Type Water Base | Time 06:00 | Depth (ftKB) 3,344.0 | Density (lb/gal) 8.50 | Vis (s/qt) 28 | PV Calc (cp) 1.0 | Yield Point (lb/100ft²) 1.000 |
| Gel (10s) (lb/100...) | Gel (10m) (lb/10...) | Gel (30m) (lb/10...) | Filtrate (mL/30min) | Filter Cake (/32") | pH 7.0 | Solids (%) 2.0 |
| MBT (lb/bbl) | Percent Oil (%) | Percent Water (%) 98.0 | Chlorides (mg/L) 100.000 | Calcium (mg/L) 500.000 | KCL (%) | Electric Stab (V) |
| CEC for Cuttings | Whole Mud Add (bbl) | Mud Lost to Hole (bbl) | Mud Lost (Surf) (bbl) | Mud Vol (Res) (bbl) | Mud Vol (Act) (bbl) 188.0 | |

Air Data

| | | | |
|-------------------------|--------------------------|------------------|-----------------------|
| Parasite ACFM (ft³/min) | Drillpipe ACFM (ft³/min) | ECD Bit (lb/gal) | ECD Parasite (lb/gal) |
|-------------------------|--------------------------|------------------|-----------------------|

Corrosion Inhibitor Injected in 24hr Period

| | | |
|----------------------------------|---------------------------|-----------------------------------|
| gls Injected down Parasite (gal) | gls Injected in Mud (gal) | gls Biocide Injected in Mud (gal) |
|----------------------------------|---------------------------|-----------------------------------|

Drill Strings

BHA #1, Steerable

| | | | |
|----------------|---------------------------------------|--------------------------------|------------------------------|
| Bit Run 1 | Drill Bit 7 7/8in, FX55M, 11505425 | IADC Bit Dull ----- | TFA (incl Noz) (in²) 0.98 |
| Nozzles (/32") | 16/16/16/16/16 | String Length (ft) 5,895.23 | String Wt (1000lbft) 71.5 |

Drill String Components

| Jts | Item Description | OD (in) | Len (ft) | Lobe config | Stages | rpm/gpm | Bit-Bend ft. (ft) | min gpm (gpm) | max gpm (gpm) | SN |
|-----|------------------|---------|----------|-------------|--------|---------|-------------------|---------------|---------------|--------|
| 1 | Motor | 6 1/2 | 28.42 | 0.8... | 3.5 | 0.210 | | | | 650318 |
| 1 | Pony sub | 6 1/2 | 9.58 | | | | | | | |
| 1 | NMDC | 6 1/2 | 29.45 | | | | | | | |
| 1 | Gap sub | 6 1/2 | 5.83 | | | | | | | |
| 3 | Drill Collars | 6 1/2 | 92.77 | | | | | | | |
| 30 | HWDP | 4 1/2 | 920.18 | | | | | | | |
| 150 | Drill Pipe | 4 1/2 | 4,809.00 | | | | | | | |

Drilling Parameters

| | | | | | | | |
|---------------------------|-------------------------|-----------------------------|----------------------------|---------------------------|-----------------------------|-------------------------|------------------------|
| Wellbore Original Hole | Start (ftKB) 1,742.0 | Depth End (ftKB) 3,630.0 | Cum Depth (ft) 3,278.00 | Drill Time (hrs) 24.00 | Cum Drill Time ... 42.50 | Int ROP (ft/hr) 78.7 | Flow Rate (gpm) 448 |
| WOB (1000lbft) 18 | RPM (rpm) 70 | SPP (psi) 1,100.0 | Rot HL (1000lbft) 83 | PU HL (1000lbft) 90 | SO HL (1000lbft) 75 | Drilling Torque | Off Btm Tq |
| Q (g inj) (ft³/...) | Motor RPM (rpm) 85 | T (Inj) (°F) | P (BH Ann) (...) | T (bh) (°F) | P (Surf Ann) ... | T (surf ann) ... | Q (liq rtn) (g...) |
| | | | | | | | Q (g return) ... |

Deviation Surveys

All Survey

| | | | | | | | |
|---------|-------------------|---------------------------|--------------|-----------|-------------------|---------------|--------------------|
| Azim... | Date 6/24/2010 | Description All Survey | EW Tie In... | Inclin... | MD Tie In (ft...) | NS Tie In ... | TVD Tie In (ft...) |
|---------|-------------------|---------------------------|--------------|-----------|-------------------|---------------|--------------------|

Survey Data

| MD (ftKB) | Incl (°) | Azm (°) | TVD (ftKB) | NS (ft) | EW (ft) | VS (ft) | DLS (°/100ft) |
|-----------|----------|---------|------------|---------|---------|---------|---------------|
| 1,749.00 | 16.66 | 315.57 | 1,715.35 | 201.23 | -162.96 | 255.93 | 0.63 |
| 1,875.00 | 16.88 | 312.76 | 1,836.00 | 226.54 | -189.04 | 292.25 | 0.67 |
| 1,999.00 | 16.61 | 312.32 | 1,954.74 | 250.70 | -215.36 | 327.98 | 0.24 |
| 2,126.00 | 15.91 | 311.79 | 2,076.66 | 274.52 | -241.76 | 363.54 | 0.56 |
| 2,252.00 | 17.01 | 317.60 | 2,197.50 | 299.64 | -267.07 | 399.16 | 1.57 |

Daily Contacts

| | |
|-------------|--------|
| Job Contact | Mobile |
|-------------|--------|

R. Boyd Cottam

Rigs

| | |
|---------------------|-------------------|
| Contractor Aztec | Rig Number 673 |
|---------------------|-------------------|

Mud Pumps

1, RFS, 1000

| | | |
|-----------------------------|-------------------------------|-----------------------------|
| Pump Rating (hp) 1,000.0 | Rod Diameter (in) 2 1/4 | Stroke Length (in) 10.00 |
| Liner Size (in) 6 1/2 | Vol/Stk OR (bbl/stk) 0.078 | |
| Pressure (psi) | Slow Spd No | Strokes (spm) Eff (%) |

2, RFS, 1000

| | | |
|-----------------------------|-------------------------------|-----------------------------|
| Pump Rating (hp) 1,000.0 | Rod Diameter (in) 2 1/4 | Stroke Length (in) 10.00 |
| Liner Size (in) 6 1/2 | Vol/Stk OR (bbl/stk) 0.078 | |
| Pressure (psi) | Slow Spd No | Strokes (spm) Eff (%) |

Mud Additive Amounts

| Description | Consumed | Daily Cost |
|--------------|----------|------------|
| Engineering | 1.0 | 450.00 |
| Fiber seal | 8.0 | 132.00 |
| Gypsum | 290.0 | 3,045.00 |
| Pallets | 4.0 | 58.00 |
| Poly-Plus | 2.0 | 241.00 |
| Sawdust | 50.0 | 225.00 |
| Shrink Wrap | 4.0 | 58.00 |
| Tax | 0.45 | 270.12 |
| Walnut Shell | 5.0 | 82.50 |

Job Supplies

Diesel Fuel, <Unit Label?>

| | |
|--|---------------------------|
| Supply Item Description Diesel Fuel | Unit Label |
| Total Received | Total Consumed 5,357.0 |
| | Total Returned |

Diesel Fuel Consumption

| Date | Consumed |
|-----------|----------|
| 6/25/2010 | 770.0 |
| 6/26/2010 | 1,670.0 |
| 6/27/2010 | 1,250.0 |
| 6/28/2010 | 734.0 |
| 6/29/2010 | 933.0 |

RECEIVED July 01, 2010



Berry Daily Drilling Report

Report Date: 6/26/2010

Report #: 3, DFS: 1.8

Depth Progress: 1,888

Well Name: FEDERAL 4-5D-64

Survey Data

| MD (ftKB) | Incl (°) | Azm (°) | TVD (ftKB) | NS (ft) | EW (ft) | VS (ft) | DLS (°/100ft) |
|-----------|----------|---------|------------|---------|---------|---------|---------------|
| 2,380.00 | 16.61 | 319.00 | 2,320.03 | 327.27 | -291.70 | 435.97 | 0.44 |
| 2,504.00 | 17.31 | 321.02 | 2,438.64 | 354.99 | -314.93 | 471.80 | 0.74 |
| 2,629.00 | 17.45 | 321.73 | 2,557.93 | 384.16 | -338.23 | 508.67 | 0.20 |
| 2,755.00 | 16.92 | 322.34 | 2,678.30 | 413.51 | -361.14 | 545.36 | 0.44 |
| 2,879.00 | 17.71 | 319.18 | 2,796.69 | 442.07 | -384.49 | 581.85 | 0.99 |
| 3,006.00 | 17.75 | 317.60 | 2,917.66 | 470.98 | -410.17 | 620.30 | 0.38 |
| 3,131.00 | 18.68 | 322.25 | 3,036.40 | 500.88 | -435.28 | 658.98 | 1.38 |
| 3,257.00 | 18.02 | 320.67 | 3,155.99 | 531.91 | -459.98 | 698.14 | 0.66 |
| 3,384.00 | 17.09 | 319.09 | 3,277.08 | 561.21 | -484.65 | 736.10 | 0.82 |
| 3,511.00 | 17.27 | 317.60 | 3,398.41 | 589.24 | -509.59 | 773.40 | 0.37 |

RECEIVED July 01, 2010



Berry Daily Drilling Report

Report Date: 6/27/2010

Report #: 4, DFS: 2.8

Depth Progress: 1,669

Well Name: FEDERAL 4-5D-64

| | | | | | |
|--|---|--|----------------------------------|-----------------------------------|------------------------------------|
| API/UWI 43-013-50263 | Surface Legal Location SEW SECTION 5, T6S-R4W | Spud Date Notice | APD State Utah | AFE Number C10 032035 | Total AFE Amount 381,921 |
| Spud Date 6/24/2010 11:30:00 AM | Rig Release Date 6/29/2010 6:00:00 PM | KB-Ground Distance (ft) 14.00 | Ground Elevation (ftKB) 7,176 | Daily Cost 27,228 | Cum Cost To Date 146,228 |
| Operations at Report Time Drilling @ 5299' | | Operations Next 24 Hours Drill 7 7/8" production hole | | Daily Mud Cost 2,847 | Mud Additive Cost To Date 7,859 |
| Operations Summary Drill 3630' to 3822', Rig service, Drill 3822' to 5267'. | | Remarks | | Depth Start (ftKB) 3,630 | Depth End (ftKB) 5,299 |
| Weather Clear | | Temperature (°F) 57.0 | Road Condition Good | Depth Start (TVD) (ftKB) 3,512 | Depth End (TVD) (ftKB) 5,148 |
| | | | Hole Condition Good | Target Formation Wasatch | Target Depth (ftKB) 5,830 |

Last Casing Set

| | | | |
|-------------------------------|-------------------------|------------------|---------------------|
| Casing Description Surface | Set Depth (ftKB) 352 | OD (in) 8 5/8 | Comment Cemented |
|-------------------------------|-------------------------|------------------|---------------------|

Time Log

| Start Time | End Time | Dur (hrs) | Operation | Comment |
|------------|----------|-----------|---------------|---|
| 06:00 | 09:00 | 3.00 | Drilling | Drill 3630' to 3822' |
| 09:00 | 09:30 | 0.50 | Lubricate Rig | Rig service |
| 09:30 | 06:00 | 20.50 | Drilling | Drill 3822' to 5299', WOB 18, RPM 65, GPM 448 |

Mud Checks

| Type | Time | Depth (ftKB) | Density (lb/gal) | Vis (s/qt) | PV Calc (cp) | Yield Point (lb/100ft²) |
|-----------------------|---------------------|------------------------|-----------------------|---------------------|---------------------|-------------------------|
| Water Base | 06:00 | 3,344.0 | 8.40 | 27 | 1.0 | 1.000 |
| Gel (10s) (lb/100...) | Gel (10m) (lb/10... | Gel (30m) (lb/10... | Filtrate (mL/30min) | Filter Cake (/32") | pH | Solids (%) |
| MBT (lb/bbl) | Percent Oil (%) | Percent Water (%) | Chlorides (mg/L) | Calcium (mg/L) | KCL (%) | Electric Stab (V) |
| CEC for Cuttings | Whole Mud Add (bbl) | Mud Lost to Hole (bbl) | Mud Lost (Surf) (bbl) | Mud Vol (Res) (bbl) | Mud Vol (Act) (bbl) | |

Air Data

| | | | |
|-------------------------|--------------------------|------------------|-----------------------|
| Parasite ACFM (ft³/min) | Drillpipe ACFM (ft³/min) | ECD Bit (lb/gal) | ECD Parasite (lb/gal) |
|-------------------------|--------------------------|------------------|-----------------------|

Corrosion Inhibitor Injected in 24hr Period

| | | |
|----------------------------------|---------------------------|-----------------------------------|
| gls Injected down Parasite (gal) | gls Injected in Mud (gal) | gls Biocide Injected in Mud (gal) |
|----------------------------------|---------------------------|-----------------------------------|

Drill Strings

BHA #1, Steerable

| | | | |
|----------------|--------------------------|--------------------|----------------------|
| Bit Run | Drill Bit | IADC Bit Dull | TFA (incl Noz) (in²) |
| 1 | 7 7/8in, FX55M, 11505425 | ----- | 0.98 |
| Nozzles (/32") | 16/16/16/16/16 | String Length (ft) | String Wt (1000lbf) |
| | | 5,895.23 | BHA ROP (ft...) |
| | | | 71.5 |

Drill String Components

| Jts | Item Description | OD (in) | Len (ft) | Lobe config | Stages | rpm/gpm | Bit-Bend ft. (ft) | min gpm (gpm) | max gpm (gpm) | SN |
|-----|------------------|---------|----------|-------------|--------|---------|-------------------|---------------|---------------|--------|
| 1 | Motor | 6 1/2 | 28.42 | 0.8... | 3.5 | 0.210 | | | | 650318 |
| 1 | Pony sub | 6 1/2 | 9.58 | | | | | | | |
| 1 | NMDC | 6 1/2 | 29.45 | | | | | | | |
| 1 | Gap sub | 6 1/2 | 5.83 | | | | | | | |
| 3 | Drill Collars | 6 1/2 | 92.77 | | | | | | | |
| 30 | HWDP | 4 1/2 | 920.18 | | | | | | | |
| 150 | Drill Pipe | 4 1/2 | 4,809.00 | | | | | | | |

Drilling Parameters

| | | | | | | | |
|--------------------|-----------------|------------------|------------------|------------------|-----------------|------------------|--------------------|
| Wellbore | Start (ftKB) | Depth End (ftKB) | Cum Depth (ft) | Drill Time (hrs) | Cum Drill Time | Int ROP (ft/hr) | Flow Rate (gpm) |
| Original Hole | 3,630.0 | 5,299.0 | 4,947.00 | 23.50 | 66.00 | 71.0 | 448 |
| WOB (1000lbf) | RPM (rpm) | SPP (psi) | Rot HL (1000lbf) | PU HL (1000lbf) | SO HL (1000lbf) | Drilling Torque | Off Btm Tq |
| 18 | 70 | 1,400.0 | 83 | 90 | 75 | | |
| Q (g in) (ft³/...) | Motor RPM (rpm) | T (Inj) (°F) | P (BH Ann) (... | T (bh) (°F) | P(Surf Ann) ... | T (surf ann) ... | Q (liq rtn) (g...) |
| | 85 | | | | | | Q (g return) ... |

Deviation Surveys

All Survey

| | | | | | | | |
|---------|-----------|-------------|--------------|-----------|------------------|--------------|-------------------|
| Azim... | Date | Description | EW Tie In... | Inclin... | MD Tie In (ft... | NSTie In ... | TVD Tie In (ft... |
| | 6/24/2010 | All Survey | | | | | |

Survey Data

| MD (ftKB) | Incl (°) | Azm (°) | TVD (ftKB) | NS (ft) | EW (ft) | VS (ft) | DLS (°/100ft) |
|-----------|----------|---------|------------|---------|---------|---------|---------------|
| 3,637.00 | 17.09 | 315.00 | 3,518.79 | 616.14 | -535.29 | 810.51 | 0.63 |
| 3,765.00 | 17.01 | 313.73 | 3,641.16 | 642.38 | -562.12 | 848.01 | 0.30 |
| 3,891.00 | 15.76 | 311.00 | 3,762.05 | 666.35 | -588.35 | 883.55 | 1.16 |

Daily Contacts

| | |
|----------------|--------|
| Job Contact | Mobile |
| R. Boyd Cottam | |

Rigs

| | |
|---------------------|-------------------|
| Contractor Aztec | Rig Number 673 |
|---------------------|-------------------|

Mud Pumps

| # 1, RFS, 1000 | Pump Rating (hp) | Rod Diameter (in) | Stroke Length (in) |
|-----------------|----------------------|-------------------|--------------------|
| | 1,000.0 | 2 1/4 | 10.00 |
| Liner Size (in) | Vol/Stk OR (bbl/stk) | Pressure (psi) | Slow Spd |
| 6 1/2 | 0.078 | No | No |
| Strokes (spm) | Eff (%) | | |

2, RFS, 1000

| | | |
|------------------|----------------------|--------------------|
| Pump Rating (hp) | Rod Diameter (in) | Stroke Length (in) |
| 1,000.0 | 2 1/4 | 10.00 |
| Liner Size (in) | Vol/Stk OR (bbl/stk) | |
| 6 1/2 | 0.078 | |
| Pressure (psi) | Slow Spd | Strokes (spm) |
| | No | Eff (%) |

Mud Additive Amounts

| Description | Consumed | Daily Cost |
|---------------|----------|------------|
| Duragel | 30.0 | 450.00 |
| Engineering | 1.0 | 450.00 |
| Gypsum | 120.0 | 1,260.00 |
| Pallets | 3.0 | 43.50 |
| Poly-Plus | 3.0 | 361.50 |
| Shrink Wrap | 3.0 | 43.50 |
| Tax | 0.26 | 156.07 |
| Wallnut Shell | 5.0 | 82.50 |

Job Supplies

Diesel Fuel, <Unit Label?>

| Supply Item Description | Unit Label |
|-------------------------|----------------|
| Diesel Fuel | |
| Total Received | Total Consumed |
| | 5,357.0 |
| Total Returned | |

Diesel Fuel Consumption

| Date | Consumed |
|-----------|----------|
| 6/25/2010 | 770.0 |
| 6/26/2010 | 1,670.0 |
| 6/27/2010 | 1,250.0 |
| 6/28/2010 | 734.0 |
| 6/29/2010 | 933.0 |

RECEIVED July 01, 2010



Berry Daily Drilling Report

Report Date: 6/27/2010

Report #: 4, DFS: 2.8

Depth Progress: 1,669

Well Name: FEDERAL 4-5D-64

Survey Data

| MD (ftKB) | Incl (°) | Azm (°) | TVD (ftKB) | NS (ft) | EW (ft) | VS (ft) | DLS (°/100ft) |
|-----------|----------|---------|------------|---------|---------|----------|---------------|
| 4,017.00 | 15.95 | 308.63 | 3,883.25 | 688.38 | -614.79 | 917.93 | 0.54 |
| 4,142.00 | 14.28 | 306.26 | 4,003.93 | 708.22 | -640.64 | 950.41 | 1.42 |
| 4,268.00 | 12.48 | 302.13 | 4,126.50 | 724.66 | -664.70 | 979.27 | 1.62 |
| 4,394.00 | 10.63 | 297.03 | 4,249.95 | 737.18 | -686.59 | 1,003.89 | 1.68 |
| 4,521.00 | 9.23 | 288.42 | 4,375.05 | 745.72 | -706.68 | 1,024.51 | 1.60 |
| 4,648.00 | 7.95 | 282.53 | 4,500.62 | 750.85 | -724.92 | 1,041.45 | 1.22 |
| 4,774.00 | 6.72 | 275.58 | 4,625.59 | 753.45 | -740.77 | 1,054.93 | 1.20 |
| 4,901.00 | 5.76 | 264.60 | 4,751.84 | 753.58 | -754.51 | 1,065.19 | 1.20 |
| 5,150.00 | 4.83 | 250.42 | 4,999.79 | 748.89 | -776.83 | 1,078.55 | 0.64 |

RECEIVED July 01, 2010



Berry Daily Drilling Report

Report Date: 6/28/2010

Report #: 5, DFS: 3.8

Depth Progress: 596

Well Name: FEDERAL 4-5D-64

| | | | | | | | | | | | |
|--|--------------------------|--|-----------------------|---|---------------------|----------------------------------|---|---|---------------|-------------------------------------|--|
| API/UWI 43-013-50263 | | Surface Legal Location SENW SECTION 5, T6S-R4W | | Spud Date Notice | | APD State Utah | | AFE Number C10 032035 | | Total AFE Amount 381,921 | |
| Spud Date 6/24/2010 11:30:00 AM | | Rig Release Date 6/29/2010 6:00:00 PM | | KB-Ground Distance (ft) 14.00 | | Ground Elevation (ftKB) 7,176 | | Daily Cost 31,051 | | Cum Cost To Date 177,279 | |
| Operations at Report Time Trip in hole | | | | Operations Next 24 Hours Trip in hole and drill to TD. | | | | Daily Mud Cost 4,275 | | Mud Additive Cost To Date 12,133 | |
| Operations Summary Drill, Rig service, Drill, Work on pump and trouble shot all surface equipment, Trip out of hole for possible motor failure, Replace liner and swab in # 2 pump, Trip in hole. | | | | | | | | | | | |
| Remarks Directional mud motor failure | | | | | | | | | | | |
| Weather Clear | | Temperature (°F) 57.0 | | Road Condition Good | | Hole Condition Good | | Daily Contacts Job Contact R. Boyd Cottam | | | |
| Last Casing Set Casing Description Surface | | | | | | | | | | | |
| Set Depth (ftKB) 352 | | OD (in) 8 5/8 | | Comment Cemented | | Rigs Contractor Aztec | | | | | |
| | | | | | | Rig Number 673 | | | | | |
| Time Log | | | | | | | | | | | |
| Start Time | End Time | Dur (hrs) | Operation | | | | Comment | | | | |
| 06:00 | 14:00 | 8.00 | Drilling | | | | Drilling 5299' to 5768' | | | | |
| 14:00 | 14:30 | 0.50 | Lubricate Rig | | | | Rig service | | | | |
| 14:30 | 18:00 | 3.50 | Drilling | | | | Drilling 5768' to 5895' | | | | |
| 18:00 | 21:00 | 3.00 | Miscellaneous | | | | Trouble shoot all surface equipment | | | | |
| 21:00 | 05:00 | 8.00 | Trips | | | | Trip out of hole, Lay down directional tools. | | | | |
| 05:00 | 06:00 | 1.00 | Trips | | | | Trip in hole | | | | |
| Mud Checks | | | | | | | | | | | |
| Type | Time | Depth (ftKB) | Density (lb/gal) | Vis (s/qt) | PV Calc (cp) | Yield Point (lb/100ft²) | | | | | |
| Water Base | 06:00 | 5,648.0 | 8.50 | 28 | 1.0 | 1,000 | | | | | |
| Gel (10s) (lb/100...) | Gel (10m) (lb/100...) | Gel (30m) (lb/100...) | Filtrate (mL/30min) | Filter Cake (32") | pH | Solids (%) | | | | | |
| | | | | | 7.0 | 2.0 | | | | | |
| MBT (lb/bbl) | Percent Oil (%) | Percent Water (%) | Chlorides (mg/L) | Calcium (mg/L) | KCL (%) | Electric Stab (V) | | | | | |
| | | 98.0 | 100.000 | 600.000 | | | | | | | |
| CEC for Cuttings | Whole Mud Add (bbl) | Mud Lost to Hole (bbl) | Mud Lost (Surf) (bbl) | Mud Vol (Res) (bbl) | Mud Vol (Act) (bbl) | | | | | | |
| | | | | | 310.0 | | | | | | |
| Air Data | | | | | | | | | | | |
| Parasite ACFM (ft³/min) | | Drillpipe ACFM (ft³/min) | | ECD Bit (lb/gal) | | ECD Parasite (lb/gal) | | | | | |
| Corrosion Inhibitor Injected in 24hr Period | | | | | | | | | | | |
| gls Injected down Parasite (gal) | | gls Injected in Mud (gal) | | gls Biocide Injected in Mud (gal) | | | | | | | |
| Drill Strings | | | | | | | | | | | |
| BHA #1, Steerable | | | | | | | | | | | |
| Bit Run | Drill Bit | | | IADC Bit Dull | | | TFA (incl Noz) (in³) | | | Unit Label | |
| 1 | 7 7/8in, FX55M, 11505425 | | | ----- | | | 0.98 | | | Diesel Fuel | |
| Nozzles (32") | | String Length (ft) | | String Wt (1000lb) | | BHA ROP (ft...) | | Total Consumed | | | |
| 16/16/16/16/16 | | 5,895.23 | | | | 71.5 | | 5,357.0 | | | |
| Drill String Components | | | | | | | | | | | |
| Jts | Item Description | OD (in) | Len (ft) | Lobe config | Stages | rpm/gpm | Bit-Bend ft. (ft) | min gpm (gpm) | max gpm (gpm) | SN | |
| 1 | Motor | 6 1/2 | 28.42 | 0.8... | 3.5 | 0.210 | | | | 650318 | |
| 1 | Pony sub | 6 1/2 | 9.58 | | | | | | | | |
| 1 | NMDC | 6 1/2 | 29.45 | | | | | | | | |
| 1 | Gap sub | 6 1/2 | 5.83 | | | | | | | | |
| 3 | Drill Collars | 6 1/2 | 92.77 | | | | | | | | |
| 30 | HWDP | 4 1/2 | 920.18 | | | | | | | | |
| 150 | Drill Pipe | 4 1/2 | 4,809.00 | | | | | | | | |
| Drilling Parameters | | | | | | | | | | | |
| Wellbore | Start (ftKB) | Depth End (ftKB) | Cum Depth (ft) | Drill Time (hrs) | Cum Drill Time ... | Int ROP (ft/hr) | Flow Rate (gpm) | | | | |
| Original Hole | 5,299.0 | 5,895.0 | 5,543.00 | 11.50 | 77.50 | 51.8 | 448 | | | | |
| WOB (1000lb) | RPM (rpm) | SPP (psi) | Rot HL (1000lb) | PU HL (1000lb) | SO HL (1000lb) | Drilling Torque | Off Btm Tq | | | | |
| 18 | 70 | 1,400.0 | 83 | 90 | 75 | | | | | | |
| Q (g in) (ft³/...) | Motor RPM (rpm) | T (Inj) (°F) | P (BH Ann) (...) | T (bh) (°F) | P(Surf Ann) ... | T (surf ann) ... | Q (liq rtn) (g...) | Q (g return) ... | | | |
| | 85 | | | | | | | | | | |
| Deviation Surveys | | | | | | | | | | | |
| All Survey | | | | | | | | | | | |
| Azim... | Date | Description | EWTie In... | | Inclin... | MD Tie In (R... | NSTie In ... | TVDTie In (ft... | | | |
| | 6/24/2010 | All Survey | | | | | | | | | |

RECEIVED July 01, 2010



Berry Daily Drilling Report

Report Date: 6/28/2010

Report #: 5, DFS: 3.8

Depth Progress: 596

Well Name: FEDERAL 4-5D-64

Survey Data

| MD (ftKB) | Incl (°) | Azm (°) | TVD (ftKB) | NS (ft) | EW (ft) | VS (ft) | DLS (°/100ft) |
|-----------|----------|---------|------------|---------|---------|----------|---------------|
| 5,401.00 | 3.47 | 233.40 | 5,250.13 | 740.82 | -792.88 | 1,085.01 | 0.73 |
| 5,652.00 | 3.52 | 223.82 | 5,500.67 | 730.73 | -804.31 | 1,086.69 | 0.23 |

RECEIVED July 01, 2010



Berry Daily Drilling Report

Report Date: 6/29/2010

Report #: 6, DFS: 4.8

Depth Progress: 371

Well Name: FEDERAL 4-5D-64

| | | | | | | | | | | | |
|---|--|--|--|--|--|----------------------------------|--|-------------------------------|--|-------------------------------------|--|
| API/UWI 43-013-50263 | | Surface Legal Location SENV SECTION 5, T6S-R4W | | Spud Date Notice | | APD State Utah | | AFE Number C10 032035 | | Total AFE Amount 381,921 | |
| Spud Date 6/24/2010 11:30:00 AM | | Rig Release Date 6/29/2010 6:00:00 PM | | KB-Ground Distance (ft) 14.00 | | Ground Elevation (ftKB) 7,176 | | Daily Cost 38,212 | | Cum Cost To Date 215,491 | |
| Operations at Report Time Logging | | | | Operations Next 24 Hours Finish logging, Rig up to run 5 1/2" casing. Run casing, Cement, Nipple down, Set slips, Prepare rig for move. | | | | Daily Mud Cost 2,241 | | Mud Additive Cost To Date 14,374 | |
| Operations Summary Trip in hole, Wash 5826' to 5895', Drill 5895' to 6268', Circ and sweep hole, Rack back 10 stands, Lay down drill pipe & BHA. Logging | | | | Depth Start (ftKB) 5,895 | | Depth End (ftKB) 6,266 | | Depth Start (TVD) (ftKB) | | Depth End (TVD) (ftKB) | |
| | | | | Target Formation Wasatch | | Target Depth (ftKB) 5,830 | | | | | |
| | | | | | | | | | | | |
| Remarks | | | | | | | | | | | |
| Weather Partly cloudy | | Temperature (°F) 61.0 | | Road Condition Good | | Hole Condition Good | | Daily Contacts | | | |
| Last Casing Set | | | | | | | | Job Contact R. Boyd Cottam | | | |
| Casing Description Surface | | Set Depth (ftKB) 352 | | OD (in) 8 5/8 | | Comment Cemented | | Rigs | | | |
| | | | | | | | | Contractor Aztec | | | |
| | | | | | | | | Rig Number 673 | | | |
| Mud Pumps | | | | | | | | | | | |
| # 1, RFS, 1000 | | | | | | | | | | | |
| Pump Rating (hp) 1,000.0 | | Rod Diameter (in) 2 1/4 | | Stroke Length (in) 10.00 | | Liner Size (in) 6 1/2 | | Vol/Stk OR (bbl/stk) 0.078 | | | |
| Pressure (psi) | | Slow Spd No | | Strokes (spm) | | Eff (%) | | | | | |
| # 2, RFS, 1000 | | | | | | | | | | | |
| Pump Rating (hp) 1,000.0 | | Rod Diameter (in) 2 1/4 | | Stroke Length (in) 10.00 | | Liner Size (in) 6 1/2 | | Vol/Stk OR (bbl/stk) 0.078 | | | |
| Pressure (psi) | | Slow Spd No | | Strokes (spm) | | Eff (%) | | | | | |
| Mud Additive Amounts | | | | | | | | | | | |
| Description | | Consumed | | Daily Cost | | | | | | | |
| Duragel | | 30.0 | | 450.00 | | | | | | | |
| Engineering | | 1.0 | | 450.00 | | | | | | | |
| Fiber seal | | 5.0 | | 82.50 | | | | | | | |
| Pallets | | 7.0 | | 101.50 | | | | | | | |
| Poly-Plus | | 1.0 | | 120.50 | | | | | | | |
| Sawdust | | 145.0 | | 652.50 | | | | | | | |
| Shrink Wrap | | 7.0 | | 101.50 | | | | | | | |
| Tax | | 0.196 | | 117.65 | | | | | | | |
| Wallnut Shell | | 10.0 | | 165.00 | | | | | | | |
| Job Supplies | | | | | | | | | | | |
| Diesel Fuel, <Unit Label?> | | | | | | | | | | | |
| Supply Item Description Diesel Fuel | | | | | | | | | | Unit Label | |
| Total Received | | Total Consumed 5,357.0 | | Total Returned | | | | | | | |
| Diesel Fuel Consumption | | | | | | | | | | | |
| Date | | Consumed | | | | | | | | | |
| 6/25/2010 | | 770.0 | | | | | | | | | |
| 6/26/2010 | | 1,670.0 | | | | | | | | | |
| 6/27/2010 | | 1,250.0 | | | | | | | | | |
| 6/28/2010 | | 734.0 | | | | | | | | | |
| 6/29/2010 | | 933.0 | | | | | | | | | |

RECEIVED July 01, 2010



Berry Daily Drilling Report

Report Date: 6/29/2010

Report #: 6, DFS: 4.8

Depth Progress: 371

Well Name: FEDERAL 4-5D-64

Survey Data

| MD (ftKB) | Incl (°) | Azm (°) | TVD (ftKB) | NS (ft) | EW (ft) | VS (ft) | DLS (°/100ft) |
|-----------|----------|---------|------------|---------|---------|---------|---------------|
| | | | | | | | |

RECEIVED July 01, 2010



Berry Daily Drilling Report

Report Date: 6/30/2010

Report #: 7, DFS: 5.8

Depth Progress: 0

Well Name: FEDERAL 4-5D-64

| | | | | | | | | | | | |
|---|----------------------|--|---------------------------|---------------------------------------|---------------------|-----------------------------------|--|-----------------------------|---------------|-------------------------------------|--|
| API/UWI 43-013-50263 | | Surface Legal Location SENW SECTION 5, T6S-R4W | | Spud Date Notice | | APD State Utah | | AFE Number C10 032035 | | Total AFE Amount 381,921 | |
| Spud Date 6/24/2010 11:30:00 AM | | Rig Release Date 6/29/2010 6:00:00 PM | | KB-Ground Distance (ft) 14.00 | | Ground Elevation (ftKB) 7,176 | | Daily Cost 108,265 | | Cum Cost To Date 323,756 | |
| Operations at Report Time Rigging down prep rig for trucks. | | | | Operations Next 24 Hours Move rig. | | | | Daily Mud Cost 1,641 | | Mud Additive Cost To Date 16,015 | |
| Operations Summary R/D Baker Atlas, R/U Frank's casing equipment, Run 5 1/2" production casing, Circ hole for cmt job. Cement, Nipple down & set slips. Rigging down. | | | | | | | | Depth Start (ftKB) 6,266 | | Depth End (ftKB) 6,266 | |
| Remarks 29 bbls cement to surface. | | | | | | | | Depth Start (TVD) (ftKB) | | Depth End (TVD) (ftKB) | |
| Weather partly cloudy | | Temperature (°F) 62.0 | | Road Condition Good | | Hole Condition Good | | Target Formation Wasatch | | Target Depth (ftKB) 5,830 | |
| Last Casing Set | | | | | | | | | | | |
| Casing Description Production | | Set Depth (ftKB) 6,156 | | OD (in) 5 | | Comment Cemented | | | | | |
| Time Log | | | | | | | | | | | |
| Start Time | End Time | Dur (hrs) | Operation | | | | Comment | | | | |
| 06:00 | 06:30 | 0.50 | Wire Line Logs | | | | Rig down Baker Atlas | | | | |
| 06:30 | 11:00 | 4.50 | Run Casing & Cement | | | | Rig up Frank's casing equipment, Safety meeting, Run 5 1/2" production casing. Rig down Frank's casing equipment. | | | | |
| 11:00 | 13:00 | 2.00 | Condition Mud & Circulate | | | | Circ and cond hole for cement. | | | | |
| 13:00 | 15:30 | 2.50 | Run Casing & Cement | | | | Rig up Pro-Petro to cement. Safety meeting. Cement :210 sks lead cement, 16% gel, 10#/sk gilsanite, 3#/sk gr3, 3% salt, 1/4#/sk flocele, Tail cement: 400sks, 65% cement, 35% poz, 6 % gel,, 10#/sk gilsanite, 10% salt, 2% cdi, .2% cfi-175, 1/4#/sk flocele. Displace w/ KCL water 147.4 bbls. 29 bbls cement to surface. | | | | |
| 15:30 | 18:00 | 2.50 | NU/ND BOP | | | | Nipple down BOP, set slips. back out landing jt. and lay down, Lay BOP down. | | | | |
| 18:00 | 21:00 | 3.00 | Rig Up & Tear Down | | | | Rig down top drive, torque tube. | | | | |
| 21:00 | 06:00 | 9.00 | Rig Up & Tear Down | | | | rig down service loop, inspect mud pumps, clean pits, rig down water lines, hydrolic lines, and air lines. Brant equipment all rigged down. | | | | |
| Mud Checks | | | | | | | | | | | |
| Type | Time | Depth (ftKB) | Density (lb/gal) | Vis (s/qt) | PV Calc (cp) | Yield Point (lb/100ft²) | | | | | |
| Gel (10s) (lb/100...) | Gel (10m) (lb/10...) | Gel (30m) (lb/10...) | Filtrate (mL/30min) | Filter Cake (/32") | pH | Solids (%) | | | | | |
| MBT (lb/bbl) | Percent Oil (%) | Percent Water (%) | Chlorides (mg/L) | Calcium (mg/L) | KCL (%) | Electric Stab (V) | | | | | |
| CEC for Cuttings | Whole Mud Add (bbl) | Mud Lost to Hole (bbl) | Mud Lost (Surf) (bbl) | Mud Vol (Res) (bbl) | Mud Vol (Act) (bbl) | | | | | | |
| Air Data | | | | | | | | | | | |
| Parasite ACFM (ft³/min) | | Drillpipe ACFM (ft³/min) | | ECD Bit (lb/gal) | | ECD Parasite (lb/gal) | | | | | |
| Corrosion Inhibitor Injected in 24hr Period | | | | | | | | | | | |
| gls Injected down Parasite (gal) | | gls Injected in Mud (gal) | | | | gls Biocide Injected in Mud (gal) | | | | | |
| Drill Strings | | | | | | | | | | | |
| Bit Run | Drill Bit | | | IADC Bit Dull | | | TFA (incl Noz) (in²) | | | | |
| Nozzles (/32") | | | | String Length (ft) | | String Wt (1000lb) | | BHA ROP (ft... | | | |
| Drill String Components | | | | | | | | | | | |
| Jts | Item Description | OD (in) | Len (ft) | Lobe config | Stages | rpm/gpm | Bit-Bend ft. (ft) | min gpm (gpm) | max gpm (gpm) | SN | |

Daily Contacts
Job Contact
R. Boyd Cottam

Rigs
Contractor
Aztec
Rig Number
673

Mud Pumps
1, RFS, 1000
Pump Rating (hp)
1,000.0
Rod Diameter (in)
2 1/4
Stroke Length (in)
10.00
Liner Size (in)
6 1/2
Vol/Stk OR (bbl/stk)
0.078
Pressure (psi)
Slow Spd
No
Strokes (spm)
Eff (%)

2, RFS, 1000
Pump Rating (hp)
1,000.0
Rod Diameter (in)
2 1/4
Stroke Length (in)
10.00
Liner Size (in)
6 1/2
Vol/Stk OR (bbl/stk)
0.078
Pressure (psi)
Slow Spd
No
Strokes (spm)
Eff (%)

Mud Additive Amounts

| Description | Consumed | Daily Cost |
|-------------|----------|------------|
| Dap | 15.0 | 427.50 |
| Duragel | 20.0 | 300.00 |
| Engineering | 1.0 | 450.00 |
| Gypsum | 10.0 | 105.00 |
| Pallets | 5.0 | 72.50 |
| Sawdust | 30.0 | 135.00 |
| Shrink Wrap | 5.0 | 72.50 |
| Tax | 0.13 | 78.04 |

Job Supplies
Diesel Fuel, <Unit Label?>
Supply Item Description
Diesel Fuel
Total Received
Total Consumed
5,357.0
Total Returned

Diesel Fuel Consumption

| Date | Consumed |
|-----------|----------|
| 6/25/2010 | 770.0 |
| 6/26/2010 | 1,670.0 |
| 6/27/2010 | 1,250.0 |
| 6/28/2010 | 734.0 |
| 6/29/2010 | 933.0 |

RECEIVED July 01, 2010



Berry Daily Drilling Report

Report Date: 6/30/2010

Report #: 7, DFS: 5.8

Depth Progress: 0

Well Name: FEDERAL 4-5D-64

Drilling Parameters

| | | | | | | | |
|---------------------|-----------------|------------------|------------------|------------------|--------------------|------------------|---------------------|
| Wellbore | Start (ftKB) | Depth End (ftKB) | Cum Depth (ft) | Drill Time (hrs) | Cum Drill Time ... | Int ROP (ft/hr) | Flow Rate (gpm) |
| WOB (1000lbf) | RPM (rpm) | SPP (psi) | Rot HL (1000lbf) | PU HL (1000lbf) | SO HL (1000lbf) | Drilling Torque | Off Btm Tq |
| Q (g inj) (ft³/...) | Motor RPM (rpm) | T (Inj) (°F) | P (BH Ann) (...) | T (bh) (°F) | P(Surf Ann) ... | T (surf ann) ... | Q (liq rtn) (g) ... |
| | | | | | | | Q (g return) ... |

Deviation Surveys

All Survey

| | | | | | | | |
|---------|-----------|-------------|--------------|-----------|------------------|---------------|-------------------|
| Azim... | Date | Description | EW Tie In... | Inclin... | MD Tie In (ft... | NS Tie In ... | TVD Tie In (ft... |
| | 6/24/2010 | All Survey | | | | | |

Survey Data

| | | | | | | | |
|-----------|----------|---------|------------|---------|---------|---------|---------------|
| MD (ftKB) | Incl (°) | Azm (°) | TVD (ftKB) | NS (ft) | EW (ft) | VS (ft) | DLS (°/100ft) |
| | | | | | | | |

RECEIVED July 01, 2010

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 6

ENTITY ACTION FORM

Operator: BERRY PETROLEUM COMPANY Operator Account Number: N 2480
Address: 4000 S. 4028 W., RT. 2 BOX 7735
city ROOSEVELT
state UT zip 84066 Phone Number: (435) 722-1325

Well 1

| API Number | Well Name | | QQ | Sec | Twp | Rng | County |
|---|-----------------------|-------------------|-----------|-----|-----|----------------------------------|----------|
| 4301350263 | FEDERAL 4-5D-64 | | SENW | 5 | 6S | 4W | DUCHESNE |
| Action Code | Current Entity Number | New Entity Number | Spud Date | | | Entity Assignment Effective Date | |
| A | 99999 | 17661 | 5/21/2010 | | | 7/15/10 | |
| Comments: <u>SPUDDER BY: CRAIG'S ROUSTABOUT</u> <u>GRPV</u> <u>BHL = NW NW</u> | | | | | | | |

Well 2

| API Number | Well Name | | QQ | Sec | Twp | Rng | County |
|--|-----------------------|-------------------|-----------|-----|-----|----------------------------------|----------|
| 4301350259 | FEDERAL 5-5D-64 | | SENW | 5 | 6S | 4W | DUCHESNE |
| Action Code | Current Entity Number | New Entity Number | Spud Date | | | Entity Assignment Effective Date | |
| A | 99999 | 17648 | 5/23/2010 | | | 7/15/10 | |
| Comments: <u>SPUDDER BY CRAIG'S ROUSTABOUT</u> <u>GRPV</u> <u>BHL = SW NW</u> | | | | | | | |

Well 3

| API Number | Well Name | | QQ | Sec | Twp | Rng | County |
|---|-----------------------|-------------------|-----------|-----|-----|----------------------------------|----------|
| 4301334288 | FEDERAL 6-5D-64 | | SENW | 5 | 6S | 4W | DUCHESNE |
| Action Code | Current Entity Number | New Entity Number | Spud Date | | | Entity Assignment Effective Date | |
| A | 99999 | 17649 | 5/22/2010 | | | 7/15/10 | |
| Comments: <u>SPUDDER BY CRAIG'S ROUSTABOUT</u> <u>GRPV</u> <u>BHL = SENW</u> | | | | | | | |

ACTION CODES:

- A - Establish new entity for new well (single well only)
- B - Add new well to existing entity (group or unit well)
- C - Re-assign well from one existing entity to another existing entity
- D - Re-assign well from one existing entity to a new entity
- E - Other (Explain in 'comments' section)

KATHY K. FIELDSTED

Name (Please Print)

Signature

SR. REC & PERMITTING

Title

5/24/2010


Date


RECEIVED

JUN 07 2010

DIV. OF OIL, GAS & MINING

| | | | |
|--|--|--|--|
| <div>STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING</div> | | FORM 9 | |
| <div>SUNDRY NOTICES AND REPORTS ON WELLS</div> <p>Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.</p> | | 5.LEASE DESIGNATION AND SERIAL NUMBER: UTU8894A | |
| | | 6. IF INDIAN, ALLOTTEE OR TRIBE NAME: | |
| | | 7.UNIT or CA AGREEMENT NAME: | |
| 1. TYPE OF WELL Oil Well | | 8. WELL NAME and NUMBER: FEDERAL 4-5D-64 | |
| 2. NAME OF OPERATOR: BERRY PETROLEUM COMPANY | | 9. API NUMBER: 43013502630000 | |
| 3. ADDRESS OF OPERATOR: 4000 South 4028 West Rt 2 Box 7735 , Roosevelt, UT, 84066 | | PHONE NUMBER: 303 999-4044 Ext | |
| 9. FIELD and POOL or WILDCAT: UNDESIGNATED | | COUNTY: DUCHESNE | |
| 4. LOCATION OF WELL FOOTAGES AT SURFACE: 1520 FNL 1512 FWL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: SENW Section: 05 Township: 06.0S Range: 04.0W Meridian: U | | STATE: UTAH | |
| 11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA | | | |
| TYPE OF SUBMISSION | | TYPE OF ACTION | |
| <div><input type="checkbox"/> NOTICE OF INTENT Approximate date work will start:</div> <div><input checked="" type="checkbox"/> SUBSEQUENT REPORT Date of Work Completion: 8/2/2010</div> <div><input type="checkbox"/> SPUD REPORT Date of Spud:</div> <div><input type="checkbox"/> DRILLING REPORT Report Date:</div> | | <div><input type="checkbox"/> ACIDIZE</div> <div><input type="checkbox"/> CHANGE TO PREVIOUS PLANS</div> <div><input type="checkbox"/> CHANGE WELL STATUS</div> <div><input type="checkbox"/> DEEPEN</div> <div><input type="checkbox"/> OPERATOR CHANGE</div> <div><input checked="" type="checkbox"/> PRODUCTION START OR RESUME</div> <div><input type="checkbox"/> REPERFORATE CURRENT FORMATION</div> <div><input type="checkbox"/> TUBING REPAIR</div> <div><input type="checkbox"/> WATER SHUTOFF</div> <div><input type="checkbox"/> WILDCAT WELL DETERMINATION</div> <div><input type="checkbox"/> ALTER CASING</div> <div><input type="checkbox"/> CHANGE TUBING</div> <div><input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS</div> <div><input type="checkbox"/> FRACTURE TREAT</div> <div><input type="checkbox"/> PLUG AND ABANDON</div> <div><input type="checkbox"/> RECLAMATION OF WELL SITE</div> <div><input type="checkbox"/> SIDETRACK TO REPAIR WELL</div> <div><input type="checkbox"/> VENT OR FLARE</div> <div><input type="checkbox"/> SI TA STATUS EXTENSION</div> <div><input type="checkbox"/> OTHER</div> <div><input type="checkbox"/> CASING REPAIR</div> <div><input type="checkbox"/> CHANGE WELL NAME</div> <div><input type="checkbox"/> CONVERT WELL TYPE</div> <div><input type="checkbox"/> NEW CONSTRUCTION</div> <div><input type="checkbox"/> PLUG BACK</div> <div><input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION</div> <div><input type="checkbox"/> TEMPORARY ABANDON</div> <div><input type="checkbox"/> WATER DISPOSAL</div> <div><input type="checkbox"/> APD EXTENSION</div> <div>OTHER: 1ST SALES</div> | |
| 12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. PLEASE NOTE THAT THE FEDERAL 4-5D-64 WENT TO SALES ON AUGUST 2, 2010. <div>Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY August 03, 2010</div> | | | |
| NAME (PLEASE PRINT) Kathy K. Fieldsted | | PHONE NUMBER 435 722-1325 | |
| TITLE Sr. Regulatory & Permitting Tech. | | DATE 8/3/2010 | |
| SIGNATURE N/A | | | |

| | | | | | |
|---|---|---|---|--|---|
| STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING | | FORM 9 | | | |
| SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals. | | 5. LEASE DESIGNATION AND SERIAL NUMBER: UTU8894A | | | |
| 1. TYPE OF WELL Oil Well | | 6. IF INDIAN, ALLOTTEE OR TRIBE NAME: | | | |
| 2. NAME OF OPERATOR: BERRY PETROLEUM COMPANY | | 7. UNIT or CA AGREEMENT NAME: | | | |
| 3. ADDRESS OF OPERATOR: 4000 South 4028 West Rt 2 Box 7735 , Roosevelt, UT, 84066 | | 8. WELL NAME and NUMBER: FEDERAL 4-5D-64 | | | |
| 4. LOCATION OF WELL FOOTAGES AT SURFACE: 1520 FNL 1512 FWL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: SENW Section: 05 Township: 06.0S Range: 04.0W Meridian: U | | 9. API NUMBER: 43013502630000 | | | |
| PHONE NUMBER: 303 999-4044 Ext | | 9. FIELD and POOL or WILDCAT: UNDESIGNATED | | | |
| COUNTY: DUCHESNE | | STATE: UTAH | | | |
| 11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA | | | | | |
| TYPE OF SUBMISSION | TYPE OF ACTION | | | | |
| <input checked="" type="checkbox"/> NOTICE OF INTENT Approximate date work will start: 7/13/2010 <input type="checkbox"/> SUBSEQUENT REPORT Date of Work Completion: <input type="checkbox"/> SPUD REPORT Date of Spud: <input type="checkbox"/> DRILLING REPORT Report Date: | <table style="width: 100%; border: none;"> <tr> <td style="width: 33%; vertical-align: top;"> <input type="checkbox"/> ACIDIZE <input type="checkbox"/> CHANGE TO PREVIOUS PLANS <input type="checkbox"/> CHANGE WELL STATUS <input type="checkbox"/> DEEPEN <input type="checkbox"/> OPERATOR CHANGE <input type="checkbox"/> PRODUCTION START OR RESUME <input type="checkbox"/> REPERFORATE CURRENT FORMATION <input type="checkbox"/> TUBING REPAIR <input type="checkbox"/> WATER SHUTOFF <input type="checkbox"/> WILDCAT WELL DETERMINATION </td> <td style="width: 33%; vertical-align: top;"> <input type="checkbox"/> ALTER CASING <input type="checkbox"/> CHANGE TUBING <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS <input type="checkbox"/> FRACTURE TREAT <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> RECLAMATION OF WELL SITE <input type="checkbox"/> SIDETRACK TO REPAIR WELL <input type="checkbox"/> VENT OR FLARE <input type="checkbox"/> SI TA STATUS EXTENSION <input checked="" type="checkbox"/> OTHER </td> <td style="width: 33%; vertical-align: top;"> <input type="checkbox"/> CASING REPAIR <input type="checkbox"/> CHANGE WELL NAME <input type="checkbox"/> CONVERT WELL TYPE <input type="checkbox"/> NEW CONSTRUCTION <input type="checkbox"/> PLUG BACK <input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION <input type="checkbox"/> TEMPORARY ABANDON <input type="checkbox"/> WATER DISPOSAL <input type="checkbox"/> APD EXTENSION OTHER: Completion Procedure </td> </tr> </table> | | <input type="checkbox"/> ACIDIZE <input type="checkbox"/> CHANGE TO PREVIOUS PLANS <input type="checkbox"/> CHANGE WELL STATUS <input type="checkbox"/> DEEPEN <input type="checkbox"/> OPERATOR CHANGE <input type="checkbox"/> PRODUCTION START OR RESUME <input type="checkbox"/> REPERFORATE CURRENT FORMATION <input type="checkbox"/> TUBING REPAIR <input type="checkbox"/> WATER SHUTOFF <input type="checkbox"/> WILDCAT WELL DETERMINATION | <input type="checkbox"/> ALTER CASING <input type="checkbox"/> CHANGE TUBING <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS <input type="checkbox"/> FRACTURE TREAT <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> RECLAMATION OF WELL SITE <input type="checkbox"/> SIDETRACK TO REPAIR WELL <input type="checkbox"/> VENT OR FLARE <input type="checkbox"/> SI TA STATUS EXTENSION <input checked="" type="checkbox"/> OTHER | <input type="checkbox"/> CASING REPAIR <input type="checkbox"/> CHANGE WELL NAME <input type="checkbox"/> CONVERT WELL TYPE <input type="checkbox"/> NEW CONSTRUCTION <input type="checkbox"/> PLUG BACK <input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION <input type="checkbox"/> TEMPORARY ABANDON <input type="checkbox"/> WATER DISPOSAL <input type="checkbox"/> APD EXTENSION OTHER: Completion Procedure |
| <input type="checkbox"/> ACIDIZE <input type="checkbox"/> CHANGE TO PREVIOUS PLANS <input type="checkbox"/> CHANGE WELL STATUS <input type="checkbox"/> DEEPEN <input type="checkbox"/> OPERATOR CHANGE <input type="checkbox"/> PRODUCTION START OR RESUME <input type="checkbox"/> REPERFORATE CURRENT FORMATION <input type="checkbox"/> TUBING REPAIR <input type="checkbox"/> WATER SHUTOFF <input type="checkbox"/> WILDCAT WELL DETERMINATION | <input type="checkbox"/> ALTER CASING <input type="checkbox"/> CHANGE TUBING <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS <input type="checkbox"/> FRACTURE TREAT <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> RECLAMATION OF WELL SITE <input type="checkbox"/> SIDETRACK TO REPAIR WELL <input type="checkbox"/> VENT OR FLARE <input type="checkbox"/> SI TA STATUS EXTENSION <input checked="" type="checkbox"/> OTHER | <input type="checkbox"/> CASING REPAIR <input type="checkbox"/> CHANGE WELL NAME <input type="checkbox"/> CONVERT WELL TYPE <input type="checkbox"/> NEW CONSTRUCTION <input type="checkbox"/> PLUG BACK <input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION <input type="checkbox"/> TEMPORARY ABANDON <input type="checkbox"/> WATER DISPOSAL <input type="checkbox"/> APD EXTENSION OTHER: Completion Procedure | | | |
| 12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. Please see the attached Completion Procedure for the Federal 4-5D-64. | | | | | |
| Accepted by the Utah Division of Oil, Gas and Mining | | | | | |
| Date: August 12, 2010 By:  | | | | | |
| NAME (PLEASE PRINT) Kathy K. Fieldsted | PHONE NUMBER 435 722-1325 | TITLE Sr. Regulatory & Permitting Tech. | | | |
| SIGNATURE N/A | DATE 7/28/2010 | | | | |



Berry Petroleum Company

1999 Broadway, Suite 3700
Denver, CO 80202

Main (303) 999-4400
Fax (303) 999-4401

www.bry.com

Date: July 6, 2010

Well Name: **Federal 4-5D-64**
API#: 43-013-50263
Location: Sec 5-T6S-R4W
County, State: Duchesne County, Utah

SHL: 655 FNL & 657 FWL
BHL:
Elevations: 7187 ft KB; 7173 ft GL
RTD: 6266 ft
PBSD: ? ft
Surf Csg: 8 5/8" 24# @ 352 ft; cmt w/ 225 sks
Prod Csg: 5 1/2" 15.5# @ 6197 ft; cmt w/ 200 sks lead & 400 sks tail
Mkr Jnts: ? ft
Tbg:
SN:
TOC:
Existing Perforations:

Green River Frac Procedure:

1. MIRU wireline unit. Perforate Wasatch f/ 6126 to 6140 ft w/ 2 spf, 120 deg phase, 19 gm charges, 0.36" EHD. See attached table. RD wireline off wellhead.
2. RU frac equip. Frac Stage 1 down 5 1/2" csg per design (see attached table). Record ISIP. RD frac equip off wellhead.
3. RU wireline unit. Set CBP @ ~6100 ft. Perforate Uteland Buttes f/ 5846 to 6034 ft w/ 2 spf, 120 deg phase, 19 gm charges, 0.36" EHD. See attached table. RD wireline off wellhead.
4. RU frac equip. Frac Stage 2 down 5 1/2" csg per design (see attached table). Record ISIP. RD frac equip off wellhead.
5. RU wireline unit. Set CBP @ ~5825 ft. Perforate Castle Peak f/ 5434 to 5645 ft w/ 2 spf, 120 deg phase, 19 gm charges, 0.36" EHD. See attached table. RD wireline off wellhead.
6. RU frac equip. Frac Stage 3 down 5 1/2" csg per design (see attached table). Record ISIP. RD frac equip off wellhead.
7. RU wireline unit. Set CBP @ ~5410 ft. Perforate Black Shale f/ 5183 to 5397 ft w/ 2 spf, 120 deg phase, 19 gm charges, 0.36" EHD. See attached table. RD wireline off wellhead.
8. RU frac equip. Frac Stage 4 down 5 1/2" csg per design (see attached table). Record ISIP. RD frac equip off wellhead.
9. RU wireline unit. Set CBP @ ~5150 ft. Perforate 3 Point f/ 4954 to 5127 ft w/ 2 spf, 120 deg phase, 19 gm charges, 0.36" EHD. See attached table. RD wireline off wellhead.
10. RU frac equip. Frac Stage 5 down 5 1/2" csg per design (see attached table). Record ISIP. RD frac equip off wellhead.
11. RU wireline unit. Set CBP @ ~4925 ft. Perforate Douglas Creek f/ 4536 to 4781 ft w/ 2 spf, 120 deg phase, 19 gm charges, 0.36" EHD. See attached table. RD wireline off wellhead.
12. RU frac equip. Frac Stage 6 down 5 1/2" csg per design (see attached table). Record ISIP. RD frac equip off wellhead.

RECEIVED July 28, 2010

July 6, 2010

13. RU wireline unit. Set kill CBP @ ~4500 ft.
14. RDMO wireline unit. RDMO frac equip. NU BOPE.
15. MIRU service unit. RU drlg equip and drill out CBP's and circulate clean to PBTD ft. Record fluid rates and pressures while cleaning out well. RD drlg equip.
16. RIH w/ notched collar, SN & tbg anchor on 2 7/8" tbg. Set EOT @ ~6100 ft. ND BOPE.
17. RIH w/ pump & rods. Seat pump, space out. Fill tbg & pressure test to 500 psi.
18. RDMO service unit.
19. Start well pumping.

Federal 4-5D-64

7/1/2010

| Stage | Stage Top | Stage Bmt | Zone | Top | Bottom | Feet | SPF | Total Holes | Stage Holes | Gross Interval Thickness (ft) | Net Perforated Thickness (ft) | Net Pay GR<80 API (ft) | Acid Volume (to perforate zone) | Sand Volume (2000 lbs per net pay) |
|--------|-----------|-----------|----------------|-------|--------|------|-----|-------------|-------------|-------------------------------|-------------------------------|------------------------|---------------------------------|------------------------------------|
| 1 | 6,126 | 6,140 | Upper Wasatch | 6,139 | 6,140 | 1 | 2 | 2 | | | | | | |
| 1 | | | Upper Wasatch | 6,135 | 6,136 | 1 | 2 | 2 | | | | | | |
| 1 | | | Upper Wasatch | 6,131 | 6,132 | 1 | 2 | 2 | | | | | | |
| 1 | | | Upper Wasatch | 6,126 | 6,127 | 1 | 2 | 2 | 8 | 14 | 4 | 20 | 250 | 40,000 |
| 2 | 5,846 | 6,034 | Uteland Buttes | 6,033 | 6,034 | 1 | 2 | 2 | | | | | | |
| 2 | | | Uteland Buttes | 6,030 | 6,031 | 1 | 2 | 2 | | | | | | |
| 2 | | | Uteland Buttes | 6,003 | 6,004 | 1 | 2 | 2 | | | | | | |
| 2 | | | Uteland Buttes | 5,966 | 5,967 | 1 | 2 | 2 | | | | | | |
| 2 | | | Uteland Buttes | 5,950 | 5,951 | 1 | 2 | 2 | | | | | | |
| 2 | | | Uteland Buttes | 5,922 | 5,923 | 1 | 2 | 2 | | | | | | |
| 2 | | | Uteland Buttes | 5,920 | 5,921 | 1 | 2 | 2 | | | | | | |
| 2 | | | Uteland Buttes | 5,911 | 5,912 | 1 | 2 | 2 | | | | | | |
| 2 | | | Uteland Buttes | 5,907 | 5,908 | 1 | 2 | 2 | | | | | | |
| 2 | | | Uteland Buttes | 5,871 | 5,872 | 1 | 2 | 2 | | | | | | |
| 2 | | | Uteland Buttes | 5,868 | 5,869 | 1 | 2 | 2 | | | | | | |
| 2 | | | Uteland Buttes | 5,846 | 5,847 | 1 | 2 | 2 | 24 | 188 | 12 | 56 | 250 | 60,000 |
| 3 | 5,434 | 5,645 | Castle Peak | 5,644 | 5,645 | 1 | 2 | 2 | | | | | | |
| 3 | | | Castle Peak | 5,640 | 5,641 | 1 | 2 | 2 | | | | | | |
| 3 | | | Castle Peak | 5,629 | 5,630 | 1 | 2 | 2 | | | | | | |
| 3 | | | Castle Peak | 5,614 | 5,615 | 1 | 2 | 2 | | | | | | |
| 3 | | | Castle Peak | 5,592 | 5,593 | 1 | 2 | 2 | | | | | | |
| 3 | | | Castle Peak | 5,561 | 5,562 | 1 | 2 | 2 | | | | | | |
| 3 | | | Castle Peak | 5,554 | 5,555 | 1 | 2 | 2 | | | | | | |
| 3 | | | Castle Peak | 5,552 | 5,553 | 1 | 2 | 2 | | | | | | |
| 3 | | | Castle Peak | 5,504 | 5,505 | 1 | 2 | 2 | | | | | | |
| 3 | | | Castle Peak | 5,502 | 5,503 | 1 | 2 | 2 | | | | | | |
| 3 | | | Castle Peak | 5,437 | 5,438 | 1 | 2 | 2 | | | | | | |
| 3 | | | Castle Peak | 5,434 | 5,435 | 1 | 2 | 2 | 24 | 211 | 12 | 28 | 250 | 47,600 |
| 4 | 5,183 | 5,397 | Black Shale | 5,396 | 5,397 | 1 | 2 | 2 | | | | | | |
| 4 | | | Black Shale | 5,392 | 5,393 | 1 | 2 | 2 | | | | | | |
| 4 | | | Black Shale | 5,389 | 5,390 | 1 | 2 | 2 | | | | | | |
| 4 | | | Black Shale | 5,387 | 5,388 | 1 | 2 | 2 | | | | | | |
| 4 | | | Black Shale | 5,189 | 5,190 | 1 | 2 | 2 | | | | | | |
| 4 | | | Black Shale | 5,186 | 5,187 | 1 | 2 | 2 | | | | | | |
| 4 | | | Black Shale | 5,183 | 5,184 | 1 | 2 | 2 | 14 | 214 | 7 | 18 | 250 | 30,600 |
| 5 | 4,954 | 5,127 | 3 Point | 5,126 | 5,127 | 1 | 2 | 2 | | | | | | |
| 5 | | | 3 Point | 5,121 | 5,122 | 1 | 2 | 2 | | | | | | |
| 5 | | | 3 Point | 5,118 | 5,119 | 1 | 2 | 2 | | | | | | |
| 5 | | | 3 Point | 5,112 | 5,113 | 1 | 2 | 2 | | | | | | |
| 5 | | | 3 Point | 5,109 | 5,110 | 1 | 2 | 2 | | | | | | |
| 5 | | | 3 Point | 5,106 | 5,107 | 1 | 2 | 2 | | | | | | |
| 5 | | | 3 Point | 5,092 | 5,093 | 1 | 2 | 2 | | | | | | |
| 5 | | | 3 Point | 5,088 | 5,089 | 1 | 2 | 2 | | | | | | |
| 5 | | | 3 Point | 5,084 | 5,085 | 1 | 2 | 2 | | | | | | |
| 5 | | | 3 Point | 5,080 | 5,081 | 1 | 2 | 2 | | | | | | |
| 5 | | | 3 Point | 5,076 | 5,077 | 1 | 2 | 2 | | | | | | |
| 5 | | | 3 Point | 4,961 | 4,962 | 1 | 2 | 2 | | | | | | |
| 5 | | | 3 Point | 4,958 | 4,959 | 1 | 2 | 2 | | | | | | |
| 5 | | | 3 Point | 4,954 | 4,955 | 1 | 2 | 2 | 28 | 173 | 14 | 50 | 250 | 100,000 |
| 6 | 4,536 | 4,781 | Douglas Creek | 4,780 | 4,781 | 1 | 2 | 2 | | | | | | |
| 6 | | | Douglas Creek | 4,778 | 4,779 | 1 | 2 | 2 | | | | | | |
| 6 | | | Douglas Creek | 4,775 | 4,776 | 1 | 2 | 2 | | | | | | |
| 6 | | | Douglas Creek | 4,770 | 4,771 | 1 | 2 | 2 | | | | | | |
| 6 | | | Douglas Creek | 4,698 | 4,699 | 1 | 2 | 2 | | | | | | |
| 6 | | | Douglas Creek | 4,695 | 4,696 | 1 | 2 | 2 | | | | | | |
| 6 | | | Douglas Creek | 4,692 | 4,693 | 1 | 2 | 2 | | | | | | |
| 6 | | | Douglas Creek | 4,680 | 4,681 | 1 | 2 | 2 | | | | | | |
| 6 | | | Douglas Creek | 4,547 | 4,548 | 1 | 2 | 2 | | | | | | |
| 6 | | | Douglas Creek | 4,545 | 4,546 | 1 | 2 | 2 | | | | | | |
| 6 | | | Douglas Creek | 4,539 | 4,540 | 1 | 2 | 2 | | | | | | |
| 6 | | | Douglas Creek | 4,536 | 4,537 | 1 | 2 | 2 | 24 | 245 | 12 | 30 | 250 | 51,000 |
| Totals | | | | | | | | | 122 | 1,045 | 61 | 202 | 1,500 | 329,200 |

RECEIVED July 28, 2010

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

AMENDED REPORT ☐ FORM 8
(highlight changes)

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

| | | |
|---|--|---|
| 1a. TYPE OF WELL: OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> DRY <input type="checkbox"/> OTHER _____ | | 7. UNIT or CA AGREEMENT NAME |
| b. TYPE OF WORK: NEW WELL <input checked="" type="checkbox"/> HORIZ. LATS. <input type="checkbox"/> DEEP-EN <input type="checkbox"/> RE-ENTRY <input type="checkbox"/> DIFF. RESVR. <input type="checkbox"/> OTHER _____ | | 8. WELL NAME and NUMBER: FEDERAL 4-5D-64 |
| 2. NAME OF OPERATOR: BERRY PETROLEUM | | 9. API NUMBER: 4301350263 |
| 3. ADDRESS OF OPERATOR: 4000 S. 4028 W. CITY ROOSEVELT STATE UT ZIP 84066 | | 10 FIELD AND POOL, OR WILDCAT BRUNDAGE CANYON |
| 4. LOCATION OF WELL (FOOTAGES) AT SURFACE: 1520 FNL, 1512 FWL AT TOP PRODUCING INTERVAL REPORTED BELOW: NWNW 835 FNL, 830FWL AT TOTAL DEPTH: NWNW 800 FNL, 697 FWL | | 11. QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: SE NW 5 6S 4W U |
| | | 12. COUNTY DUCHESENE |
| | | 13. STATE UTAH |

| | | | | |
|--|--|--|---|---|
| 14. DATE SPUDDED: 5/21/2010 | 15. DATE T.D. REACHED: 6/30/2010 | 16. DATE COMPLETED: 7/26/2010 | ABANDONED <input type="checkbox"/> READY TO PRODUCE <input checked="" type="checkbox"/> | 17. ELEVATIONS (DF, RKB, RT, GL): 7176 GL |
| 18. TOTAL DEPTH: MD 6,266 TVD 6113 | 19. PLUG BACK T.D.: MD 6,225 TVD 6073 | 20. IF MULTIPLE COMPLETIONS, HOW MANY? * | | 21. DEPTH BRIDGE MD PLUG SET: TVD |
| 22. TYPE ELECTRIC AND OTHER MECHANICAL LOGS RUN (Submit copy of each) ELECTRONIC HOT, COMPZ, CN, GR, CAL, CBL, GR, CCL | | | | 23. WAS WELL CORED? NO <input checked="" type="checkbox"/> YES <input type="checkbox"/> (Submit analysis) WAS DST RUN? NO <input checked="" type="checkbox"/> YES <input type="checkbox"/> (Submit report) DIRECTIONAL SURVEY? NO <input type="checkbox"/> YES <input checked="" type="checkbox"/> (Submit copy) |

24. CASING AND LINER RECORD (Report all strings set in well)

| HOLE SIZE | SIZE/GRADE | WEIGHT (#/ft.) | TOP (MD) | BOTTOM (MD) | STAGE CEMENTER DEPTH | CEMENT TYPE & NO. OF SACKS | SLURRY VOLUME (BBL) | CEMENT TOP ** | AMOUNT PULLED |
|-----------|------------|----------------|----------|-------------|----------------------|----------------------------|---------------------|---------------|---------------|
| 12.5 | 8.625 J-55 | 24 | | 352 | | G 225 | | | |
| 7.875 | 5.5 J-55 | 15.5 | | 6,197 | | PL 200 | | 140 CBL | |
| | | | | | | PLHS 400 | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

25. TUBING RECORD

| SIZE | DEPTH SET (MD) | PACKER SET (MD) | SIZE | DEPTH SET (MD) | PACKER SET (MD) | SIZE | DEPTH SET (MD) | PACKER SET (MD) |
|-------|----------------|-----------------|------|----------------|-----------------|------|----------------|-----------------|
| 2.875 | 6,110 | | | | | | | |

26. PRODUCING INTERVALS

| FORMATION NAME | TOP (MD) | BOTTOM (MD) | TOP (TVD) | BOTTOM (TVD) | INTERVAL (Top/Bot - MD) | SIZE | NO. HOLES | PERFORATION STATUS |
|-------------------|----------|-------------|-----------|--------------|-------------------------|------|-----------|--|
| (A) UPPER WASATCH | 6,126 | 6,140 | | | 6,126 6,140 | .36 | 8 | Open <input checked="" type="checkbox"/> Squeezed <input type="checkbox"/> |
| (B) UTELAND | 5,846 | 6,034 | | | 5,846 6,034 | .36 | 24 | Open <input checked="" type="checkbox"/> Squeezed <input type="checkbox"/> |
| (C) CASTLE PEAK | 5,434 | 5,645 | | | 5,434 5,645 | .36 | 24 | Open <input type="checkbox"/> Squeezed <input type="checkbox"/> |
| (D) BLACK SHALE | 5,183 | 5,397 | | | 5,183 5,397 | .36 | 14 | Open <input checked="" type="checkbox"/> Squeezed <input type="checkbox"/> |

27. PERFORATION RECORD

28. ACID, FRACTURE, TREATMENT, CEMENT SQUEEZE, ETC.

| DEPTH INTERVAL | AMOUNT AND TYPE OF MATERIAL |
|----------------|---|
| UPPER WASATCH | FRAC W/ 40,000 LBS SAND & 553 BBLS FLUID |
| UTELAND | FRAC W/ 60,000 LBS SAND & 1011 BBLS FLUID |
| CASTLE PEAK | FRAC W/ 47,600 LBS SAND & 577 BBLS FLUID |

29. ENCLOSED ATTACHMENTS:

- ☐ ELECTRICAL/MECHANICAL LOGS ☐ GEOLOGIC REPORT ☐ DST REPORT ☒ DIRECTIONAL SURVEY
☐ SUNDRY NOTICE FOR PLUGGING AND CEMENT VERIFICATION ☐ CORE ANALYSIS ☐ OTHER: _____

30. WELL STATUS:

P

RECEIVED

SEP 22 2010

DIV. OF OIL, GAS & MINING

31. INITIAL PRODUCTION

INTERVAL A (As shown in item #26)

| | | | | | | | |
|----------------------------------|-------------------------|---------------------|-----------------------------|------------------|-------------------|------------------------------|-------------------------------|
| DATE FIRST PRODUCED: 8/2/2010 | TEST DATE: 8/25/2010 | HOURS TESTED: 24 | TEST PRODUCTION RATES: → | OIL – BBL: 81 | GAS – MCF: 152 | WATER – BBL: 12 | PROD. METHOD: PUMPING |
| CHOKE SIZE: | TBG. PRESS. 400 | CSG. PRESS. 78 | API GRAVITY | BTU – GAS | GAS/OIL RATIO | 24 HR PRODUCTION RATES: → | INTERVAL STATUS: PRODUCING |

INTERVAL B (As shown in item #26)

| | | | | | | | |
|----------------------|-------------|---------------|-----------------------------|------------|---------------|------------------------------|------------------|
| DATE FIRST PRODUCED: | TEST DATE: | HOURS TESTED: | TEST PRODUCTION RATES: → | OIL – BBL: | GAS – MCF: | WATER – BBL: | PROD. METHOD: |
| CHOKE SIZE: | TBG. PRESS. | CSG. PRESS. | API GRAVITY | BTU – GAS | GAS/OIL RATIO | 24 HR PRODUCTION RATES: → | INTERVAL STATUS: |

INTERVAL C (As shown in item #26)

| | | | | | | | |
|----------------------|-------------|---------------|-----------------------------|------------|---------------|------------------------------|------------------|
| DATE FIRST PRODUCED: | TEST DATE: | HOURS TESTED: | TEST PRODUCTION RATES: → | OIL – BBL: | GAS – MCF: | WATER – BBL: | PROD. METHOD: |
| CHOKE SIZE: | TBG. PRESS. | CSG. PRESS. | API GRAVITY | BTU – GAS | GAS/OIL RATIO | 24 HR PRODUCTION RATES: → | INTERVAL STATUS: |

INTERVAL D (As shown in item #26)

| | | | | | | | |
|----------------------|-------------|---------------|-----------------------------|------------|---------------|------------------------------|------------------|
| DATE FIRST PRODUCED: | TEST DATE: | HOURS TESTED: | TEST PRODUCTION RATES: → | OIL – BBL: | GAS – MCF: | WATER – BBL: | PROD. METHOD: |
| CHOKE SIZE: | TBG. PRESS. | CSG. PRESS. | API GRAVITY | BTU – GAS | GAS/OIL RATIO | 24 HR PRODUCTION RATES: → | INTERVAL STATUS: |

32. DISPOSITION OF GAS (Sold, Used for Fuel, Vented, Etc.)

SOLD

33. SUMMARY OF POROUS ZONES (Include Aquifers):

Show all important zones of porosity and contents thereof: Cored intervals and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures and recoveries.


34. FORMATION (Log) MARKERS:

| Formation | Top (MD) | Bottom (MD) | Descriptions, Contents, etc. | Name | Top (Measured Depth) |
|-----------|-------------|----------------|------------------------------|---------------|-------------------------|
| | | | | GR (NEW) | 1,978 |
| | | | | MAHOGANY | 2,650 |
| | | | | TGR3 | 3,721 |
| | | | | DOUGLAS CREEK | 4,496 |
| | | | | BLACK SHALE | 5,138 |
| | | | | CASTLE PEAK | 5,420 |
| | | | | UTELAND | 5,843 |
| | | | | WASATCH | 6,040 |

35. ADDITIONAL REMARKS (Include plugging procedure)

SEE ADDITIONAL PAGE FOR REMAINING PRODUCING INTERVALS AND FRAC INTERVALS

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records.

NAME (PLEASE PRINT) KATHY K. FIELDSTED TITLE SR. REGULATORY & PERMITTING TECH
 SIGNATURE  DATE 9/17/2010

This report must be submitted within 30 days of

- completing or plugging a new well
- drilling horizontal laterals from an existing well bore
- recompleting to a different producing formation
- reentering a previously plugged and abandoned well
- significantly deepening an existing well bore below the previous bottom-hole depth
- drilling hydrocarbon exploratory holes, such as core samples and stratigraphic tests

* ITEM 20: Show the number of completions if production is measured separately from two or more formations.

** ITEM 24: Cement Top – Show how reported top(s) of cement were determined (circulated (CIR), calculated (CAL), cement bond log (CBL), temperature survey (TS)).

Send to: Utah Division of Oil, Gas and Mining
 1594 West North Temple, Suite 1210
 Box 145801
 Salt Lake City, Utah 84114-5801

Phone: 801-538-5340

Fax: 801-359-3940

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

AMENDED REPORT ☐ FORM 8
(highlight changes)

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

| | | |
|---|--|---|
| 1a. TYPE OF WELL: OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> DRY <input type="checkbox"/> OTHER _____ | | 7. UNIT or CA AGREEMENT NAME |
| b. TYPE OF WORK: NEW WELL <input checked="" type="checkbox"/> HORIZ. LATS. <input type="checkbox"/> DEEP-EN <input type="checkbox"/> RE-ENTRY <input type="checkbox"/> DIFF. RESVR. <input type="checkbox"/> OTHER _____ | | 8. WELL NAME and NUMBER: FEDERAL 4-5D-64 |
| 2. NAME OF OPERATOR: BERRY PETROLEUM | | 9. API NUMBER: 4301350263 |
| 3. ADDRESS OF OPERATOR: 4000 S. 4028 W. CITY ROOSEVELT STATE UT ZIP 84066 | | 10 FIELD AND POOL, OR WILDCAT BRUNDAGE CANYON |
| 4. LOCATION OF WELL (FOOTAGES) AT SURFACE: 1520 FNL, 1512 FWL AT TOP PRODUCING INTERVAL REPORTED BELOW: NWNW 835 FNL, 830FWL AT TOTAL DEPTH: NWNW 800 FNL, 697 FWL | | 11. QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: SE NW 5 6S 4W U 12. COUNTY DUCHESENE 13. STATE UTAH |

| | | | | |
|---|-------------------------------------|--|---|--|
| 14. DATE SPURRED: 5/21/2010 | 15. DATE T.D. REACHED: 6/30/2010 | 16. DATE COMPLETED: 7/26/2010 | ABANDONED <input type="checkbox"/> READY TO PRODUCE <input checked="" type="checkbox"/> | 17. ELEVATIONS (DF, RKB, RT, GL): 7176 GL |
| 18. TOTAL DEPTH: MD 6,266 TVD | 19. PLUG BACK T.D.: MD 6,225 TVD | 20. IF MULTIPLE COMPLETIONS, HOW MANY? * | | 21. DEPTH BRIDGE MD PLUG SET: TVD |
| 22. TYPE ELECTRIC AND OTHER MECHANICAL LOGS RUN (Submit copy of each) ELECTRONIC | | | 23. WAS WELL CORED? NO <input checked="" type="checkbox"/> YES <input type="checkbox"/> (Submit analysis) WAS DST RUN? NO <input checked="" type="checkbox"/> YES <input type="checkbox"/> (Submit report) DIRECTIONAL SURVEY? NO <input type="checkbox"/> YES <input checked="" type="checkbox"/> (Submit copy) | |

24. CASING AND LINER RECORD (Report all strings set in well)

| HOLE SIZE | SIZE/GRADE | WEIGHT (#/ft.) | TOP (MD) | BOTTOM (MD) | STAGE CEMENTER DEPTH | CEMENT TYPE & NO. OF SACKS | SLURRY VOLUME (BBL) | CEMENT TOP ** | AMOUNT PULLED |
|-----------|------------|----------------|----------|-------------|----------------------|----------------------------|---------------------|---------------|---------------|
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

25. TUBING RECORD

| SIZE | DEPTH SET (MD) | PACKER SET (MD) | SIZE | DEPTH SET (MD) | PACKER SET (MD) | SIZE | DEPTH SET (MD) | PACKER SET (MD) |
|------|----------------|-----------------|------|----------------|-----------------|------|----------------|-----------------|
| | | | | | | | | |

26. PRODUCING INTERVALS

| FORMATION NAME | TOP (MD) | BOTTOM (MD) | TOP (TVD) | BOTTOM (TVD) | INTERVAL (Top/Bot - MD) | SIZE | NO. HOLES | PERFORATION STATUS |
|-------------------|----------|-------------|-----------|--------------|-------------------------|------|-----------|--|
| (A) 3 POINT | 4,954 | 5,127 | | | 4,954 5,127 | .36 | 28 | Open <input checked="" type="checkbox"/> Squeezed <input type="checkbox"/> |
| (B) DOUGLAS CREEK | 4,536 | 4,781 | | | 4,536 4,781 | .36 | 24 | Open <input checked="" type="checkbox"/> Squeezed <input type="checkbox"/> |
| (C) | | | | | | | | Open <input type="checkbox"/> Squeezed <input type="checkbox"/> |
| (D) | | | | | | | | Open <input type="checkbox"/> Squeezed <input type="checkbox"/> |

27. PERFORATION RECORD

28. ACID, FRACTURE, TREATMENT, CEMENT SQUEEZE, ETC.

| DEPTH INTERVAL | AMOUNT AND TYPE OF MATERIAL |
|----------------|--|
| BLACK SHALE | FRAC W/ 30,600 LBS SAND & 420 BBLS FLUID |
| 3 POINT | FRAC W/ 100,000 LBS SAND & 1064 BBLS FLUID |
| DOUGLAS CREEK | FRAC W/ 51,000 LBS SAND & 583 BBLS FLUID |

29. ENCLOSED ATTACHMENTS:

- ☐ ELECTRICAL/MECHANICAL LOGS ☐ GEOLOGIC REPORT ☐ DST REPORT ☒ DIRECTIONAL SURVEY
☐ SUNDRY NOTICE FOR PLUGGING AND CEMENT VERIFICATION ☐ CORE ANALYSIS ☐ OTHER: _____

30. WELL STATUS:



Survey Certification Sheet

Report Date: 6-30-10

GWDS Job #: 02193-432-21 / Directional

Operator: Berry Petroleum Co.

Well Name: Federal 4-5D-64

API#: 43-013-50263

County/State: Duchesne Co., UT

Well SHL: 1520' FNL & 1512' FWL (SENW) Sec. 5-T6S-R4W

Well SHL: 39° 59' 30.609" N (NAD27)

110° 21' 44.280" W (NAD27)

Drilling Rig Contractor: Aztec 673 (RKB: 14')

Surveyed Dates: 6/24/10 – 6/27/10

Surveyed from a depth of: OH: 446.00' MD to 5652.00' MD


Type of Survey: MWD Surveys (STB=50')

The data and calculations for this survey have been checked by me and conform to the calibration standards and operational procedures set forth by Great White Directional Services, LLC. I am authorized and qualified to review the data, calculations and this report, and that the report represents a true and correct Directional Survey of this well based on the original data corrected to True North and obtained at the well site. Wellbore Coordinates are calculated using minimum curvature method.

Bret Wolford

A handwritten signature in black ink that reads "Bret Wolford". The signature is written in a cursive, flowing style.

Great White Directional Services, LLC - Well Planner



Project: Duchesne Co., UT (UT27C)
 Site: Federal Sec.5 Pads (Sec.5-T6S-R4W)
 Well: Federal 4-5D-64
 Wellbore: Wellbore #1
 Design: Design #1
 Latitude: 39° 59' 30.609 N
 Longitude: 110° 21' 44.280 W
 Ground Level: 7173.00
 WELL @ 7187.00ft (Aztec 673)



PROJECT DETAILS: Duchesne Co., UT (UT27C)

Geodetic System: US State Plane 1927 (Exact solution)
 Datum: NAD 1927 (NADCON CONUS)
 Ellipsoid: Clarke 1866
 Zone: Utah Central 4302
 System Datum: Mean Sea Level

REFERENCE INFORMATION

Co-ordinate (N/E) Reference: Well Federal 4-5D-64, True North
 Vertical (TVD) Reference: WELL @ 7187.00ft (Aztec 673)
 Section (VS) Reference: Slot - (0.00N, 0.00E)
 Measured Depth Reference: WELL @ 7187.00ft (Aztec 673)
 Calculation Method: Minimum Curvature

WELL DETAILS: Federal 4-5D-64

Ground Level: 7173.00
 +N/-S 0.00 +E/-W 0.00 Northing 606098.770 Easting 2318746.130 Latitude 39° 59' 30.609 N Longitude 110° 21' 44.280 W Slot

WELLBORE TARGET DETAILS (MAP CO-ORDINATES AND LAT/LONG)





| Name | TVD | +N/-S | +E/-W | Northing | Easting | Latitude | Longitude | Shape |
|-----------------|---------|--------|---------|------------|-------------|------------------|-------------------|---------|
| Fed 4-5D-64 Tgt | 6008.00 | 855.89 | -852.41 | 606943.752 | 2317884.902 | 39° 59' 39.068 N | 110° 21' 55.233 W | Polygon |

SECTION DETAILS

| MD | Inc | Azi | TVD | +N/-S | +E/-W | DLeg | TFace | VSec | Annotation |
|---------|-------|--------|---------|--------|---------|------|--------|---------|-----------------------------------|
| 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | KOP / Start Build 2.00° |
| 450.00 | 0.00 | 0.00 | 450.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | Start 3404.03' hold at 1217.63 MD |
| 1217.64 | 15.35 | 315.12 | 1208.49 | 72.44 | -72.14 | 2.00 | 315.12 | 102.23 | Start Drop -1.00° |
| 4621.65 | 15.35 | 315.12 | 4491.02 | 711.02 | -708.12 | 0.00 | 0.00 | 1003.49 | TD at 6156.93 |
| 6156.94 | 0.00 | 0.00 | 6008.00 | 855.89 | -852.41 | 1.00 | 180.00 | 1207.96 | |


FORMATION TOP DETAILS

| TVDPath | MDPath | Formation |
|---------|---------|--------------------|
| 1384.34 | 1400.00 | Green River |
| 1948.75 | 1985.29 | Green River Up Mkr |
| 2579.44 | 2639.32 | Mahogany |
| 3600.79 | 3698.48 | Tgr3 Mkr |
| 4356.01 | 4481.65 | Douglas Creek |
| 4967.28 | 5110.41 | Black Shale |
| 5130.72 | 5276.19 | 1/2 Through Obj. |
| 5272.03 | 5418.93 | Castle Peak |
| 5704.64 | 5853.44 | Uteland Butte Ls. |
| 5903.75 | 6052.68 | Wasatch |



Plan: Design #1 (Federal 4-5D-64/Wellbore #1)

Created By: Bret Wolford Date: 14:38, June 30 2010



Berry Petroleum Company

Duchesne Co., UT (UT27C)

Federal Sec.5 Pads (Sec.5-T6S-R4W)

Federal 4-5D-64

Wellbore #1

Survey: Survey #1

Standard Survey Report

30 June, 2010



Great White Directional Services, LLC

Survey Report



Company: Berry Petroleum Company
Project: Duchesne Co., UT (UT27C)
Site: Federal Sec.5 Pads (Sec.5-T6S-R4W)
Well: Federal 4-5D-64
Wellbore: Wellbore #1
Design: Wellbore #1

Local Co-ordinate Reference: Well Federal 4-5D-64
TVD Reference: WELL @ 7187.00ft (Aztec 673)
MD Reference: WELL @ 7187.00ft (Aztec 673)
North Reference: True
Survey Calculation Method: Minimum Curvature
Database: EDM 2003.21 Single User Db

| | | | |
|--------------------|--------------------------------------|----------------------|----------------|
| Project | Duchesne Co., UT (UT27C) | | |
| Map System: | US State Plane 1927 (Exact solution) | System Datum: | Mean Sea Level |
| Geo Datum: | NAD 1927 (NADCON CONUS) | | |
| Map Zone: | Utah Central 4302 | | |

| | | | | | |
|-----------------------|------------------------------------|--------------|------------------|-------------------|-------------------|
| Site | Federal Sec.5 Pads (Sec.5-T6S-R4W) | | | | |
| Site Position: | | Northing: | 606,072.191 ft | Latitude: | 39° 59' 30.350 N |
| From: | Lat/Long | Easting: | 2,318,718.767 ft | Longitude: | 110° 21' 44.662 W |
| Position Uncertainty: | 0.00 ft | Slot Radius: | " | Grid Convergence: | 0.73 ° |

| | | | | | | |
|----------------------|-----------------|---------|---------------------|------------------|---------------|-------------------|
| Well | Federal 4-5D-64 | | | | | |
| Well Position | +N/-S | 0.00 ft | Northing: | 606,098.770 ft | Latitude: | 39° 59' 30.609 N |
| | +E/-W | 0.00 ft | Easting: | 2,318,748.130 ft | Longitude: | 110° 21' 44.280 W |
| Position Uncertainty | | 0.00 ft | Wellhead Elevation: | ft | Ground Level: | 7,173.00 ft |

| | | | | | |
|------------------|-------------------|--------------------|------------------------|----------------------|----------------------------|
| Wellbore | Wellbore #1 | | | | |
| Magnetics | Model Name | Sample Date | Declination (°) | Dip Angle (°) | Field Strength (nT) |
| | IGRF2010 | 05/28/10 | 11.56 | 65.72 | 52,287 |

| | | | | | |
|-------------------|------------------|--------|--------|---------------|------|
| Design | Wellbore #1 | | | | |
| Audit Notes: | | | | | |
| Version: | 1.0 | Phase: | ACTUAL | Tie On Depth: | 0.00 |
| Vertical Section: | Depth From (TVD) | +N/-S | +E/-W | Direction | |
| | (ft) | (ft) | (ft) | (°) | |
| | 0.00 | 0.00 | 0.00 | 315.12 | |

| | | | | |
|-----------------------|----------------------|--------------------------|------------------|--------------------|
| Survey Program | Date 06/30/10 | | | |
| From (ft) | To (ft) | Survey (Wellbore) | Tool Name | Description |
| 446.00 | 5,900.00 | Survey #1 (Wellbore #1) | MWD | MWD - Standard |

Survey

| Measured Depth (ft) | Inclination (°) | Azimuth (°) | Vertical Depth (ft) | +N/-S (ft) | +E/-W (ft) | Vertical Section (ft) | Dogleg Rate (°/100ft) | Build Rate (°/100ft) | Turn Rate (°/100ft) |
|-------------------------|-----------------|-------------|---------------------|------------|------------|-----------------------|-----------------------|----------------------|---------------------|
| 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| First MWD Survey | | | | | | | | | |
| 446.00 | 0.31 | 172.14 | 446.00 | -1.20 | 0.16 | -0.96 | 0.07 | 0.07 | 0.00 |
| 507.00 | 0.57 | 315.75 | 507.00 | -1.14 | -0.02 | -0.79 | 1.38 | 0.43 | 235.43 |
| 568.00 | 2.11 | 320.76 | 567.98 | -0.05 | -0.95 | 0.63 | 2.53 | 2.52 | 8.21 |
| 630.00 | 3.43 | 322.96 | 629.90 | 2.31 | -2.79 | 3.60 | 2.14 | 2.13 | 3.55 |
| 691.00 | 4.70 | 322.34 | 690.75 | 5.75 | -5.41 | 7.89 | 2.08 | 2.08 | -1.02 |
| 753.00 | 6.06 | 322.87 | 752.48 | 10.37 | -8.94 | 13.65 | 2.19 | 2.19 | 0.85 |
| 814.00 | 7.29 | 324.36 | 813.06 | 16.08 | -13.14 | 20.66 | 2.04 | 2.02 | 2.44 |
| 876.00 | 8.53 | 325.33 | 874.47 | 23.06 | -18.05 | 29.07 | 2.01 | 2.00 | 1.56 |
| 937.00 | 9.76 | 325.77 | 934.69 | 31.05 | -23.53 | 38.61 | 2.02 | 2.02 | 0.72 |
| 998.00 | 11.03 | 325.77 | 994.69 | 40.15 | -29.72 | 49.42 | 2.08 | 2.08 | 0.00 |
| 1,059.00 | 12.35 | 325.77 | 1,054.42 | 50.37 | -36.67 | 61.57 | 2.16 | 2.16 | 0.00 |

Great White Directional Services, LLC

Survey Report



Company: Berry Petroleum Company
Project: Duchesne Co., UT (UT27C)
Site: Federal Sec.5 Pads (Sec.5-T6S-R4W)
Well: Federal 4-5D-64
Wellbore: Wellbore #1
Design: Wellbore #1

Local Co-ordinate Reference: Well Federal 4-5D-64
TVD Reference: WELL @ 7187.00ft (Aztec 673)
MD Reference: WELL @ 7187.00ft (Aztec 673)
North Reference: True
Survey Calculation Method: Minimum Curvature
Database: EDM 2003.21 Single User Db

Survey

| Measured Depth (ft) | Inclination (°) | Azimuth (°) | Vertical Depth (ft) | +N/-S (ft) | +E/-W (ft) | Vertical Section (ft) | Dogleg Rate (°/100ft) | Build Rate (°/100ft) | Turn Rate (°/100ft) |
|------------------------|-----------------|-------------|---------------------|------------|------------|-----------------------|-----------------------|----------------------|---------------------|
| 1,122.00 | 13.89 | 326.03 | 1,115.78 | 62.21 | -44.69 | 75.62 | 2.45 | 2.44 | 0.41 |
| 1,185.00 | 14.85 | 325.42 | 1,176.81 | 75.13 | -53.49 | 90.98 | 1.54 | 1.52 | -0.97 |
| 1,247.00 | 15.47 | 323.48 | 1,236.65 | 88.32 | -62.92 | 106.98 | 1.29 | 1.00 | -3.13 |
| 1,311.00 | 16.48 | 321.11 | 1,298.18 | 102.24 | -73.70 | 124.46 | 1.88 | 1.58 | -3.70 |
| 1,373.00 | 17.67 | 319.44 | 1,357.44 | 116.24 | -85.34 | 142.58 | 2.08 | 1.92 | -2.69 |
| 1,498.00 | 18.90 | 319.18 | 1,476.13 | 145.97 | -110.91 | 181.70 | 0.99 | 0.98 | -0.21 |
| 1,623.00 | 17.45 | 315.93 | 1,594.89 | 174.76 | -137.19 | 220.63 | 1.41 | -1.16 | -2.60 |
| 1,749.00 | 16.66 | 315.57 | 1,715.35 | 201.23 | -162.97 | 257.59 | 0.63 | -0.63 | -0.29 |
| 1,875.00 | 16.88 | 312.76 | 1,835.99 | 226.55 | -189.05 | 293.93 | 0.67 | 0.17 | -2.23 |
| 1,999.00 | 16.61 | 312.32 | 1,954.74 | 250.71 | -215.37 | 329.62 | 0.24 | -0.22 | -0.35 |
| 2,126.00 | 15.91 | 311.79 | 2,076.66 | 274.53 | -241.77 | 365.12 | 0.56 | -0.55 | -0.42 |
| 2,252.00 | 17.01 | 317.60 | 2,197.50 | 299.65 | -267.07 | 400.78 | 1.57 | 0.87 | 4.61 |
| 2,380.00 | 16.61 | 319.00 | 2,320.03 | 327.28 | -291.70 | 437.74 | 0.44 | -0.31 | 1.09 |
| 2,504.00 | 17.31 | 321.02 | 2,438.64 | 355.00 | -314.93 | 473.77 | 0.74 | 0.56 | 1.63 |
| 2,629.00 | 17.45 | 321.73 | 2,557.93 | 384.17 | -338.24 | 510.89 | 0.20 | 0.11 | 0.57 |
| 2,755.00 | 16.92 | 322.34 | 2,678.30 | 413.52 | -361.14 | 547.84 | 0.44 | -0.42 | 0.48 |
| 2,879.00 | 17.71 | 319.18 | 2,796.69 | 442.08 | -384.50 | 584.56 | 0.99 | 0.64 | -2.55 |
| 3,006.00 | 17.75 | 317.60 | 2,917.65 | 470.99 | -410.18 | 623.17 | 0.38 | 0.03 | -1.24 |
| 3,131.00 | 18.68 | 322.25 | 3,036.40 | 500.89 | -435.28 | 662.07 | 1.38 | 0.74 | 3.72 |
| 3,257.00 | 18.02 | 320.67 | 3,155.99 | 531.92 | -459.99 | 701.49 | 0.66 | -0.52 | -1.25 |
| 3,384.00 | 17.09 | 319.09 | 3,277.07 | 561.22 | -484.66 | 739.66 | 0.82 | -0.73 | -1.24 |
| 3,511.00 | 17.27 | 317.60 | 3,398.41 | 589.24 | -509.59 | 777.11 | 0.37 | 0.14 | -1.17 |
| 3,637.00 | 17.09 | 315.40 | 3,518.79 | 616.24 | -535.20 | 814.31 | 0.54 | -0.14 | -1.75 |
| 3,765.00 | 17.01 | 313.73 | 3,641.16 | 642.57 | -561.94 | 851.83 | 0.39 | -0.06 | -1.30 |
| 3,891.00 | 15.76 | 311.00 | 3,762.04 | 666.54 | -588.17 | 887.33 | 1.16 | -0.99 | -2.17 |
| 4,017.00 | 15.95 | 308.63 | 3,883.25 | 688.57 | -614.61 | 921.60 | 0.54 | 0.15 | -1.88 |
| 4,142.00 | 14.28 | 306.26 | 4,003.92 | 708.41 | -640.46 | 953.90 | 1.42 | -1.34 | -1.90 |
| 4,268.00 | 12.48 | 302.13 | 4,126.50 | 724.85 | -664.52 | 982.52 | 1.62 | -1.43 | -3.28 |
| 4,394.00 | 10.63 | 297.03 | 4,249.95 | 737.37 | -686.41 | 1,006.83 | 1.68 | -1.47 | -4.05 |
| 4,521.00 | 9.23 | 288.42 | 4,375.05 | 745.91 | -706.51 | 1,027.07 | 1.60 | -1.10 | -6.78 |
| 4,648.00 | 7.95 | 282.53 | 4,500.62 | 751.04 | -724.74 | 1,043.57 | 1.22 | -1.01 | -4.64 |
| 4,774.00 | 6.72 | 275.58 | 4,625.59 | 753.65 | -740.59 | 1,056.60 | 1.20 | -0.98 | -5.52 |
| 4,901.00 | 5.76 | 264.60 | 4,751.84 | 753.77 | -754.33 | 1,066.38 | 1.20 | -0.76 | -8.65 |
| 5,150.00 | 4.83 | 250.42 | 4,999.79 | 749.08 | -776.65 | 1,078.81 | 0.64 | -0.37 | -5.69 |
| 5,401.00 | 3.47 | 233.40 | 5,250.13 | 741.01 | -792.70 | 1,084.42 | 0.73 | -0.54 | -6.78 |
| Last MWD Survey | | | | | | | | | |
| 5,652.00 | 3.52 | 223.82 | 5,500.67 | 730.92 | -804.14 | 1,085.34 | 0.23 | 0.02 | -3.82 |
| Proj. to TD | | | | | | | | | |
| 5,900.00 | 3.52 | 223.82 | 5,748.20 | 719.93 | -814.68 | 1,085.00 | 0.00 | 0.00 | 0.00 |

Survey Annotations

| Measured Depth (ft) | Vertical Depth (ft) | Local Coordinates | | Comment |
|---------------------|---------------------|-------------------|------------|------------------|
| | | +N/-S (ft) | +E/-W (ft) | |
| 446.00 | 446.00 | -1.20 | 0.16 | First MWD Survey |
| 5,652.00 | 5,500.67 | 730.92 | -804.14 | Last MWD Survey |
| 5,900.00 | 5,748.20 | 719.93 | -814.68 | Proj. to TD |

Checked By: _____ Approved By: _____ Date: _____

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 6

ENTITY ACTION FORM

Operator: BERRY PETROLEUM COMPANY Operator Account Number: N 2480
Address: 4000 S. 4028 W.
city ROOSEVELT
state UT zip 84066 Phone Number: (435) 722-1325

Well 1

| API Number | Well Name | | QQ | Sec | Twp | Rng | County |
|--|-----------------------|-------------------|-----------|-----|-----|----------------------------------|-------------|
| 4301350263 | FEDERAL 4-5D-64 | | SE | NW | 5 | 6S | 4W DUCHESNE |
| Action Code | Current Entity Number | New Entity Number | Spud Date | | | Entity Assignment Effective Date | |
| E | 17661 | 17661 | | | | 7/26/10 | |
| Comments: WELL COMPLETED TO THE WASATCH <u>GR-WS BHL = NWNW - 10/19/10</u> | | | | | | | |

Well 2

| API Number | Well Name | | QQ | Sec | Twp | Rng | County |
|--|-----------------------|-------------------|-----------|-----|-----|----------------------------------|-------------|
| 4301350259 | FEDERAL 5-5D-64 | | SE | NW | 5 | 6S | 4W DUCHESNE |
| Action Code | Current Entity Number | New Entity Number | Spud Date | | | Entity Assignment Effective Date | |
| E | 17648 | 17648 | | | | 7/20/10 | |
| Comments: WELL COMPLETED TO THE WASATCH <u>GR-WS BHL = SWNW - 10/19/10</u> | | | | | | | |

Well 3

| API Number | Well Name | | QQ | Sec | Twp | Rng | County |
|--|-----------------------|-------------------|-----------|-----|-----|----------------------------------|-------------|
| 4301334288 | FEDRAL 6-5D-64 | | SE | NW | 5 | 6S | 4W DUCHESNE |
| Action Code | Current Entity Number | New Entity Number | Spud Date | | | Entity Assignment Effective Date | |
| E | 17649 | 17649 | | | | 7/22/10 | |
| Comments: WELL COMPLETED TO THE WASATCH <u>GR-WS BHL = SENW - 10/19/10</u> | | | | | | | |

ACTION CODES:

- A - Establish new entity for new well (single well only)
- B - Add new well to existing entity (group or unit well)
- C - Re-assign well from one existing entity to another existing entity
- D - Re-assign well from one existing entity to a new entity
- E - Other (Explain in 'comments' section)

KATHY K. FIELDSTED

Name (Please Print)

Signature

SR. REG & PERMITTING

Title

10/15/2010

Date

RECEIVED

OCT 18 2010

DIV. OF OIL, GAS & MINING

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

| | | |
|--|--|--|
| 1. TYPE OF WELL OIL WELL <input checked="" type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER _____ | | 5. LEASE DESIGNATION AND SERIAL NUMBER: See attached list |
| 2. NAME OF OPERATOR: Berry Petroleum | | 6. IF INDIAN, ALLOTTEE OR TRIBE NAME: |
| 3. ADDRESS OF OPERATOR: Rt 2 Box 7735 CITY Roosevelt STATE UT ZIP 84066 | | 7. UNIT or CA AGREEMENT NAME: |
| PHONE NUMBER: (435) 722-1325 | | 8. WELL NAME and NUMBER: See Attached List |
| 4. LOCATION OF WELL FOOTAGES AT SURFACE: COUNTY: Duchesne | | 9. API NUMBER: Attached |
| QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: STATE: UTAH | | 10. FIELD AND POOL, OR WILDCAT: |

| 11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA | | | |
|---|---|---|--|
| TYPE OF SUBMISSION | TYPE OF ACTION | | |
| <input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____ | <input type="checkbox"/> ACIDIZE | <input type="checkbox"/> DEEPEN | <input type="checkbox"/> REPERFORATE CURRENT FORMATION |
| | <input type="checkbox"/> ALTER CASING | <input type="checkbox"/> FRACTURE TREAT | <input type="checkbox"/> SIDETRACK TO REPAIR WELL |
| | <input type="checkbox"/> CASING REPAIR | <input type="checkbox"/> NEW CONSTRUCTION | <input type="checkbox"/> TEMPORARILY ABANDON |
| | <input type="checkbox"/> CHANGE TO PREVIOUS PLANS | <input type="checkbox"/> OPERATOR CHANGE | <input type="checkbox"/> TUBING REPAIR |
| | <input type="checkbox"/> CHANGE TUBING | <input type="checkbox"/> PLUG AND ABANDON | <input type="checkbox"/> VENT OR FLARE |
| <input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____ | <input type="checkbox"/> CHANGE WELL NAME | <input type="checkbox"/> PLUG BACK | <input checked="" type="checkbox"/> WATER DISPOSAL |
| | <input type="checkbox"/> CHANGE WELL STATUS | <input type="checkbox"/> PRODUCTION (START/RESUME) | <input type="checkbox"/> WATER SHUT-OFF |
| | <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS | <input type="checkbox"/> RECLAMATION OF WELL SITE | <input type="checkbox"/> OTHER: _____ |
| | <input type="checkbox"/> CONVERT WELL TYPE | <input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION | |

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Produced wastewater from Berry Petroleum Company wells (see attached well list) will be or have been used for injection in our enhanced oil recovery project(s) in the Brundage Canyon Field or they will be trucked to one of the following approved waste water disposal sites:

- R.N. Industries, Inc. Sec. 4, T2S, R2W, Bluebell
- MC & MC Disposal Sec. 12, T6S, R19E, Vernal
- LaPoint Recycle & Storage Sec. 12, T5S, R19E, LaPoint
- Water Disposal Inc. Sec. 32, T1S, R1W, Roosevelt
- ITL 4461 W 3000 So Roosevelt Location Pleasant Valley
- IWM PO Box 430 Altamont or 20250 W 2000 S Duchesne Location - Blue Bench
- Pro Water 12223 Highland Ave Ste B503 Rancho Cucamonga Ca 91739 Location - Blue Bench

COPY SENT TO OPERATOR

Date: 12-13-2012

Initials: KS

Approved by the
Utah Division of
Oil, Gas and Mining

Date: 12/11/12

NAME (PLEASE PRINT) Krista Mecham

By: [Signature] TITLE Sr. Regulatory & Permitting Tech

SIGNATURE

[Signature]

DATE 11/21/2012

(This space for State use only)

Federal Approval of this action
required for Federal Wells.

RECEIVED

DEC 06 2012

| API | Well Name | Lease |
|--------------|------------------------|----------------|
| 43-013-32710 | #1 DLB 12-15-56 | Fee |
| 43-013-33447 | 1-15-56 DLB | Fee |
| 43-013-33378 | 14-11-56 DLB | Fee |
| 43-013-30842 | B C UTE TRIBAL 14-15 | 14-20-H62-3412 |
| 43-013-30841 | B C UTE TRIBAL 16-16 | 14-20-H62-3413 |
| 43-013-30829 | B C UTE TRIBAL 8-21 | 14-20-H62-3414 |
| 43-013-30755 | BC UTE TRIBAL 4-22 | 14-20-H62-3415 |
| 43-013-33216 | BERRY TRIBAL 1-23-54 | 14-20-H62-4943 |
| 43-013-33867 | BERRY TRIBAL 2-34D-54 | 14-20-H62-4955 |
| 43-013-33384 | BERRY TRIBAL 4-34-54 | 14-20-H62-4955 |
| 43-013-33381 | BERRY TRIBAL 7-23-54 | 14-20-H62-4943 |
| 43-013-33383 | BERRY TRIBAL 7-34-54 | 14-20-H62-4955 |
| 43-013-33417 | BERRY TRIBAL 8-23D-54 | 14-20-H62-4943 |
| 43-013-33465 | BERRY TRIBAL 9-23-54 | 14-20-H62-4943 |
| 43-013-33382 | BERRY TRIBAL 9-34-54 | 14-20-H62-4955 |
| 43-013-33724 | BERRY TRIBAL 10-23D-54 | 14-20-H62-4943 |
| 43-013-33422 | BERRY TRIBAL 10-34D-54 | 14-20-H62-4955 |
| 43-013-33725 | BERRY TRIBAL 11-23D-54 | 14-20-H62-4943 |
| 43-013-33529 | BERRY TRIBAL 11-34D-54 | 14-20-H62-4955 |
| 43-013-50527 | BERRY TRIBAL 12-34D-54 | 14-20-H62-4955 |
| 43-013-34043 | BERRY TRIBAL 13-23-54 | 14-20-H62-4943 |
| 43-013-33989 | BERRY TRIBAL 14-23D-54 | 14-20-H62-4943 |
| 43-013-33217 | BERRY TRIBAL 15-23-54 | 14-20-H62-4943 |
| 43-013-33411 | BERRY TRIBAL 15-34-54 | 14-20-H62-4955 |
| 43-013-33464 | BERRY TRIBAL 16-34D-54 | 14-20-H62-4955 |
| 43-013-50524 | FEDERAL 1-1D-64 | UTU-77321 |
| 43-013-51142 | FEDERAL 1-1D-65 | UTU-77326 |
| 43-013-51232 | FEDERAL 1-11-65 | UTU-77330 |
| 43-013-50326 | FEDERAL 10-1D-65 | UTU-77326 |
| 43-013-33542 | FEDERAL 10-2-65 | UTU-77326 |
| 43-013-33386 | FEDERAL 10-3-65 | UTU-77326 |
| 43-013-50735 | FEDERAL 10-6D-64 | UTU-77322 |
| 43-013-33451 | FEDERAL 11-10-65 | UTU-77330 |
| 43-013-50327 | FEDERAL 11-1D-65 | UTU-77326 |
| 43-013-50763 | FEDERAL 11-2D-65 | UTU-77326 |
| 43-013-50565 | FEDERAL 11-4D-64 | UTU-77314 |
| 43-013-50348 | FEDERAL 11-5D-64 | UTU-8894A |
| 43-013-34284 | FEDERAL 11-6D-64 | UTU-77322 |
| 43-013-50328 | FEDERAL 12-1D-65 | UTU-77326 |
| 43-013-50737 | FEDERAL 12-3D-64 | UTU-77321 |
| 43-013-50349 | FEDERAL 12-5D-64 | UTU-8894A |
| 43-013-50261 | FEDERAL 12-6D-64 | UTU-77322 |
| 43-013-50730 | FEDERAL 1-2D-64 | UTU-77321 |
| 43-013-33966 | FEDERAL 1-2D-65 | UTU-77326 |
| 43-013-50329 | FEDERAL 13-1D-65 | UTU-77326 |
| 43-013-50337 | FEDERAL 13-5D-64 | UTU-8894A |
| 43-013-50347 | FEDERAL 13-6D-64 | UTU-77322 |
| 43-013-50330 | FEDERAL 14-1D-65 | UTU-77326 |

| | | |
|--------------|------------------|-----------|
| 43-013-50338 | FEDERAL 14-5D-64 | UTU-8894A |
| 43-013-34285 | FEDERAL 14-6D-64 | UTU-77322 |
| 43-013-51175 | FEDERAL 15-1D-65 | UTU-77326 |
| 43-013-50764 | FEDERAL 15-2D-65 | UTU-77326 |
| 43-013-50553 | FEDERAL 15-5D-65 | UTU-77327 |
| 43-013-51176 | FEDERAL 16-1D-65 | UTU-77326 |
| 43-013-33490 | FEDERAL 16-5-65 | UTU-77327 |
| 43-013-50266 | FEDERAL 1-6-64 | UTU-77322 |
| 43-013-51233 | FEDERAL 2-11D-65 | UTU-77326 |
| 43-013-50759 | FEDERAL 2-1D-65 | UTU-77326 |
| 43-013-33385 | FEDERAL 2-2-65 | UTU-77326 |
| 43-013-34018 | FEDERAL 2-2D-64 | UTU-77321 |
| 43-013-34286 | FEDERAL 2-6D-64 | UTU-77322 |
| 43-013-51093 | FEDERAL 3-12D-65 | UTU-77326 |
| 43-013-50760 | FEDERAL 3-1D-65 | UTU-77326 |
| 43-013-34001 | FEDERAL 3-2D-65 | UTU-77326 |
| 43-013-50782 | FEDERAL 3-4D-65 | UTU-77327 |
| 43-013-34287 | FEDERAL 3-5D-64 | UTU-8894A |
| 43-013-50268 | FEDERAL 3-6D-64 | UTU-77322 |
| 43-013-51094 | FEDERAL 4-12D-65 | UTU-77326 |
| 43-013-50736 | FEDERAL 4-3D-64 | UTU-77321 |
| 43-013-50521 | FEDERAL 4-4D-65 | UTU-77327 |
| 43-013-50263 | FEDERAL 4-5D-64 | UTU-8894A |
| 43-013-50267 | FEDERAL 4-6D-64 | UTU-77322 |
| 43-013-51095 | FEDERAL 5-12D-65 | UTU-77330 |
| 43-013-50761 | FEDERAL 5-1D-65 | UTU-77326 |
| 43-013-33448 | FEDERAL 5-3-64 | UTU-77321 |
| 43-013-33450 | FEDERAL 5-4-64 | UTU-77326 |
| 43-013-33387 | FEDERAL 5-4-65 | UTU-77327 |
| 43-013-50259 | FEDERAL 5-5D-64 | UTU-8894A |
| 43-013-33489 | FEDERAL 5-6-65 | UTU-77327 |
| 43-013-50269 | FEDERAL 5-6D-64 | UTU-77322 |
| 43-013-33491 | FEDERAL 6-11-65 | UTU-77330 |
| 43-013-51096 | FEDERAL 6-12D-65 | UTU-77330 |
| 43-013-32699 | FEDERAL 6-1-65 | UTU-77325 |
| 43-013-32557 | FEDERAL 6-2-65 | UTU-77326 |
| 43-013-50522 | FEDERAL 6-3D-64 | UTU-77321 |
| 43-013-34288 | FEDERAL 6-5D-64 | UTU-8894A |
| 43-013-33745 | FEDERAL 6-6D-64 | UTU-77322 |
| 43-013-50566 | FEDERAL 6-6D-65 | UTU-77327 |
| 43-013-34061 | FEDERAL 7-11D-65 | UTU-77330 |
| 43-013-34015 | FEDERAL 7-1D-65 | UTU-77325 |
| 43-013-50734 | FEDERAL 7-2D-64 | UTU-77321 |
| 43-013-50525 | FEDERAL 7-2D-65 | UTU-77326 |
| 43-013-34065 | FEDERAL 7-3D-65 | UTU-77326 |
| 43-013-34020 | FEDERAL 7-6D-64 | UTU-77322 |
| 43-013-51232 | FEDERAL 8-11D-65 | UTU-77326 |
| 43-013-33449 | FEDERAL 8-1-64 | UTU-77321 |
| 43-013-50350 | FEDERAL 8-1D-65 | UTU-77326 |

| | | |
|--------------|----------------------|----------------|
| 43-013-33581 | FEDERAL 8-2D-64 | UTU-77321 |
| 43-013-50719 | FEDERAL 8-2D-65 | UTU-77326 |
| 43-013-50325 | FEDERAL 8-6D-64 | UTU-77322 |
| 43-013-50342 | FEDERAL 9-1D-65 | UTU-77326 |
| 43-013-50762 | FEDERAL 9-2D-65 | UTU-77326 |
| 43-013-51218 | FEDERAL 9-6D-64 | UTU-77322 |
| 43-013-32351 | FOY TRIBAL 11-34-55 | UTU-76968 |
| 43-013-33799 | FOY TRIBAL 12H-33-55 | FEE |
| 43-013-51288 | LC FEE 10-28D-56 | FEE |
| 43-013-50994 | LC FEE 10-31D-45 | FEE |
| 43-013-50965 | LC FEE 1-22-57 | FEE |
| 43-013-50718 | LC FEE 1-22D-56 | FEE |
| 43-013-51371 | LC FEE 1-31D-45 | FEE |
| 43-013-50929 | LC FEE 13-29-45 | FEE |
| 43-013-50870 | LC FEE 15-23D-56 | FEE |
| 43-013-50601 | LC FEE 16-16D-56 | FEE |
| 43-013-50777 | LC FEE 2-20D-56 | FEE |
| 43-013-33593 | LC FEE 6-12-57 | FEE |
| 43-013-50867 | LC FEE 8-28D-56 | FEE |
| 43-013-50928 | LC FEE 8-29-45 | FEE |
| 43-013-50963 | LC FEE 9-12D-57 | FEE |
| 43-013-51192 | LC FEE 9-19-56 | FEE |
| 43-013-50602 | LC TRIBAL 10-16D-56 | 14-20-H62-6301 |
| 43-013-50999 | LC TRIBAL 10-21-56 | 14-20-H62-3433 |
| 43-013-33677 | LC TRIBAL 11-17-56 | 14-20-H62-6300 |
| 43-013-50751 | LC TRIBAL 11-3D-56 | 14-20-H62-6435 |
| 43-013-50780 | LC TRIBAL 12-22D-56 | 14-20-H62-6302 |
| 43-013-33606 | LC TRIBAL 12H-6-56 | 14-20-H62-5500 |
| 43-013-34282 | LC TRIBAL 13-16D-56 | 14-20-H62-5623 |
| 43-013-33591 | LC TRIBAL 13H-3-56 | 14-20-H62-6435 |
| 43-013-50776 | LC TRIBAL 14-14D-56 | 14-20-H62-6436 |
| 43-013-50834 | LC TRIBAL 14-15D-56 | 14-20-H62-6435 |
| 43-013-33492 | LC TRIBAL 14-2-56 | 14-20-H62-6472 |
| 43-013-51030 | LC TRIBAL 15-15D-56 | 14-20-H62-6435 |
| 43-013-50606 | LC TRIBAL 15-22D-56 | 14-20-H62-6302 |
| 43-013-50871 | LC TRIBAL 15-26-56 | 14-20-H62-6471 |
| 43-013-51132 | LC TRIBAL 16-30D-56 | 2OG-000-5500 |
| 43-013-33608 | LC TRIBAL 1-9-56 | 14-20-H62-5657 |
| 43-013-33538 | LC TRIBAL 2-16D-56 | 14-20-H62-5623 |
| 43-013-51429 | LC TRIBAL 2-28D-45 | 2OG-000-5500 |
| 43-013-50866 | LC TRIBAL 2-28D-56 | 14-20-H62-6473 |
| 43-013-50925 | LC TRIBAL 2-5D-56 | 14-20-H62-6432 |
| 43-013-50926 | LC TRIBAL 2-9D-56 | 14-20-H62-5657 |
| 43-013-50598 | LC TRIBAL 3-15D-56 | 14-20-H62-6435 |
| 43-013-33541 | LC TRIBAL 3-17-56 | 14-20-H62-5655 |
| 43-013-50751 | LC TRIBAL 3-21D-56 | 14-20-H62-3433 |
| 43-013-50976 | LC TRIBAL 3-34-45 | 2OG-000-5500 |
| 43-013-33580 | LC TRIBAL 3-5-56 | 14-20-H62-6257 |
| 43-013-33539 | LC TRIBAL 4-16-56 | 14-20-H62-6301 |

| | | |
|--------------|------------------------------------|----------------|
| 43-013-50262 | LC TRIBAL 4-27D-56 | 14-20-H62-6303 |
| 43-013-50661 | LC TRIBAL 5-14D-56 | 14-20-H62-6436 |
| 43-013-50752 | LC TRIBAL 5-21D-56 | 14-20-H62-3433 |
| 43-013-50625 | LC TRIBAL 5-23D-56 | 14-20-H62-6434 |
| 43-013-50260 | LC TRIBAL 6-22D-56 | 14-20-H62-6302 |
| 43-013-50868 | LC TRIBAL 6-27D-56 | 14-20-H62-6303 |
| 43-013-51034 | LC TRIBAL 6-28-45 | 2OG-000-5500 |
| 43-013-51073 | LC TRIBAL 7-27-45 | 2OG-000-5500 |
| 43-013-33577 | LC TRIBAL 7-3-56 | 14-20-H62-5656 |
| 43-013-50599 | LC TRIBAL 8-16D-56 | 14-20-H62-6301 |
| 43-013-33576 | LC TRIBAL 8-28-46 | 14-20-H62-5500 |
| 43-013-51131 | LC TRIBAL 8-30D-56 | 2OG-000-5500 |
| 43-013-33605 | LC TRIBAL 8-4-56 | 14-20-H62-6256 |
| 43-013-51031 | LC TRIBAL 9-15D-56 | 14-20-H62-6435 |
| 43-013-51430 | LC TRIBAL 9-28D-45 | 2OG-000-5500 |
| 43-013-51112 | LC TRIBAL 9-8D-56 | 2OG-000-5500 |
| 43-013-51198 | LC TRIBAL 9-9D-56 | 2OG-000-5500 |
| 43-013-51076 | LC Tribal 11-24-45 | 2OG-000-5500 |
| 43-013-32931 | MOON TRIBAL 10-2-54 | 14-20-H62-3404 |
| 43-013-32540 | MOON TRIBAL 10-27-54 | 14-20-H62-3375 |
| 43-013-32845 | MOON TRIBAL 11-27-54 | 14-20-H62-3375 |
| 43-013-32347 | MOON TRIBAL 12-23-54 | 14-20-H62-4943 |
| 43-013-32541 | MOON TRIBAL 12-27-54 | 14-20-H62-3375 |
| 43-013-32937 | MOON TRIBAL 1-27-54 | 14-20-H62-3375 |
| 43-013-32801 | MOON TRIBAL 13-27-54 | 14-20-H62-3375 |
| 43-013-32408 | MOON TRIBAL 14-27-54 | 14-20-H62-3375 |
| 43-013-32846 | MOON TRIBAL 15-27-54 | 14-20-H62-3375 |
| 43-013-32927 | MOON TRIBAL 16-23-54 | 14-20-H62-4943 |
| 43-013-34109 | MOON TRIBAL 16-27D-54 | 14-20-H62-3375 |
| 43-013-32613 | MOON TRIBAL 3-27-54 | 14-20-H62-3375 |
| 43-013-32800 | MOON TRIBAL 4-23-54 | 14-20-H62-4943 |
| 43-013-32938 | MOON TRIBAL 5-23-54 | 14-20-H62-4943 |
| 43-013-32802 | MOON TRIBAL 5-27-54 | 14-20-H62-3375 |
| 43-013-32843 | MOON TRIBAL 6-23-54 | 14-20-H62-4943 |
| 43-013-32407 | MOON TRIBAL 6-27-54 | 14-20-H62-3375 |
| 43-013-33365 | MOON TRIBAL 7-27D-54 | 14-20-H62-3375 |
| 43-013-32543 | MOON TRIBAL 8-27-54 | 14-20-H62-3375 |
| 43-013-32782 | MYRIN TRIBAL 14-19-55 | 14-20-H62-5058 |
| 43-013-32934 | MYRIN TRIBAL 16-19-55 | 14-20-H62-5058 |
| 43-013-33152 | NIELSEN FEE 13-11-56 | 14-20-H62-5620 |
| 43-013-32737 | NIELSEN MARSING 13-14-56 | FEE |
| 43-013-31131 | S BRUNDAGE CYN UTE TRIBAL 4-27 | 14-20-H62-3375 |
| 43-013-30948 | S BRUNDAGE UTE TRIBAL 1-30 | 14-20-H62-3417 |
| 43-013-30933 | S COTTONWOOD RIDGE UTE TRIBAL 1-19 | 14-20-H62-4919 |
| 43-007-30890 | SCOFIELD THORPE 22-41X RIG SKID | FEE |
| 43-007-31001 | SCOFIELD-THORPE 23-31 | FEE |
| 43-007-30991 | SCOFIELD-THORPE 35-13 | FEE |
| 43-013-50686 | SFW FEE 14-10D-54 | FEE |
| 43-013-50247 | SFW FEE 15-10-54 | FEE |

| | | |
|--------------|----------------------------|--------------------------|
| 43-013-34295 | SFW TRIBAL 10-10D-54 | 14-20-H62-5517 |
| 43-013-34296 | SFW TRIBAL 9-10D-54 | 14-20-H62-5517 |
| 43-013-31701 | SOWERS CANYON 9-27 | 14-20-H62-4753/UTU-76967 |
| 43-013-30955 | SOWERS CYN UTE TRIBAL 3-26 | 14-20-H62-3444 |
| 43-013-33916 | ST TRIBAL 1-15D-54 | 14-20-H62-4661 |
| 43-013-32849 | ST TRIBAL 2-15-54 | 14-20-H62-4661 |
| 43-013-34059 | ST TRIBAL 3-15D-54 | 14-20-H62-4661 |
| 43-013-32850 | ST TRIBAL 4-15-54 | 14-20-H62-4661 |
| 43-013-34060 | ST TRIBAL 5-15D-54 | 14-20-H62-4661 |
| 43-013-32848 | ST TRIBAL 6-15-54 | 14-20-H62-4661 |
| 43-013-33950 | ST TRIBAL 7-15D-54 | 14-20-H62-4661 |
| 43-013-32851 | ST TRIBAL 8-15-54 | 14-20-H62-4661 |
| 43-013-33951 | ST TRIBAL 9-15D-54 | 14-20-H62-4661 |
| 43-013-50245 | STATE TRIBAL 16-10-54 | 14-20-H62-5517 |
| 43-013-32953 | STATE TRIBAL 5-18-54 | 14-20-H62-5035 |
| 43-013-32952 | STATE TRIBAL 7-18-54 | 14-20-H62-5035 |
| 43-013-30999 | T C UTE TRIBAL 9-23X | 14-20-H62-3443 |
| 43-013-31699 | TABBY CANYON 1-21 | 14-20-H62-4825/UTU-76965 |
| 43-013-31700 | TABBY CANYON 8-22 | 14-20-H62-4754/UTU-76966 |
| 43-013-30945 | TABBY CYN UTE TRIBAL 1-25 | 14-20-H62-3537 |
| 43-013-33121 | TAYLOR FEE 13-22-56 | FEE |
| 43-013-33140 | TAYLOR FEE 7-14-56 | FEE |
| 43-013-32738 | TAYLOR HERRICK 10-22-56 | FEE |
| 43-013-51271 | UTE FEE 14-9D-54 | FEE |
| 43-013-51272 | UTE FEE 15-9D-54 | FEE |
| 43-013-33720 | UTE FEE 2-13-55 | FEE |
| 43-013-51259 | UTE FEE 9-9-54 | FEE |
| 43-013-33055 | UTE TRIBAL 10-12-55 | 14-20-H62-5056 |
| 43-013-33205 | UTE TRIBAL 10-14-54 | 14-20-H62-5033 |
| 43-013-32601 | UTE TRIBAL 10-14-55 | 14-20-H62-5016 |
| 43-013-32587 | UTE TRIBAL 10-15-54 | 14-20-H62-4661 |
| 43-013-32977 | UTE TRIBAL 10-15-55 | 14-20-H62-5017 |
| 43-013-33129 | UTE TRIBAL 10-16-54 | 14-20-H62-3413 |
| 43-013-32345 | UTE TRIBAL 10-16-55 | 14-20-H62-5024 |
| 43-013-33133 | UTE TRIBAL 10-17-54 | 14-20-H62-4731 |
| 43-013-33300 | UTE TRIBAL 10-18-54 | 14-20-H62-4919 |
| 43-013-32717 | UTE TRIBAL 10-19-54 | 14-20-H62-3528 |
| 43-013-32740 | UTE TRIBAL 10-20-54 | 14-20-H62-3529 |
| 43-013-32603 | UTE TRIBAL 10-21-55 | 14-20-H62-4825 |
| 43-013-32592 | UTE TRIBAL 10-22-54 | 14-20-H62-3415 |
| 43-013-33722 | UTE TRIBAL 10-22D-55 | 14-20-H62-4754 |
| 43-013-33358 | UTE TRIBAL 10-23D-55 | 14-20-H62-3443 |
| 43-013-32932 | UTE TRIBAL 10-24-54 | 14-20-H62-4716 |
| 43-013-33156 | UTE TRIBAL 10-24D-55 | 14-20-H62-4749 |
| 43-013-32749 | UTE TRIBAL 10-25-55 | 14-20-H62-3537 |
| 43-013-33620 | UTE TRIBAL 10-26D-54 | 14-20-H62-4954 |
| 43-013-33360 | UTE TRIBAL 10-26D-55 | 14-20-H62-3444 |
| 43-013-33683 | UTE TRIBAL 10-27D-55 | 14-20-H62-4753 |
| 43-013-32764 | UTE TRIBAL 10-28-54 | 14-20-H62-4740 |

| | | |
|--------------|-----------------------|----------------|
| 43-013-32419 | UTE TRIBAL 10-28-55 | 14-20-H62-5019 |
| 43-013-33155 | UTE TRIBAL 10-29-54 | 14-20-H62-5036 |
| 43-013-33157 | UTE TRIBAL 10-29D-55 | 14-20-H62-5020 |
| 43-013-32847 | UTE TRIBAL 10-31-54 | 14-20-H62-4946 |
| 43-013-32936 | UTE TRIBAL 10-31-55 | 14-20-H62-5060 |
| 43-013-33902 | UTE TRIBAL 10-32-54 | 14-20-H62-4947 |
| 43-013-33092 | UTE TRIBAL 10-33-54 | 14-20-H62-4948 |
| 43-013-32353 | UTE TRIBAL 10-35-55 | 14-20-H62-4945 |
| 43-013-33968 | UTE TRIBAL 10-36D-55 | 14-20-H62-4944 |
| 43-013-50854 | UTE TRIBAL 10S-21D-54 | 14-20-H62-3141 |
| 43-013-32721 | UTE TRIBAL 11-12-55 | 14-20-H62-5518 |
| 43-013-32568 | UTE TRIBAL 11-13-54 | 14-20-H62-4894 |
| 43-013-33268 | UTE TRIBAL 11-13-55 | 14-20-H62-4845 |
| 43-013-32693 | UTE TRIBAL 11-14-55 | 14-20-H62-5016 |
| 43-013-33206 | UTE TRIBAL 11-15-54 | 14-20-H62-4661 |
| 43-013-32980 | UTE TRIBAL 11-15-55 | 14-20-H62-5017 |
| 43-013-32589 | UTE TRIBAL 11-16-54 | 14-20-H62-3413 |
| 43-013-32145 | UTE TRIBAL 11-17 | 14-20-H62-4731 |
| 43-013-31547 | UTE TRIBAL 11-19 | 14-20-H62-3528 |
| 43-013-32168 | UTE TRIBAL 11-20 | 14-20-H62-3529 |
| 43-013-32415 | UTE TRIBAL 11-20-55 | 14-20-H62-5018 |
| 43-013-33115 | UTE TRIBAL 11-21-54 | 14-20-H62-3414 |
| 43-013-33116 | UTE TRIBAL 11-22-54 | 14-20-H62-3415 |
| 43-013-32607 | UTE TRIBAL 11-22-55 | 14-20-H62-4754 |
| 43-013-32269 | UTE TRIBAL 11-23-55 | 14-20-H62-3443 |
| 43-013-31909 | UTE TRIBAL 11-24 | 14-20-H62-4749 |
| 43-013-31911 | UTE TRIBAL 11-25 | 14-20-H62-3537 |
| 43-013-32856 | UTE TRIBAL 11-25-54 | 14-20-H62-3440 |
| 43-013-32990 | UTE TRIBAL 11-25-56 | 14-20-H62-5065 |
| 43-013-32844 | UTE TRIBAL 11-26-54 | 14-20-H62-4954 |
| 43-013-33478 | UTE TRIBAL 11-26D-55 | 14-20-H62-3444 |
| 43-013-32615 | UTE TRIBAL 11-27-55 | 14-20-H62-4753 |
| 43-013-32192 | UTE TRIBAL 11-28 | 14-20-H62-4740 |
| 43-013-34057 | UTE TRIBAL 11-28-55 | 14-20-H62-5019 |
| 43-013-32563 | UTE TRIBAL 11-29-54 | 14-20-H62-5032 |
| 43-013-32512 | UTE TRIBAL 11-30-54 | 14-20-H62-4662 |
| 43-013-32530 | UTE TRIBAL 11-31-54 | 14-20-H62-4946 |
| 43-013-33793 | UTE TRIBAL 11-32D-54 | 14-20-H62-4947 |
| 43-013-32522 | UTE TRIBAL 11-33-54 | 14-20-H62-4948 |
| 43-013-33783 | UTE TRIBAL 11-35-55 | 14-20-H62-5053 |
| 43-013-33214 | UTE TRIBAL 11-36D-55 | 14-20-H62-4944 |
| 43-013-33769 | UTE TRIBAL 1-14D-54 | 14-20-H62-5033 |
| 43-013-33279 | UTE TRIBAL 1-14D-55 | 14-20-H62-5016 |
| 43-013-32664 | UTE TRIBAL 11-5-54 | 14-20-H62-5516 |
| 43-013-32978 | UTE TRIBAL 1-15-55 | 14-20-H62-5017 |
| 43-013-33128 | UTE TRIBAL 1-16-54 | 14-20-H62-3413 |
| 43-013-30966 | UTE TRIBAL 1-20 | 14-20-H62-3529 |
| 43-013-32414 | UTE TRIBAL 1-20-55 | 14-20-H62-5018 |
| 43-013-32369 | UTE TRIBAL 12-14-54 | 14-20-H62-5033 |

| | | |
|--------------|----------------------|-----------------|
| 43-013-50476 | UTE TRIBAL 12-14D-55 | 14-20-H62-4661 |
| 43-013-32205 | UTE TRIBAL 12-15 | 14-20-H62-5017 |
| 43-013-32981 | UTE TRIBAL 12-15-55 | 14-20-H62-3413 |
| 43-013-33131 | UTE TRIBAL 12-16-54 | 14-20-H62-4919 |
| 43-013-32146 | UTE TRIBAL 12-17 | 14-20-H62-5035 |
| 43-013-33077 | UTE TRIBAL 12-18-54 | 14-20-H62-3528 |
| 43-013-32716 | UTE TRIBAL 12-19-54 | 14-20-H62-3529 |
| 43-013-32866 | UTE TRIBAL 12-20-54 | 14-20-H62-3414 |
| 43-013-32385 | UTE TRIBAL 12-21-54 | 14-20-H62-4825 |
| 43-013-33694 | UTE TRIBAL 12-21D-55 | 14-20-H62-4754 |
| 43-013-32616 | UTE TRIBAL 12-22-55 | 14-20-H62-3443 |
| 43-013-33908 | UTE TRIBAL 12-23D-55 | 14-20-H62-4749 |
| 43-013-33134 | UTE TRIBAL 12-24D-55 | 14-20-H62-4749 |
| 43-013-32769 | UTE TRIBAL 12-25-55 | 14-20-H62-3537 |
| 43-013-33801 | UTE TRIBAL 12-26D-54 | 14-20-H62-3444 |
| 43-013-34118 | UTE TRIBAL 12-26D-55 | 14-20-H62-4740 |
| 43-013-32765 | UTE TRIBAL 12-28-54 | 14-20-H62-5019 |
| 43-013-33645 | UTE TRIBAL 12-28D-55 | 14-20-H62-5036 |
| 43-013-32572 | UTE TRIBAL 12-29-54 | 14-20-H62-5020 |
| 43-013-33418 | UTE TRIBAL 12-29D-55 | 14-20-H62-5020 |
| 43-013-33215 | UTE TRIBAL 1-22D-54 | 14-20-H62-3415 |
| 43-013-33626 | UTE TRIBAL 1-22D-55 | 14-20-H62-4754 |
| 43-013-33907 | UTE TRIBAL 12-31D-54 | 14-20-H62-4946 |
| 43-013-32925 | UTE TRIBAL 12-32-54 | 14-20-H62-4947 |
| 43-013-33266 | UTE TRIBAL 12-32-55 | 14-20-H62-5026 |
| 43-013-33090 | UTE TRIBAL 12-33-54 | 14-20-562-4948 |
| 43-013-32524 | UTE TRIBAL 1-23-55 | 14-20-H62-3443 |
| 43-013-33782 | UTE TRIBAL 12-35D-55 | 14-20-H62-4945 |
| 43-013-32354 | UTE TRIBAL 12-36-55 | 14-20-H62-4944 |
| 43-013-32259 | UTE TRIBAL 1-24-55 | 14-20-H62-4749 |
| 43-013-31912 | UTE TRIBAL 1-26 | 14-20-H62-3444 |
| 43-013-33680 | UTE TRIBAL 1-26D-54 | 14-20-H62-4943 |
| 43-013-32416 | UTE TRIBAL 1-27-55 | 14-20-H62-4753 |
| 43-013-31549 | UTE TRIBAL 1-28 | 14-20-H62-4740 |
| 43-013-33784 | UTE TRIBAL 1-28D-55 | 14-20-H62-5019 |
| 43-013-33184 | UTE TRIBAL 12Q-25-55 | 14-20-H62-3537 |
| 43-013-32599 | UTE TRIBAL 13-13-55 | 14-20-H62-4845 |
| 43-013-33364 | UTE TRIBAL 13-14-54 | 14-20-H62-5033 |
| 43-013-32600 | UTE TRIBAL 13-14-55 | 14-20-H62-5016 |
| 43-013-32526 | UTE TRIBAL 1-31-54 | 14-20-H62-4946 |
| 43-013-32602 | UTE TRIBAL 13-15-55 | 14-20-H62-5017 |
| 43-013-33039 | UTE TRIBAL 13-15D-54 | 14-20-H662-4661 |
| 43-013-32511 | UTE TRIBAL 13-16-54 | 14-20-H62-3413 |
| 43-013-31546 | UTE TRIBAL 13-17 | 14-20-H62-4919 |
| 43-013-32571 | UTE TRIBAL 13-18-54 | 14-20-H62-5032 |
| 43-013-31284 | UTE TRIBAL 13-19 | 14-20-H62-3528 |
| 43-013-32206 | UTE TRIBAL 13-20 | 14-20-H62-3529 |
| 43-013-32841 | UTE TRIBAL 13-20-55 | 14-20-H62-5018 |
| 43-013-33113 | UTE TRIBAL 13-21-54 | 14-20-H62-3414 |

| | | |
|--------------|----------------------|----------------|
| 43-013-31548 | UTE TRIBAL 13-22 | 14-20-H62-3415 |
| 43-013-33716 | UTE TRIBAL 13-22D-55 | 14-20-H62-4754 |
| 43-013-32513 | UTE TRIBAL 13-23-55 | 14-20-H62-3443 |
| 43-013-31910 | UTE TRIBAL 13-24 | 14-20-H62-4749 |
| 43-013-32169 | UTE TRIBAL 13-25 | 14-20-H62-3537 |
| 43-013-32891 | UTE TRIBAL 13-26-54 | 14-20-H62-4954 |
| 43-013-34002 | UTE TRIBAL 13-26D-55 | 14-20-H62-3444 |
| 43-013-32387 | UTE TRIBAL 13-28-54 | 14-20-H62-4740 |
| 43-013-33646 | UTE TRIBAL 13-28D-55 | 14-20-H62-5019 |
| 43-013-32564 | UTE TRIBAL 13-29-54 | 14-20-H62-5032 |
| 43-013-33501 | UTE TRIBAL 1-31-55 | 14-20-H62-5060 |
| 43-013-30872 | UTE TRIBAL 1-32R | 14-20-H62-4947 |
| 43-013-32185 | UTE TRIBAL 1-33 | 14-20-H62-4948 |
| 43-013-32409 | UTE TRIBAL 13-30-54 | 14-20-H62-4662 |
| 43-013-32688 | UTE TRIBAL 13-31-54 | 14-20-H62-4946 |
| 43-013-32692 | UTE TRIBAL 13-32-54 | 14-20-H62-4947 |
| 43-013-32742 | UTE TRIBAL 13-33-54 | 14-20-H62-4948 |
| 43-013-32806 | UTE TRIBAL 13-35-54 | 14-20-H62-5053 |
| 43-013-34117 | UTE TRIBAL 13-35D-55 | 14-20-H62-4945 |
| 43-013-33624 | UTE TRIBAL 13-36D-55 | 14-20-H62-4944 |
| 43-013-32186 | UTE TRIBAL 1-34 | 14-20-H62-4955 |
| 43-013-50408 | UTE TRIBAL 1-34D-55 | 14-20-H62-5028 |
| 43-013-32567 | UTE TRIBAL 1-35-54 | 14-20-H62-5032 |
| 43-013-33967 | UTE TRIBAL 1-35D-55 | 14-20-H62-4945 |
| 43-013-32760 | UTE TRIBAL 1-36-55 | 14-20-H62-4944 |
| 43-013-33380 | UTE TRIBAL 13H-16-55 | 14-20-H62-5024 |
| 43-013-33112 | UTE TRIBAL 14-14-54 | 14-20-H62-5033 |
| 43-013-32979 | UTE TRIBAL 14-15-55 | 14-20-H62-5017 |
| 43-013-33123 | UTE TRIBAL 14-16-54 | 14-20-H62-3413 |
| 43-013-32147 | UTE TRIBAL 14-17 | 14-20-H62-4919 |
| 43-013-32984 | UTE TRIBAL 14-18-55 | 14-20-H62-5057 |
| 43-013-32690 | UTE TRIBAL 14-19-54 | 14-20-H62-3528 |
| 43-013-32702 | UTE TRIBAL 14-20-54 | 14-20-H62-3529 |
| 43-013-32384 | UTE TRIBAL 14-21-54 | 14-20-H62-3414 |
| 43-013-32593 | UTE TRIBAL 14-22-54 | 14-20-H62-3415 |
| 43-013-33717 | UTE TRIBAL 14-22D-55 | 14-20-H62-4754 |
| 43-013-33915 | UTE TRIBAL 14-23D-55 | 14-20-H62-3443 |
| 43-013-33912 | UTE TRIBAL 14-24D-55 | 14-20-H62-4749 |
| 43-013-32988 | UTE TRIBAL 14-24-56 | 14-20-H62-5064 |
| 43-013-33912 | UTE TRIBAL 14-24D-55 | 14-20-H62-4749 |
| 43-013-32776 | UTE TRIBAL 14-25-54 | 14-20-H62-3440 |
| 43-013-32750 | UTE TRIBAL 14-25-55 | 14-20-H62-3537 |
| 43-013-33673 | UTE TRIBAL 14-26D-54 | 14-20-H62-4954 |
| 43-013-33361 | UTE TRIBAL 14-26D-55 | 14-20-H62-3444 |
| 43-013-33684 | UTE TRIBAL 14-27D-55 | 14-20-H62-4753 |
| 43-013-32348 | UTE TRIBAL 14-28-55 | 14-20-H62-5019 |
| 43-013-33278 | UTE TRIBAL 14-28D-54 | 14-20-H62-5036 |
| 43-013-33042 | UTE TRIBAL 14-31D-54 | 14-20-H62-4946 |
| 43-013-32523 | UTE TRIBAL 14-32-54 | 14-20-H62-4947 |

| | | |
|--------------|----------------------|-----------------|
| 43-013-33093 | UTE TRIBAL 14-33-54 | 14-20-H62-4949 |
| 43-013-33955 | UTE TRIBAL 14-35D-55 | 14-20-H62-4945 |
| 43-013-32355 | UTE TRIBAL 14-36-55 | 14-20-H62-4944 |
| 43-013-33277 | UTE TRIBAL 14Q-28-54 | 14-20-H62-4740 |
| 43-013-33479 | UTE TRIBAL 14Q-30-54 | 14-20-H62-4662 |
| 43-013-33212 | UTE TRIBAL 15-13D-55 | 14-20-H62-4845 |
| 43-013-32971 | UTE TRIBAL 15-15-54 | 14-20-H62-4661 |
| 43-013-32855 | UTE TRIBAL 15-15-55 | 14-20-H62-5017 |
| 43-013-31648 | UTE TRIBAL 15-16 | 14-20-H62-3413 |
| 43-013-31649 | UTE TRIBAL 15-17 | 14-20-H62-4731 |
| 43-013-32358 | UTE TRIBAL 15-17-55 | 14-20-H62-5025 |
| 43-013-32148 | UTE TRIBAL 15-18 | 14-20-H62-4919 |
| 43-013-31832 | UTE TRIBAL 15-19 | 14-20-H62-3528 |
| 43-013-32386 | UTE TRIBAL 15-20-54 | 14-20-H62-3529 |
| 43-013-33357 | UTE TRIBAL 15-21-55 | 14-20-H62-3414 |
| 43-013-32617 | UTE TRIBAL 15-22-55 | 14-20-H62-4754 |
| 43-013-34116 | UTE TRIBAL 15-22D-54 | 14-20-H62-3415 |
| 43-013-31671 | UTE TRIBAL 15-23 | 14-20-H62-3443 |
| 43-013-31129 | UTE TRIBAL 15-24R | 14-20-H62-4749 |
| 43-013-32271 | UTE TRIBAL 15-25-55 | 14-20-H62-3537 |
| 43-013-33768 | UTE TRIBAL 15-26D-54 | 14-20-H62-4954 |
| 43-013-33362 | UTE TRIBAL 15-26D-55 | 14-20-H62-3444 |
| 43-013-32339 | UTE TRIBAL 15-27-55 | 14-20-H62-4753 |
| 43-013-32389 | UTE TRIBAL 15-28-54 | 14-20-H62-4740 |
| 43-013-32561 | UTE TRIBAL 15-29-54 | 14-20-H62-5036 |
| 43-013-32382 | UTE TRIBAL 15-30-54 | 14-20-H62-4662 |
| 43-013-32743 | UTE TRIBAL 15-31-54 | 14-20-H62-4946 |
| 43-013-32666 | UTE TRIBAL 15-32-54 | 14-20-H62-4947 |
| 43-013-32768 | UTE TRIBAL 15-33-54 | 14-20-H62-4948 |
| 43-013-32804 | UTE TRIBAL 15-35-54 | 14-20-H62-5053 |
| 43-013-33954 | UTE TRIBAL 15-35D-55 | 14-20-H62-4945 |
| 43-013-33049 | UTE TRIBAL 15-36-55 | 14-20-H62-4944 |
| 43-013-33327 | UTE TRIBAL 16-13D-55 | 14-20-H62-4845 |
| 43-013-32272 | UTE TRIBAL 16-14-55 | 14-20-H62-5016 |
| 43-013-32588 | UTE TRIBAL 16-15-54 | 14-20-H62-4661 |
| 43-013-32757 | UTE TRIBAL 16-16-55 | 14-20-H62-5024 |
| 43-013-33132 | UTE TRIBAL 16-17-54 | 14-20-H62-4731 |
| 43-013-31650 | UTE TRIBAL 16-18 | 14-20-H62-4919 |
| 43-013-32691 | UTE TRIBAL 16-19-54 | 14-20-H62-3528 |
| 43-013-32739 | UTE TRIBAL 16-20-54 | 14-20-H62-3529 |
| 43-013-32381 | UTE TRIBAL 16-21-54 | 14-20-H62-3414 |
| 43-013-32842 | UTE TRIBAL 16-22-54 | 14-20-H62-3415 |
| 43-013-33267 | UTE TRIBAL 16-22D-55 | 14-20-H62-4754 |
| 43-013-33046 | UTE TRIBAL 16-23-55 | 14-20-H-62-3443 |
| 43-013-32775 | UTE TRIBAL 16-24-54 | 14-20-H62-4716 |
| 43-013-32672 | UTE TRIBAL 16-24-55 | 14-20-H62-3440 |
| 43-013-32759 | UTE TRIBAL 16-25-55 | 14-20-H62-3537 |
| 43-013-34042 | UTE TRIBAL 16-26-54 | 14-20-H62-4954 |
| 43-013-33965 | UTE TRIBAL 16-26D-55 | 14-20-H62-3444 |

| | | |
|--------------|-------------------------------|-----------------|
| 43-013-33786 | UTE TRIBAL 16-27D-55 | 14-20-H62-4753 |
| 43-013-33041 | UTE TRIBAL 16-28D-54 | 14-20-H62-4740 |
| 43-013-33076 | UTE TRIBAL 16-29-54 | 14-20-H62-5036 |
| 43-013-32349 | UTE TRIBAL 16-29-55 | 14-20-H62-5020 |
| 43-013-32665 | UTE TRIBAL 16-3-54 | 14-20-H62-4778 |
| 43-013-32718 | UTE TRIBAL 16-30-54 | 14-20-H62-4662 |
| 43-013-33326 | UTE TRIBAL 16-31D-54 | 14-20-H62-4946 |
| 43-013-32926 | UTE TRIBAL 16-32D-54 | 14-20-H62-4947 |
| 43-013-33091 | UTE TRIBAL 16-33-54 | 14-20-H62-4948 |
| 43-013-32352 | UTE TRIBAL 16-35-55 | 14-20-H62-4945 |
| 43-013-32356 | UTE TRIBAL 16-36-55 | 14-20-H62-4944 |
| 43-013-33393 | UTE TRIBAL 1A-29-54 | 14-20-H62-5036 |
| 43-013-33186 | UTE TRIBAL 1I-36-55 | 14-20-H62-4944 |
| 43-013-33111 | UTE TRIBAL 2-14-54 | 14-20-H962-5033 |
| 43-013-32140 | UTE TRIBAL 2-19 | 14-20-H62-4919 |
| 43-013-32974 | UTE TRIBAL 2-20-54 | 14-20-H62-3529 |
| 43-013-33117 | UTE TRIBAL 2-21-55 | 14-20-H62-4825 |
| 43-013-32591 | UTE TRIBAL 2-22-54 | 14-20-H62-3415 |
| 43-013-32604 | UTE TRIBAL 2-22-55 | 14-20-H62-4754 |
| 43-013-33045 | UTE TRIBAL 2-23-55 | 14-20-H62-3443 |
| 43-013-32569 | UTE TRIBAL 2-24-54 | 14-20-H62-4716 |
| 43-013-31833 | UTE TRIBAL 2-25 | 14-20-H62-3537 |
| 43-013-32868 | UTE TRIBAL 2-26-54 | 14-20-H62-4954 |
| 43-013-33979 | UTE TRIBAL 2-26D-55 | 14-20-H62-3444 |
| 43-013-32179 | UTE TRIBAL 2-27 | 14-20-H62-3375 |
| 43-013-33628 | UTE TRIBAL 2-27D-55 | 14-20-H62-4753 |
| 43-013-32763 | UTE TRIBAL 2-28-54 | 14-20-H62-4740 |
| 43-013-33714 | UTE TRIBAL 2-29D-55 | 14-20-H62-5036 |
| 43-013-32680 | UTE TRIBAL 2-30-55 | 14-20-H62-5059 |
| 43-013-32894 | UTE TRIBAL 2-30D-54 | 14-20-H62-4662 |
| 43-013-32762 | UTE TRIBAL 2-31-54 | 14-20-H62-4946 |
| 43-013-32935 | UTE TRIBAL 2-31-55 | 14-20-H62-5060 |
| 43-013-32803 | UTE TRIBAL 2-32-54 | 14-20-H62-4947 |
| 43-013-32350 | UTE TRIBAL 2-32-55 | 14-20-H62-5026 |
| 43-013-32898 | UTE TRIBAL 2-33D-54 | 14-20-H62-4948 |
| 43-013-32187 | UTE TRIBAL 2-35 | 14-20-H62-4945 |
| 43-013-32422 | UTE TRIBAL 2-36-55 | 14-20-H62-4944 |
| 43-013-32663 | UTE TRIBAL 3-10-54 | 14-20-H62-5517 |
| 43-013-50478 | UTE TRIBAL 3-14-55 | 14-20-H62-5016 |
| 43-013-50389 | UTE TRIBAL 3-14D-54 | 14-20-H62-5033 |
| 43-013-31830 | UTE TRIBAL 3-19 | 14-20-H62-3528 |
| 43-013-32377 | UTE TRIBAL 3-20-54 | 14-20-H62-4919 |
| 43-013-32867 | UTE TRIBAL 3-21-54 | 14-20-H62-3414 |
| 43-013-32758 | UTE TRIBAL 3-21-55 | 14-20-H62-4825 |
| 43-013-33208 | UTE TRIBAL 3-22-54 | 14-20-H62-3415 |
| 43-013-32605 | UTE TRIBAL 3-22-55 | 14-20-H62-4754 |
| 43-013-32536 | UTE TRIBAL 3-23-55 | 14-20-H62-3443 |
| 43-013-30960 | UTE TRIBAL 3-24R-55 (REENTRY) | 14-20-H62-4749 |
| 43-013-31834 | UTE TRIBAL 3-25 | 14-20-H62-3537 |

| | | |
|--------------|---------------------|----------------|
| 43-013-32993 | UTE TRIBAL 3-25-56 | 14-20-H62-5065 |
| 43-013-33681 | UTE TRIBAL 3-26D-54 | 14-20-H62-4954 |
| 43-013-32417 | UTE TRIBAL 3-27-55 | 14-20-H62-4753 |
| 43-013-32261 | UTE TRIBAL 3-28-54 | 14-20-H62-4740 |
| 43-013-33723 | UTE TRIBAL 3-29-55 | 14-20-H62-5020 |
| 43-013-32625 | UTE TRIBAL 3-30-54 | 14-20-H62-4662 |
| 43-013-32862 | UTE TRIBAL 3-30-55 | 14-20-H62-5059 |
| 43-013-32527 | UTE TRIBAL 3-31-54 | 14-20-H62-4946 |
| 43-013-32410 | UTE TRIBAL 3-32-54 | 14-20-H62-4947 |
| 43-013-33363 | UTE TRIBAL 3-32D-55 | 14-20-H62-5206 |
| 43-013-32412 | UTE TRIBAL 3-33-54 | 14-20-H62-4948 |
| 43-013-33888 | UTE TRIBAL 3-35D-55 | 14-20-H62-5053 |
| 43-013-33888 | UTE TRIBAL 3-35D-55 | 14-20-H62-4945 |
| 43-013-32751 | UTE TRIBAL 3-36-55 | 14-20-H62-4944 |
| 43-013-33185 | UTE TRIBAL 3G-31-54 | 14-20-H62-4946 |
| 43-013-33270 | UTE TRIBAL 4-14D-54 | 14-20-H62-5033 |
| 43-013-32972 | UTE TRIBAL 4-19-54 | 14-20-H62-3528 |
| 43-013-32621 | UTE TRIBAL 4-20-54 | 14-20-H62-4919 |
| 43-013-33549 | UTE TRIBAL 4-20D-55 | 14-20-H62-5018 |
| 43-013-32378 | UTE TRIBAL 4-21-54 | 14-20-H62-3414 |
| 43-013-33044 | UTE TRIBAL 4-22-55 | 14-20-H62-4754 |
| 43-013-33627 | UTE TRIBAL 4-23D-55 | 14-20-H62-3443 |
| 43-013-32573 | UTE TRIBAL 4-24-54 | 14-20-H62-4716 |
| 43-013-33726 | UTE TRIBAL 4-24D-55 | 14-20-H62-4749 |
| 43-013-32928 | UTE TRIBAL 4-25-55 | 14-20-H62-3537 |
| 43-013-33595 | UTE TRIBAL 4-26D-54 | 14-20-H62-4954 |
| 43-013-33978 | UTE TRIBAL 4-26D-55 | 14-20-H62-3444 |
| 43-013-33797 | UTE TRIBAL 4-27D-55 | 14-20-H62-4753 |
| 43-013-32741 | UTE TRIBAL 4-28-54 | 14-20-H62-4740 |
| 43-013-33118 | UTE TRIBAL 4-28-55 | 14-20-H62-5019 |
| 43-013-32565 | UTE TRIBAL 4-29-54 | 14-20-H62-5036 |
| 43-013-31550 | UTE TRIBAL 4-30 | 14-20-H62-4662 |
| 43-013-32767 | UTE TRIBAL 4-31-54 | 14-20-H62-4946 |
| 43-013-32896 | UTE TRIBAL 4-32-54 | 14-20-H62-4947 |
| 43-013-33379 | UTE TRIBAL 4-32-55 | 14-20-H62-5026 |
| 43-013-32871 | UTE TRIBAL 4-33-54 | 14-20-H62-4948 |
| 43-013-32357 | UTE TRIBAL 4-33-55 | 14-20-H62-5027 |
| 43-013-32188 | UTE TRIBAL 4-36 | 14-20-H62-4944 |
| 43-013-31152 | UTE TRIBAL 5-13 | 14-20-H62-4845 |
| 43-013-33075 | UTE TRIBAL 5-13-54 | 14-20-H62-4894 |
| 43-013-33619 | UTE TRIBAL 5-14-54 | 14-20-H62-5033 |
| 43-013-50479 | UTE TRIBAL 5-14-55 | 14-20-H62-5016 |
| 43-013-32344 | UTE TRIBAL 5-15-55 | 14-20-H62-5017 |
| 43-013-50475 | UTE TRIBAL 5-16D-54 | 14-20-H62-3413 |
| 43-013-32204 | UTE TRIBAL 5-19 | 14-20-H62-3528 |
| 43-013-31651 | UTE TRIBAL 5-20 | 14-20-H62-4919 |
| 43-013-33324 | UTE TRIBAL 5-21-54 | 14-20-H62-3414 |
| 43-013-33706 | UTE TRIBAL 5-21D-55 | 14-20-H62-4825 |
| 43-013-32624 | UTE TRIBAL 5-22-54 | 14-20-H62-3415 |

| | | |
|--------------|---------------------|----------------|
| 43-013-32537 | UTE TRIBAL 5-23-55 | 14-20-H62-3443 |
| 43-013-32263 | UTE TRIBAL 5-24-55 | 14-20-H62-4749 |
| 43-013-32992 | UTE TRIBAL 5-25-56 | 14-20-H62-5065 |
| 43-013-33421 | UTE TRIBAL 5-25D-55 | 14-20-H62-3537 |
| 43-013-32890 | UTE TRIBAL 5-26-54 | 14-20-H62-4954 |
| 43-013-32264 | UTE TRIBAL 5-26-55 | 14-20-H62-3444 |
| 43-013-32614 | UTE TRIBAL 5-27-55 | 14-20-H62-4753 |
| 43-013-32189 | UTE TRIBAL 5-28 | 14-20-H62-4740 |
| 43-013-32525 | UTE TRIBAL 5-29-54 | 14-20-H62-5032 |
| 43-013-32380 | UTE TRIBAL 5-30-54 | 14-20-H62-4662 |
| 43-013-32190 | UTE TRIBAL 5-31 | 14-20-H62-4946 |
| 43-013-32539 | UTE TRIBAL 5-32-54 | 14-20-H62-4947 |
| 43-013-32521 | UTE TRIBAL 5-33-54 | 14-20-H62-4948 |
| 43-013-32805 | UTE TRIBAL 5-35-54 | 14-20-H62-5053 |
| 43-013-32930 | UTE TRIBAL 5-36-55 | 14-20-H62-4944 |
| 43-013-32586 | UTE TRIBAL 6-14-54 | 14-20-H62-5033 |
| 43-013-50246 | UTE TRIBAL 6-14D-55 | 14-20-H62-5016 |
| 43-013-32865 | UTE TRIBAL 6-19-54 | 14-20-H62-3528 |
| 43-013-32622 | UTE TRIBAL 6-20-54 | 14-20-H62-4919 |
| 43-013-32164 | UTE TRIBAL 6-21 | 14-20-H62-3414 |
| 43-013-32163 | UTE TRIBAL 6-22 | 14-20-H62-3415 |
| 43-013-33213 | UTE TRIBAL 6-22D-55 | 14-20-H62-4728 |
| 43-013-33187 | UTE TRIBAL 6-23D-55 | 14-20-H62-3443 |
| 43-013-32570 | UTE TRIBAL 6-24-54 | 14-20-H62-4716 |
| 43-013-32143 | UTE TRIBAL 6-25H | 14-20-H62-3537 |
| 43-013-33625 | UTE TRIBAL 6-26D-54 | 14-20-H62-4954 |
| 43-013-33476 | UTE TRIBAL 6-26D-55 | 14-20-H62-3444 |
| 43-013-32892 | UTE TRIBAL 6-28D-54 | 14-20-H62-4740 |
| 43-013-33172 | UTE TRIBAL 6-29-54 | 14-20-H62-5036 |
| 43-013-33120 | UTE TRIBAL 6-29-55 | 14-20-H62-5020 |
| 43-013-32783 | UTE TRIBAL 6-30-55 | 14-20-H62-5059 |
| 43-013-33325 | UTE TRIBAL 6-31D-54 | 14-20-H62-4946 |
| 43-013-32420 | UTE TRIBAL 6-32-55 | 14-20-H62-5026 |
| 43-013-32897 | UTE TRIBAL 6-32D-54 | 14-20-H62-4947 |
| 43-013-32872 | UTE TRIBAL 6-33-54 | 14-20-H62-4948 |
| 43-013-34028 | UTE TRIBAL 6-35D-55 | 14-20-H62-4945 |
| 43-013-32265 | UTE TRIBAL 6-36-55 | 14-20-H62-4944 |
| 43-013-50409 | UTE TRIBAL 7-14-54 | 14-20-H62-5033 |
| 43-013-33269 | UTE TRIBAL 7-14-55 | 14-20-H62-5016 |
| 43-013-32976 | UTE TRIBAL 7-15-55 | 14-20-H62-5017 |
| 43-013-33130 | UTE TRIBAL 7-16-54 | 14-20-H62-3413 |
| 43-013-32863 | UTE TRIBAL 7-19-55 | 14-20-H62-5058 |
| 43-013-32346 | UTE TRIBAL 7-20-55 | 14-20-H62-5018 |
| 43-013-31281 | UTE TRIBAL 7-20R-54 | 14-20-H62-3529 |
| 43-013-32623 | UTE TRIBAL 7-21-54 | 14-20-H62-3414 |
| 43-013-32761 | UTE TRIBAL 7-22-54 | 14-20-H62-3415 |
| 43-013-33721 | UTE TRIBAL 7-22D-55 | 14-20-H62-4754 |
| 43-013-32514 | UTE TRIBAL 7-23-55 | 14-20-H62-3443 |
| 43-013-32991 | UTE TRIBAL 7-24-56 | 14-20-H62-5064 |

| | | |
|--------------|----------------------|----------------|
| 43-013-32991 | UTE TRIBAL 7-25-56 | 14-20-H62-5065 |
| 43-013-33621 | UTE TRIBAL 7-26D-54 | 14-20-H62-4954 |
| 43-013-33477 | UTE TRIBAL 7-26D-55 | 14-20-H62-3444 |
| 43-013-32418 | UTE TRIBAL 7-27-55 | 14-20-H62-4753 |
| 43-013-32166 | UTE TRIBAL 7-28 | 14-20-H62-4740 |
| 43-013-33788 | UTE TRIBAL 7-28D-55 | 14-20-H62-5019 |
| 43-013-32562 | UTE TRIBAL 7-29-54 | 14-20-H62-5036 |
| 43-013-33715 | UTE TRIBAL 7-29D-55 | 14-20-H62-5020 |
| 43-013-32167 | UTE TRIBAL 7-30 | 14-20-H62-4662 |
| 43-013-32528 | UTE TRIBAL 7-31-54 | 14-20-H62-4946 |
| 43-013-32411 | UTE TRIBAL 7-32-54 | 14-20-H62-4947 |
| 43-013-32413 | UTE TRIBAL 7-33-54 | 14-20-H62-4948 |
| 43-013-50510 | UTE TRIBAL 7-34-55 | 14-20-H62-5028 |
| 43-013-32774 | UTE TRIBAL 7-35-54 | 14-20-H62-5053 |
| 43-013-33048 | UTE TRIBAL 7-35-55 | 14-20-H62-4945 |
| 43-013-32929 | UTE TRIBAL 7-36-55 | 14-20-H62-4944 |
| 43-013-50852 | UTE TRIBAL 7I-21-54 | 14-20-H62-3414 |
| 43-013-50488 | UTE TRIBAL 8-10D-54 | 14-20-H62-5517 |
| 43-013-33204 | UTE TRIBAL 8-14-54 | 14-20-H62-5033 |
| 43-013-50477 | UTE TRIBAL 8-15D-55 | 14-20-H62-5017 |
| 43-013-32840 | UTE TRIBAL 8-19-54 | 14-20-H62-3528 |
| 43-013-32864 | UTE TRIBAL 8-19-55 | 14-20-H62-5058 |
| 43-013-32973 | UTE TRIBAL 8-20-54 | 14-20-H62-3529 |
| 43-013-50435 | UTE TRIBAL 8-21D-55 | 14-20-H62-4825 |
| 43-013-32590 | UTE TRIBAL 8-22-54 | 14-20-H62-3415 |
| 43-013-33552 | UTE TRIBAL 8-23D-55 | 14-20-H62-3443 |
| 43-013-33420 | UTE TRIBAL 8-24-55 | 14-20-H62-4716 |
| 43-013-32780 | UTE TRIBAL 8-25-54 | 14-20-H62-3440 |
| 43-013-32620 | UTE TRIBAL 8-25-55 | 14-20-H62-3537 |
| 43-013-33682 | UTE TRIBAL 8-26D-54 | 14-20-H62-4954 |
| 43-013-33859 | UTE TRIBAL 8-26D-55 | 14-20-H62-3444 |
| 43-013-34058 | UTE TRIBAL 8-27D-55 | 14-20-H62-4753 |
| 43-013-32766 | UTE TRIBAL 8-28-54 | 14-20-H62-4740 |
| 43-013-32694 | UTE TRIBAL 8-28-55 | 14-20-H62-5019 |
| 43-013-33119 | UTE TRIBAL 8-29-55 | 14-20-H62-5020 |
| 43-013-32746 | UTE TRIBAL 8-30-54 | 14-20-H62-4662 |
| 43-013-32869 | UTE TRIBAL 8-31-54 | 14-20-H62-4946 |
| 43-013-32673 | UTE TRIBAL 8-31-55 | 14-20-H62-5032 |
| 43-013-32870 | UTE TRIBAL 8-32-54 | 14-20-H62-4947 |
| 43-013-32421 | UTE TRIBAL 8-32-55 | 14-20-H62-5026 |
| 43-013-33089 | UTE TRIBAL 8-33-54 | 14-20-H62-4948 |
| 43-013-50436 | UTE TRIBAL 8-34D-55 | 14-20-H62-5028 |
| 43-013-32267 | UTE TRIBAL 8-35-55 | 14-20-H62-4945 |
| 43-013-32423 | UTE TRIBAL 8-36-55 | 14-20-H62-4944 |
| 43-013-50853 | UTE TRIBAL 8L-21D-54 | 14-20-H62-3141 |
| 43-013-33328 | UTE TRIBAL 9-13D-55 | 14-20-H62-4845 |
| 43-013-33796 | UTE TRIBAL 9-14D-54 | 14-20-H62-5033 |
| 43-013-32701 | UTE TRIBAL 9-15-55 | 14-20-H62-5017 |
| 43-013-33207 | UTE TRIBAL 9-16-54 | 14-20-H62-3413 |

| | | |
|--------------|---------------------------|----------------|
| 43-013-32687 | UTE TRIBAL 9-17-54 | 14-20-H62-4731 |
| 43-013-32144 | UTE TRIBAL 9-18 | 14-20-H62-4919 |
| 43-013-31831 | UTE TRIBAL 9-19 | 14-20-H62-3528 |
| 43-013-32379 | UTE TRIBAL 9-20-54 | 14-20-H62-3529 |
| 43-013-33675 | UTE TRIBAL 9-20D-55 | 14-20-H62-5018 |
| 43-013-33040 | UTE TRIBAL 9-21-54 | 14-20-H62-3414 |
| 43-013-32889 | UTE TRIBAL 9-22-54 | 14-20-H62-3415 |
| 43-013-32606 | UTE TRIBAL 9-22-55 | 14-20-H62-4754 |
| 43-013-32268 | UTE TRIBAL 9-24-55 | 14-20-H62-4749 |
| 43-013-32390 | UTE TRIBAL 9-25-55 | 14-20-H62-3537 |
| 43-013-32191 | UTE TRIBAL 9-26 | 14-20-H62-4728 |
| 43-013-33359 | UTE TRIBAL 9-26D-55 | 14-20-H62-3444 |
| 43-013-32388 | UTE TRIBAL 9-28-54 | 14-20-H62-4740 |
| 43-013-33787 | UTE TRIBAL 9-28D-55 | 14-20-H62-5019 |
| 43-013-32566 | UTE TRIBAL 9-29-54 | 14-20-H62-5036 |
| 43-013-32383 | UTE TRIBAL 9-30-54 | 14-20-H62-4662 |
| 43-013-32529 | UTE TRIBAL 9-31-54 | 14-20-H62-4946 |
| 43-013-33508 | UTE TRIBAL 9-31-55 | 14-20-H62-5060 |
| 43-013-32538 | UTE TRIBAL 9-32-54 | 14-20-H62-4947 |
| 43-013-32549 | UTE TRIBAL 9-33-54 | 14-20-H62-4948 |
| 43-013-32781 | UTE TRIBAL 9-35-54 | 14-20-H62-5053 |
| 43-013-33047 | UTE TRIBAL 9-35-55 | 14-20-H62-4945 |
| 43-013-33239 | UTE TRIBAL 9-36D-55 | 14-20-H62-4944 |
| 43-013-33276 | UTE TRIBAL 9S-19-54 | 14-20-H62-3528 |
| 43-013-33245 | UTE TRIBAL 9S-25-55 | 14-20-H62-3537 |
| 43-013-50997 | Vieira Tribal 4-4-54 | 14-20-H62-5659 |
| 43-013-33122 | WILCOX ELIASON 7-15-56 | FEE |
| 43-013-33150 | WILCOX FEE 1-20-56 | FEE |
| 43-013-33151 | WILCOX FEE 15-16-56 | FEE |
| 43-013-32550 | WILLIAMSON TRIBAL 3-34-54 | 14-20-H62-4955 |
| 43-013-32551 | WILLIAMSON TRIBAL 5-34-54 | 14-20-H62-4955 |
| 43-013-31311 | Z and T UTE TRIBAL 12-22 | 14-20-H62-3415 |
| 43-013-31280 | Z and T UTE TRIBAL 2-21 | 14-20-H62-3414 |
| 43-013-31282 | Z and T UTE TRIBAL 7-19 | 14-20-H62-4919 |
| 43-013-31310 | Z and T UTE TRIBAL 7-25 | 14-20-H62-3537 |

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

APPLICATION FOR PERMIT TO DRILL OR REENTER

FORM APPROVED
OMB No. 1004-0137
Expires March 31, 2007

| | | |
|--|---|--|
| 1a. TYPE OF WORK <input checked="" type="checkbox"/> DRILL <input type="checkbox"/> REENTER | | 5. Lease Serial No. UTU-8894A |
| 1b. Type of Well: <input checked="" type="checkbox"/> Oil well <input type="checkbox"/> Gas well <input type="checkbox"/> Other <input checked="" type="checkbox"/> Single zone <input type="checkbox"/> Multiple zone | | 6. If Indian, Allottee or Tribe Name |
| 2. Name of Operator BERRY PETROLEUM COMPANY | | 7. Unit or CA Agreement, Name and No. |
| 3a. Address 4000 SOUTH 4028 WEST RT. 2 BOX 7735, ROOSEVELT, UT. 84066 | 3b. Phone No. (include area code) (435) 722-1325 | 8. Lease Name and Well No. FEDERAL 4-5D-64 |
| 4. Location of Well (Report location clearly and in accordance with any State requirements.) At surface (SE/NW) 1520' FNL, 1512' FWL At proposed prod. zone BHL: 460' FNL, 462' FWL Lot #4 | | 9. API Well No. 43-013-50263 |
| 10. Field and Pool, or Exploratory BRUNDAGE CANYON | | 11. Sec., T. R. M. or BLK. and Survey or Area SEC. 5, T.6S., R.4W. U.S.B.&M. |
| 14. Distance in miles and direction from nearest town or post office* 24.2 MILES FROM MYTON, UTAH | | 12. County or Parrish DUCHESNE |
| 15. Distance from proposed* location to nearest property of lease line, ft. (Also to nearest drg. Unit line, if any) 1512' | | 13. State UTAH |
| 16. No. of acres in lease 1280 | | 17. Spacing Unit dedicated to this well 40 |
| 18. Distance from proposed* to nearest well, drilling, completed, applied for, on this lease, ft. N/A | | 19. Proposed Depth 6213' |
| 20. BLM/BIA Bond No. on file UTB000035 | | 21. Elevations (Show whether DF, KDB, RT, GR, etc.) 7176' GR |
| 22. Approximate date work will start* UPON APPROVAL OF APD | | 23. Estimated duration APPROXIMATELY 6 DAYS |

24. Attachments (Paid for with JCC's Visa)

The following, completed in accordance with the requirements of Onshore Oil and Gas Order No. 1, shall be attached to this form:

- Well plat certified by a registered surveyor.
- A Drilling Plan.
- A Surface Use Plan (if the location is on National Forest System Lands, the SUPO shall be filed with the appropriate Forest Service Office).
- Bond to cover the operations unless covered by an existing bond on file (see item 20 above).
- Operator certification.
- Such other site specific information and/or plans as may be required by the authorized officer.

| | | |
|---|--|---------------------|
| 25. Signature | Name (Printed/Typed) KATHY K. FIELDSTED | Date 02/12/10 |
| Title OPERATIONS ASSISTANT | | |
| Approved by (Signature) | Name (Printed/Typed) James H. Sparger | Date MAR 29 2010 |
| Title ACTING Assistant Field Manager | | |
| Office VERNAL FIELD OFFICE | | |

Application approval does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Conditions of approval, if any, are attached.

CONDITIONS OF APPROVAL ATTACHED

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*(Instructions on page 2)

DEPT OF THE INTERIOR
BUREAU OF LAND MGMT

2010 MAR 16 PM 10 21

VERNAL FIELD OFFICE
RECEIVED

NOTICE OF APPROVAL

RECEIVED

APR 06 2010

DIV. OF OIL, GAS & MINING

NOS 11-02-2009

10MIC 0028A

UDOGM




UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
VERNAL FIELD OFFICE

170 South 500 East

VERNAL, UT 84078

(435) 781-4400



CONDITIONS OF APPROVAL FOR APPLICATION FOR PERMIT TO DRILL

Company: Berry Petroleum Company
Well No: Federal 4-5D-64
API No: 43-013-50263

Location: SENW, Sec. 5, T6S, R4W
Lease No: UTU-8894A
Agreement: N/A

OFFICE NUMBER: (435) 781-4400

OFFICE FAX NUMBER: (435) 781-3420

**A COPY OF THESE CONDITIONS SHALL BE FURNISHED TO YOUR
FIELD REPRESENTATIVE TO INSURE COMPLIANCE**

All lease and/or unit operations are to be conducted in such a manner that full compliance is made with the applicable laws, regulations (43 CFR Part 3160), and this approved Application for Permit to Drill including Surface and Downhole Conditions of Approval. The operator is considered fully responsible for the actions of his subcontractors. A copy of the approved APD must be on location during construction, drilling, and completion operations. **This permit is approved for a two (2) year period, or until lease expiration, whichever occurs first. An additional extension, up to two (2) years, may be applied for by sundry notice prior to expiration.**

NOTIFICATION REQUIREMENTS

| | | |
|---|---|--|
| Location Construction (Notify Environmental Scientist) | - | Forty-Eight (48) hours prior to construction of location and access roads. |
| Location Completion (Notify Environmental Scientist) | - | Prior to moving on the drilling rig. |
| Spud Notice (Notify Petroleum Engineer) | - | Twenty-Four (24) hours prior to spudding the well. |
| Casing String & Cementing (Notify Supv. Petroleum Tech.) | - | Twenty-Four (24) hours prior to running casing and cementing all casing strings to: ut_vn_opreport@blm.gov . |
| BOP & Related Equipment Tests (Notify Supv. Petroleum Tech.) | - | Twenty-Four (24) hours prior to initiating pressure tests. |
| First Production Notice (Notify Petroleum Engineer) | - | Within Five (5) business days after new well begins or production resumes after well has been off production for more than ninety (90) days. |

***SURFACE USE PROGRAM
CONDITIONS OF APPROVAL (COAs)***

Conditions of Approval for 2009 Berry CE Drilling Proposal

Roosevelt - Duchesne Districts, Ashley National Forest

Compiled by David Herron, August 20, 2009

Introduction

The following is a list of conditions of approval (COAs), being required by the Ashley National Forest, as part of the approval for specific wells and well pads, and their associated development and production activities. These wells and well pads were proposed for construction and development as part of Berry Petroleum's 27-well drilling proposal and Surface Use Plan (SUPO), submitted to the Ashley National Forest during the spring of 2009, and being approved by the Ashley National Forest in August 2009. These Conditions of Approval are in connection with, and in addition to, those listed in the Surface Use Plan of Operations (SUPO) submitted by Berry Petroleum for the proposed wells and associated well pads and production equipment.

List of Well Pads and Wells

The following is a list of the proposed well pads, and associated wells, which are being approved for constructions and development, and to which these conditions of approval will apply. These wells and well pads are also shown on the map accompanying this document.

| Map # | Well Pad Name | Well Name | Legal Location |
|--------------|----------------------|--|-----------------------------|
| 1 | ANF 4-6D-64 | Berry 3-6D-64 Berry 4-6D-64 Berry 6-6D-64 | T6S R4W NW ¼ Section 6 USM. |
| 2 | ANF 14-6D-64 | Berry 11-6D-64 Berry 12-6D-64 Berry 13-6D-64 Berry 14-6D-64 | T6S R4W SW ¼ Section 6 USM. |
| 3 | ANF 3-5D-64 | Berry 3-5D-64 Berry 4-5D-64 Berry 5-5D-64 Berry 6-5D-64 | T6S R4W NW ¼ Section 5 USM. |
| 4 | ANF 1-6-64 | Berry 1-6-64 Berry 2-6D-64 Berry 8-6D-64 | T6S R4W NE ¼ Section 6 USM. |
| 5 | ANF 8-1D-65 | Berry 8-1D-65 Berry 9-1D-65 Berry 10-1D-65 | T6S R5W NE ¼ Section 1 USM. |

- | | | | |
|---|--------------|--|-----------------------------|
| 6 | ANF 12-5D-64 | Berry 11-5D-64 Berry 12-5D-64 Berry 13-5D-64 Berry 14-5D-64 | T6S R4W SW ¼ Section 5 USM. |
| 7 | ANF 12-1D-65 | Berry 11-1D-65 Berry 12-1D-65 Berry 13-1D-65 Berry 14-1D-65 | T6S R5W SW ¼ Section 1 USM. |

General Conditions of Approval

These Conditions of Approval apply to all the wells and well pads listed above.

Vegetation Resources

- To reduce the spread/introduction of noxious and invasive weed species via project-related vehicles and equipment into the Project Area, Berry and its contractors will power-wash all construction equipment and vehicles prior to the start of construction.
- Berry will implement a weed control program. Weed control will be conducted through an Approved Pesticide Use and Weed Control Plan from the Authorized Officer. Weed monitoring and reclamation measures will be continued on an annual basis (or as frequently as the Authorized Officer determines) throughout the 30 year life of the project. Berry will reseed all portions of well pads and access and pipeline ROW not being utilized for the project operations, as well as any disturbed sites within the Project Area determined necessary by the USFS. Reseeding will be accomplished using native plant species, and as directed by the Forest Service.

Wildlife Protection

- Prior to any surface disturbing activity between April 30 and August 31, Berry or their contractor, in coordination with a USFS Biologist, will survey all areas within 0.25 mile of proposed surface disturbance for the presence of raptor nests. If occupied/active raptor nests are found, construction will not occur during the critical nesting season for that species within the species-specific spatial buffer, unless the nest is obscured from visual or noise-related impacts through vegetative or topographic screening. USFS biologists will determine spatial buffers based on site-specific vegetative and topographic features within the vicinity of occupied nests.
- Well pad and road construction, roads upgrading, and drilling operations will not be conducted between November 15 and April 30, to protect elk winter range.

Paleontology

- Well pads or road construction activities involving excavation of bedrock must be monitored by a qualified Paleontologist. If significant paleontological resources are discovered or observed, construction activities will be halted and the USFS notified. Operations in the area of the discovery

(well pad or road or pipeline in question) will not resume until authorization to proceed has been received from the Forest Service.

Cultural Resources

- If cultural resources are inadvertently discovered, construction activities will be halted and the Forest Service notified. Operations in the area of the discovery (well pad or road or pipeline in question) will not resume until authorization to proceed has been received from the Forest Service.

Access Roads

- Construction or upgrading of roads will not be allowed during muddy or frozen conditions. Should mud holes develop in access roads, they would be filled in with appropriate materials. Detours around mud holes are not allowed.
- Where road developments cross existing cattle fences, cattle guards will be installed and fences will be repaired to functioning condition.
- As needed, Berry will apply water to utilized roads to reduce fugitive dust from vehicle traffic. If water application does not adequately reduce fugitive dust, the use of Magnesium Chloride (MgCl) or other dust-abatement treatments may be required.
- Road drainage crossings for new or upgraded roads will be designed, and maintained for the life of the project, such that drainages are not blocked by road crossings, and so the road crossings do not cause erosion or siltation within the drainages being crossed.

Pipelines

- Where possible, pipelines will be buried along areas where surface pipelines would be at risk from environmental hazards (stream crossings, debris flow fans, etc.).

Soils / Water / Floodplains / Wetlands

- Vegetation and/or structural measures to control erosion will be implemented as soon as possible after initial soil disturbance to prevent erosion of disturbed soils.
- Energy dissipaters such as straw bales and silt fences may be required to prevent excess erosion of soils from disturbed areas into adjacent surface waters or floodplains. These structures would be installed during construction, and would be left in place and maintained for the life of the project or until the disturbed slopes have revegetated and stabilized.

Noise

- Pump jack engines will be equipped with high grade mufflers to reduce noise during the operational life of the project.

Reserve Pits

- All pits containing materials that might be hazardous to wildlife will be covered with steel mesh screen or netting to prevent entry by migratory birds, bats, or other wildlife species.

- Reserve pits will be lined with 20 mil (or thicker) synthetic reinforced material. The liner would overlay a felt liner pad which would protect the liner from punctures if rock is encountered during excavation.

Conditions of Approval Related to Specific Well Pads

Soils / Water / Floodplains / Wetlands

The following Conditions of Approval apply to construction and maintenance of the following proposed well pads: ANF 14-6D-64 well pad, and ANF 1-6-64 well pad.

- Engineered earthen berms, diversion channels, and/or other pad design modifications, are required for this site, in order to divert ephemeral surface drainages and potential debris flows away from the well pad, access road, and reserve pit areas. Diversions will be done in a way that minimizes impacts to the existing channels and canyon bottom, maintains original drainage grade, does not constrict ephemeral flows, and also protects the well site from potential flooding. These structures will be installed during construction, and will be left in place and maintained for the life of the project or until all disturbed areas have been reclaimed, revegetated, and stabilized.

(end of document)

**DOWNHOLE PROGRAM
CONDITIONS OF APPROVAL (COAs)**

SITE SPECIFIC DOWNHOLE COAs:

- Berry Petroleum Co. shall adhere to all referenced requirements in the SOP (version: December 7, 2009) along with all Oil and Gas rules and requirements listed in the Code of Federal Regulations and all Federal Onshore Oil and Gas Orders.

All provisions outlined in Onshore Oil & Gas Order #2 Drilling Operations shall be strictly adhered to. The following items are emphasized:

DRILLING/COMPLETION/PRODUCING OPERATING STANDARDS

- The spud date and time shall be reported orally to Vernal Field Office within 24 hours of spudding.
- Notify Vernal Field Office Supervisory Petroleum Engineering Technician at least 24 hours in advance of casing cementing operations and BOPE & casing pressure tests.
- All requirements listed in Onshore Order #2 III. E. Special Drilling Operations are applicable for air drilling of surface hole.
- Blowout prevention equipment (BOPE) shall remain in use until the well is completed or abandoned. Closing unit controls shall remain unobstructed and readily accessible at all times. Choke manifolds shall be located outside of the rig substructure.
- All BOPE components shall be inspected daily and those inspections shall be recorded in the daily drilling report. Components shall be operated and tested as required by Onshore Oil & Gas Order No. 2 to insure good mechanical working order. All BOPE pressure tests shall be performed by a test pump with a chart recorder and **NOT** by the rig pumps. Test shall be reported in the driller's log.
- BOP drills shall be initially conducted by each drilling crew within 24 hours of drilling out from under the surface casing and weekly thereafter as specified in Onshore Oil & Gas Order No. 2.
- Casing pressure tests are required before drilling out from under all casing strings set and cemented in place.
- No aggressive/fresh hard-banded drill pipe shall be used within casing.
- **Cement baskets shall not be run on surface casing.**
- The operator must report all shows of water or water-bearing sands to the BLM. If flowing water is encountered it must be sampled, analyzed, and a copy of the analyses submitted to the BLM Vernal Field Office.
- The operator must report encounters of all non oil & gas mineral resources (such as Gilsonite, tar sands, oil shale, trona, etc.) to the Vernal Field Office, in writing, within 5 working days of each encounter. Each report shall include the well name/number, well location, date and depth (from KB

or GL) of encounter, vertical footage of the encounter and, the name of the person making the report (along with a telephone number) should the BLM need to obtain additional information.

- A complete set of angular deviation and directional surveys of a directional well will be submitted to the Vernal BLM office engineer within 30 days of the completion of the well.
- While actively drilling, chronologic drilling progress reports shall be filed directly with the BLM, Vernal Field Office on a weekly basis in sundry, letter format or e-mail to the Petroleum Engineers until the well is completed.
- A cement bond log (CBL) will be run from the production casing shoe to the top of cement and shall be utilized to determine the bond quality for the production casing. Submit a field copy of the CBL to this office.
- **Please submit an electronic copy of all other logs run on this well in LAS format to UT_VN_Welllogs@BLM.gov. This submission will supersede the requirement for submittal of paper logs to the BLM.**
- There shall be no deviation from the proposed drilling, completion, and/or workover program as approved. Safe drilling and operating practices must be observed. Any changes in operation must have prior approval from the BLM Vernal Field Office.

OPERATING REQUIREMENT REMINDERS:

- All wells, whether drilling, producing, suspended, or abandoned, shall be identified in accordance with 43 CFR 3162.6. There shall be a sign or marker with the name of the operator, lease serial number, well number, and surveyed description of the well.
- In accordance with 43 CFR 3162.4-3, this well shall be reported on the "Monthly Report of Operations" (Oil and Gas Operations Report ((OGOR)) starting with the month in which operations commence and continue each month until the well is physically plugged and abandoned. This report shall be filed in duplicate, directly with the Minerals Management Service, P.O. Box 17110, Denver, Colorado 80217-0110, or call 1-800-525-7922 (303) 231-3650 for reporting information.
- Should the well be successfully completed for production, the BLM Vernal Field office must be notified when it is placed in a producing status. Such notification will be by written communication and must be received in this office by not later than the fifth business day following the date on which the well is placed on production. The notification shall provide, as a minimum, the following informational items:
 - Operator name, address, and telephone number.
 - Well name and number.
 - Well location ($\frac{1}{4}$ Sec., Twn, Rng, and P.M.).
 - Date well was placed in a producing status (date of first production for which royalty will be paid).
 - The nature of the well's production, (i.e., crude oil, or crude oil and casing head gas, or natural gas and entrained liquid hydrocarbons).
 - The Federal or Indian lease prefix and number on which the well is located; otherwise the non-Federal or non-Indian land category, i.e., State or private.
 - Unit agreement and/or participating area name and number, if applicable.
 - Communitization agreement number, if applicable.
- Any venting or flaring of gas shall be done in accordance with Notice to Lessees (NTL) 4A and needs prior approval from the BLM Vernal Field Office.
- All undesirable events (fires, accidents, blowouts, spills, discharges) as specified in NTL 3A will be reported to the BLM, Vernal Field Office. Major events, as defined in NTL3A, shall be reported verbally within 24 hours, followed by a written report within 15 days. "Other than Major Events" will be reported in writing within 15 days. "Minor Events" will be reported on the Monthly Report of Operations and Production.
- Whether the well is completed as a dry hole or as a producer, "Well Completion and Recompletion Report and Log" (BLM Form 3160-4) shall be submitted not later than 30 days after completion of the well or after completion of operations being performed, in accordance with 43 CFR 3162.4-1. Two copies of all logs run, core descriptions, and all other surveys or data obtained and compiled during the drilling, workover, and/or completion operations, shall be filed on BLM Form 3160-4.

Submit with the well completion report a geologic report including, at a minimum, formation tops, and a summary and conclusions. Also include deviation surveys, sample descriptions, strip logs, core data, drill stem test data, and results of production tests if performed. Samples (cuttings, fluid, and/or gas) shall be submitted only when requested by the BLM, Vernal Field Office.

- All off-lease storage, off-lease measurement, or commingling on-lease or off-lease, shall have prior written approval from the BLM Vernal Field Office.
- Oil and gas meters shall be calibrated in place prior to any deliveries. The BLM Vernal Field Office Petroleum Engineers will be provided with a date and time for the initial meter calibration and all future meter proving schedules. A copy of the meter calibration reports shall be submitted to the BLM Vernal Field Office. All measurement facilities will conform to the API standards for liquid hydrocarbons and the AGA standards for natural gas measurement. All measurement points shall be identified as the point of sale or allocation for royalty purposes.
- A schematic facilities diagram as required by Onshore Oil & Gas Order No. 3 shall be submitted to the BLM Vernal Field Office within 30 days of installation or first production, whichever occurs first. All site security regulations as specified in Onshore Oil & Gas Order No. 3 shall be adhered to. All product lines entering and leaving hydrocarbon storage tanks will be effectively sealed in accordance with Onshore Oil & Gas Order No. 3.
- Any additional construction, reconstruction, or alterations of facilities, including roads, gathering lines, batteries, etc., which will result in the disturbance of new ground, shall require the filing of a suitable plan and need prior approval of the BLM Vernal Field Office. Emergency approval may be obtained orally, but such approval does not waive the written report requirement.
- No location shall be constructed or moved, no well shall be plugged, and no drilling or workover equipment shall be removed from a well to be placed in a suspended status without prior approval of the BLM Vernal Field Office. If operations are to be suspended for more than 30 days, prior approval of the BLM Vernal Field Office shall be obtained and notification given before resumption of operations.
- Pursuant to Onshore Oil & Gas Order No. 7, this is authorization for pit disposal of water produced from this well for a period of 90 days from the date of initial production. A permanent disposal method must be approved by this office and in operation prior to the end of this 90-day period. In order to meet this deadline, an application for the proposed permanent disposal method shall be submitted along with any necessary water analyses, as soon as possible, but no later than 45 days after the date of first production. Any method of disposal which has not been approved prior to the end of the authorized 90-day period will be considered as an Incident of Noncompliance and will be grounds for issuing a shut-in order until an acceptable manner for disposing of said water is provided and approved by this office.
- Unless the plugging is to take place immediately upon receipt of oral approval, the Field Office Petroleum Engineers must be notified at least 24 hours in advance of the plugging of the well, in order that a representative may witness plugging operations. If a well is suspended or abandoned, all pits must be fenced immediately until they are backfilled. The "Subsequent Report of Abandonment" (Form BLM 3160-5) must be submitted within 30 days after the actual plugging of the well bore, showing location of plugs, amount of cement in each, and amount of casing left in hole, and the current status of the surface restoration.

DIVISION OF OIL, GAS AND MINING

SPUDDING INFORMATION

Name of Company: BERRY PETROLEUM COMPANY

Well Name: FEDERAL 4-5D-64

Api No: 43-013-50263 Lease Type: FEDERAL

Section 05 Township 06S Range 04W County DUCHESNE

Drilling Contractor CRAIG'S ROUSTABOUT SERV RIG # BUCKET

SPUDDED:

Date 05/20/2010

Time 3:00 PM

How DRY

Drilling will Commence: _____

Reported by KATHY FIELDSTED

Telephone # (435) 722-1325

Date 05/24/2010 Signed CHD

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET (for state use only)

ROUTING

CDW

X - Change of Operator (Well Sold)

Operator Name Change/Merger

The operator of the well(s) listed below has changed, effective:

6/1/2014

FROM: (Old Operator):

Berry Petroelum Company, LLC N4075
 1999 Broadway Street , Suite 3700
 Denver, CO 80202

Phone: 1 (303) 999-4400

TO: (New Operator):

Linn Operating, Inc. N4115
 1999 Broadway Street, Suite 3700
 Denver, CO 80202

Phone: 1 (303) 999-4400

CA No.

Unit:

**Berry Pilot EOR 246-02
 Brundage Canyon**

| WELL NAME | SEC | TWN | RNG | API NO | ENTITY NO | LEASE TYPE | WELL TYPE | WELL STATUS |
|-------------------|-----|-----|-----|--------|-----------|------------|-----------|-------------|
| See Attached List | | | | | | | | |

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 6/13/2014
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 6/13/2014
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 6/17/2014
- 4a. Is the new operator registered in the State of Utah: Business Number: 9031632-0143
- 5a. (R649-9-2)Waste Management Plan has been received on: N/A
- 5b. Inspections of LA PA state/fee well sites complete on: Yes
- 5c. Reports current for Production/Disposition & Sundries on: 6/17/2014
- Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM Not Yet BIA Not Yet
- Federal and Indian Units:**
 The BLM or BIA has approved the successor of unit operator for wells listed on: Not Yet
- Federal and Indian Communization Agreements ("CA"):**
 The BLM or BIA has approved the operator for all wells listed within a CA on: N/A
- Underground Injection Control ("UIC")** Division has approved UIC Form 5 Transfer of Authority to Inject, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: N/A

DATA ENTRY:

- Changes entered in the **Oil and Gas Database** on: 6/18/2014
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 6/18/2014
- Bond information entered in RBDMS on: 6/23/2014
- Fee/State wells attached to bond in RBDMS on: 6/23/2014
- Injection Projects to new operator in RBDMS on: N/A
- Receipt of Acceptance of Drilling Procedures for APD/New on: 6/18/2014
- Surface Agreement Sundry from **NEW** operator on Fee Surface wells received on: Yes

BOND VERIFICATION:

- Federal well(s) covered by Bond Number: NMB000501
- Indian well(s) covered by Bond Number: NMB000501
- 3a. (R649-3-1) The **NEW** operator of any state/fee well(s) listed covered by Bond Number LPM9149893
- 3b. The **FORMER** operator has requested a release of liability from their bond on: N/A

LEASE INTEREST OWNER NOTIFICATION:

- (R649-2-10) The **NEW** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: 6/23/2014

COMMENTS:

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

| | | |
|---|--|--|
| 1. TYPE OF WELL OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____ | | 5. LEASE DESIGNATION AND SERIAL NUMBER: See attached list |
| 2. NAME OF OPERATOR: Linn Operating, Inc. | | 6. IF INDIAN, ALLOTTEE OR TRIBE NAME: |
| 3. ADDRESS OF OPERATOR: 1999 Broadway, Ste 3700 CITY Denver STATE CO ZIP 80202 | | 7. UNIT or CA AGREEMENT NAME: |
| 4. LOCATION OF WELL FOOTAGES AT SURFACE: COUNTY: | | 8. WELL NAME and NUMBER: |
| QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: STATE: UTAH | | 9. API NUMBER: |
| | | 10. FIELD AND POOL, OR WILDCAT: |

| 11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA | | | |
|---|---|---|--|
| TYPE OF SUBMISSION | TYPE OF ACTION | | |
| <input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____ | <input type="checkbox"/> ACIDIZE | <input type="checkbox"/> DEEPEN | <input type="checkbox"/> REPERFORATE CURRENT FORMATION |
| | <input type="checkbox"/> ALTER CASING | <input type="checkbox"/> FRACTURE TREAT | <input type="checkbox"/> SIDETRACK TO REPAIR WELL |
| | <input type="checkbox"/> CASING REPAIR | <input type="checkbox"/> NEW CONSTRUCTION | <input type="checkbox"/> TEMPORARILY ABANDON |
| | <input type="checkbox"/> CHANGE TO PREVIOUS PLANS | <input type="checkbox"/> OPERATOR CHANGE | <input type="checkbox"/> TUBING REPAIR |
| | <input type="checkbox"/> CHANGE TUBING | <input type="checkbox"/> PLUG AND ABANDON | <input type="checkbox"/> VENT OR FLARE |
| <input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____ | <input type="checkbox"/> CHANGE WELL NAME | <input type="checkbox"/> PLUG BACK | <input type="checkbox"/> WATER DISPOSAL |
| | <input type="checkbox"/> CHANGE WELL STATUS | <input type="checkbox"/> PRODUCTION (START/RESUME) | <input type="checkbox"/> WATER SHUT-OFF |
| | <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS | <input type="checkbox"/> RECLAMATION OF WELL SITE | <input checked="" type="checkbox"/> OTHER: <u>Change of operator</u> |
| | <input type="checkbox"/> CONVERT WELL TYPE | <input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION | |

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Notice of Change of Operator from Berry Petroleum Company, LLC to Linn Operating, Inc., effective June 1, 2014. On December 16, 2013, Berry Petroleum Company became an indirect subsidiary of Linn Energy, LLC. As a result, Berry Petroleum Company converted into a limited liability company named, "Berry Petroleum Company, LLC". On March 5, 2014, Berry Petroleum Company, LLC authorized and empowered Linn Operating, Inc. to act as operator on its behalf. I have attached a copy of the original declaration amending the name change along with a copy of the agency agreement and power of attorney for the operator change.

RECEIVED

JUN 10 2014

Div. of Oil, Gas & Mining

| | |
|---|--|
| NAME (PLEASE PRINT) <u>Beverly Decker</u> | TITLE <u>Sr Engineering Technician</u> |
| SIGNATURE <u>Beverly Decker</u> | DATE <u>6/1/2014</u> |

(This space for State use only)

APPROVED

JUN 18 2014

DIV. OIL GAS & MINING

BY: Rachel Medina

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

| | | |
|---|--|--|
| 1. TYPE OF WELL OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____ | | 5. LEASE DESIGNATION AND SERIAL NUMBER: See attached list |
| 2. NAME OF OPERATOR: Berry Petroleum Company, LLC | | 6. IF INDIAN, ALLOTTEE OR TRIBE NAME: |
| 3. ADDRESS OF OPERATOR: 1999 Broadway, Ste 3700 CITY Denver STATE CO ZIP 80202 | | 7. UNIT or CA AGREEMENT NAME: |
| PHONE NUMBER: (303) 999-4400 | | 8. WELL NAME and NUMBER: |
| 4. LOCATION OF WELL FOOTAGES AT SURFACE: | | 9. API NUMBER: |
| QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: | | 10. FIELD AND POOL, OR WILDCAT: |
| | | COUNTY: |
| | | STATE: UTAH |

| 11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA | | | |
|---|---|---|--|
| TYPE OF SUBMISSION | TYPE OF ACTION | | |
| <input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____ | <input type="checkbox"/> ACIDIZE | <input type="checkbox"/> DEEPEN | <input type="checkbox"/> REPERFORATE CURRENT FORMATION |
| | <input type="checkbox"/> ALTER CASING | <input type="checkbox"/> FRACTURE TREAT | <input type="checkbox"/> SIDETRACK TO REPAIR WELL |
| | <input type="checkbox"/> CASING REPAIR | <input type="checkbox"/> NEW CONSTRUCTION | <input type="checkbox"/> TEMPORARILY ABANDON |
| | <input type="checkbox"/> CHANGE TO PREVIOUS PLANS | <input type="checkbox"/> OPERATOR CHANGE | <input type="checkbox"/> TUBING REPAIR |
| | <input type="checkbox"/> CHANGE TUBING | <input type="checkbox"/> PLUG AND ABANDON | <input type="checkbox"/> VENT OR FLARE |
| <input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____ | <input type="checkbox"/> CHANGE WELL NAME | <input type="checkbox"/> PLUG BACK | <input type="checkbox"/> WATER DISPOSAL |
| | <input type="checkbox"/> CHANGE WELL STATUS | <input type="checkbox"/> PRODUCTION (START/RESUME) | <input type="checkbox"/> WATER SHUT-OFF |
| | <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS | <input type="checkbox"/> RECLAMATION OF WELL SITE | <input checked="" type="checkbox"/> OTHER: <u>Change of operator</u> |
| | <input type="checkbox"/> CONVERT WELL TYPE | <input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION | |

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

On December 16th, 2013 Berry Petroleum Company and Linn Energy merged. As a result of this merger the companies name has changed to "Berry Petroleum Company, LLC". On March 5th, 2014 Berry Petroleum Company, LLC agreed that Linn Operating, Inc would become the operator of record effective June 1, 2014. I have attached a copy of the original declaration amending the name change along with a copy of the agency agreement and power of attorney for the operator change.

Should you have any questions please don't hesitate to contact me.

RECEIVED
JUN 13 2014
Div. of Oil, Gas & Mining

| | |
|---|--|
| NAME (PLEASE PRINT) <u>Beverly Decker</u> | TITLE <u>Sr Engineering Technician</u> |
| SIGNATURE <u><i>Beverly Decker</i></u> | DATE <u>6/1/2014</u> |

(This space for State use only)

APPROVED

JUN 18 2014

DIV. OIL GAS & MINING

BY: *Rachel Medina*

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

Request to Transfer Application or Permit to Drill

(This form should accompany a Sundry Notice, Form 9, requesting APD transfer)

| | |
|---|---|
| Well name: | See Attached |
| API number: | |
| Location: | Qtr-Qtr: Section Township Range: |
| Company that filed original application: | Berry Petroleum Company LLC |
| Date original permit was issued: | |
| Company that permit was issued to: | Linn Operating, Inc |

| Check one | Desired Action: |
|-------------------------------------|---|
| | |
| | Transfer pending (unapproved) Application for Permit to Drill to new operator |
| | The undersigned as owner with legal rights to drill on the property, hereby verifies that the information as submitted in the pending Application for Permit to Drill, remains valid and does not require revision. The new owner of the application accepts and agrees to the information and procedures as stated in the application. |
| <input checked="" type="checkbox"/> | Transfer approved Application for Permit to Drill to new operator |
| | The undersigned as owner with legal rights to drill on the property as permitted, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. |

| Following is a checklist of some items related to the application, which should be verified. | Yes | No |
|---|-------------------------------------|-------------------------------------|
| If located on private land, has the ownership changed? | | <input checked="" type="checkbox"/> |
| <input type="checkbox"/> If so, has the surface agreement been updated? | | |
| Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? | | <input checked="" type="checkbox"/> |
| Have there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? | | <input checked="" type="checkbox"/> |
| Have there been any changes to the access route including ownership or right-of-way, which could affect the proposed location? | | <input checked="" type="checkbox"/> |
| Has the approved source of water for drilling changed? | | <input checked="" type="checkbox"/> |
| Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? | | <input checked="" type="checkbox"/> |
| Is bonding still in place, which covers this proposed well? Bond No. <u>LPM9149893</u> | <input checked="" type="checkbox"/> | |

Any desired or necessary changes to either a pending or approved Application for Permit to Drill that is being transferred, should be filed on a Sundry Notice, Form 9, or amended Application for Permit to Drill, Form 3, as appropriate, with necessary supporting information as required.

Name (please print) Beverly Decker Title Sr Engineering Technician
Signature *Beverly Decker* Date _____
Representing (company name) Berry Petroleum Company LLC and Linn Operating, Inc

The person signing this form must have legal authority to represent the company or individual(s) to be listed as the new operator on the Application for Permit to Drill.

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

Request to Transfer Application or Permit to Drill


(This form should accompany a Sundry Notice, Form 9, requesting APD transfer)

| | |
|---|---|
| Well name: | See Attached |
| API number: | |
| Location: | Qtr-Qtr: Section: Township: Range: |
| Company that filed original application: | Berry Petroleum Company LLC |
| Date original permit was issued: | |
| Company that permit was issued to: | Linn Operating, Inc |

| Check one | Desired Action: |
|-------------------------------------|---|
| <input type="checkbox"/> | |
| <input checked="" type="checkbox"/> | Transfer pending (unapproved) Application for Permit to Drill to new operator |
| | The undersigned as owner with legal rights to drill on the property, hereby verifies that the information as submitted in the pending Application for Permit to Drill, remains valid and does not require revision. The new owner of the application accepts and agrees to the information and procedures as stated in the application. |
| <input type="checkbox"/> | Transfer approved Application for Permit to Drill to new operator |
| | The undersigned as owner with legal rights to drill on the property as permitted, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. |

| Following is a checklist of some items related to the application, which should be verified. | | Yes | No |
|---|--|-------------------------------------|-------------------------------------|
| If located on private land, has the ownership changed? | | | <input checked="" type="checkbox"/> |
| <input type="checkbox"/> | If so, has the surface agreement been updated? | | |
| Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? | | | <input checked="" type="checkbox"/> |
| Have there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? | | | <input checked="" type="checkbox"/> |
| Have there been any changes to the access route including ownership or right-of-way, which could affect the proposed location? | | | <input checked="" type="checkbox"/> |
| Has the approved source of water for drilling changed? | | | <input checked="" type="checkbox"/> |
| Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? | | | <input checked="" type="checkbox"/> |
| Is bonding still in place, which covers this proposed well? Bond No. <u>LPM9149893</u> | | <input checked="" type="checkbox"/> | |

Any desired or necessary changes to either a pending or approved Application for Permit to Drill that is being transferred, should be filed on a Sundry Notice, Form 9, or amended Application for Permit to Drill, Form 3, as appropriate, with necessary supporting information as required.

Name (please print) Beverly Decker Title Sr Engineering Technician
Signature  Date _____
Representing (company name) Berry Petroleum Company LLC and Linn Operating, Inc

The person signing this form must have legal authority to represent the company or individual(s) to be listed as the new operator on the Application for Permit to Drill.

Berry Petroleum Company, LLC (N4075) to Linn Operating, Inc. (N4115)
Effective June 1, 2014

| Well Name | Section | TWN | RNG | API Number | Entity | Mineral Lease | Well Type | Well Status | Unit |
|-------------------------|---------|------|------|------------|--------|---------------|-----------|-------------|-----------------|
| Z and T UTE TRIBAL 2-21 | 21 | 050S | 040W | 4301331280 | 11130 | Indian | WI | A | BRUNDAGE CANYON |
| UTE TRIBAL 12-30-54 | 30 | 050S | 040W | 4301332747 | 14747 | Indian | WI | A | BRUNDAGE CANYON |
| UTE TRIBAL 14-30-54 | 30 | 050S | 040W | 4301332748 | 14778 | Indian | WI | A | BRUNDAGE CANYON |
| UTE TRIBAL 10-30D-54 | 30 | 050S | 040W | 4301332893 | 15246 | Indian | WI | A | BRUNDAGE CANYON |
| UTE TRIBAL 6-30-54 | 30 | 050S | 040W | 4301332975 | 15300 | Indian | WI | A | BRUNDAGE CANYON |
| UTE TRIBAL 1-21-54 | 21 | 050S | 040W | 4301333388 | 15937 | Indian | WI | A | BRUNDAGE CANYON |
| UTE TRIBAL 13-17D-55 | 17 | 050S | 050W | 4301333550 | | Indian | OW | APD | |
| UTE TRIBAL 11-14D-54 | 14 | 050S | 040W | 4301333596 | | Indian | OW | APD | |
| UTE TRIBAL 16-17D-55 | 17 | 050S | 050W | 4301333622 | | Indian | OW | APD | |
| UTE TRIBAL 15-28D-55 | 28 | 050S | 050W | 4301333623 | | Indian | OW | APD | |
| LC TRIBAL 14-16D-56 | 16 | 050S | 060W | 4301334283 | | Indian | OW | APD | |
| FEDERAL 10-10D-65 | 10 | 060S | 050W | 4301350523 | | Federal | OW | APD | |
| LC TRIBAL 3-23D-56 | 23 | 050S | 060W | 4301350624 | | Indian | OW | APD | |
| FEDERAL 2-1D-64 | 1 | 060S | 040W | 4301350765 | | Federal | OW | APD | |
| FEDERAL 7-1D-64 | 1 | 060S | 040W | 4301350766 | | Federal | OW | APD | |
| FEDERAL 9-1D-64 | 1 | 060S | 040W | 4301350767 | | Federal | OW | APD | |
| LC TRIBAL 1-28D-56 | 28 | 050S | 060W | 4301350865 | | Indian | OW | APD | |
| LC TRIBAL 13H-9-56 | 10 | 050S | 060W | 4301350874 | | Indian | OW | APD | |
| CC FEE 8-24-38 | 24 | 030S | 080W | 4301350885 | | Fee | OW | APD | |
| LC TRIBAL 4H-26-56 | 26 | 050S | 060W | 4301350951 | | Indian | OW | APD | |
| LC FEE 4H-12-57 | 12 | 050S | 070W | 4301350952 | | Fee | OW | APD | |
| CC TRIBAL 4-2-48 | 2 | 040S | 080W | 4301350964 | | Indian | OW | APD | |
| LC TRIBAL 5H-34-45 | 34 | 040S | 050W | 4301350974 | | Indian | OW | APD | |
| LC TRIBAL 11-34-45 | 34 | 040S | 050W | 4301350975 | | Indian | OW | APD | |
| LC TRIBAL 7-2D-56 | 2 | 050S | 060W | 4301350988 | | Indian | OW | APD | |
| LC TRIBAL 10-18D-56 | 18 | 050S | 060W | 4301350989 | | Indian | OW | APD | |
| CC TRIBAL 4-30D-38 | 19 | 030S | 080W | 4301350993 | | Indian | OW | APD | |
| FEDERAL 4-1-65 | 1 | 060S | 050W | 4301351016 | | Federal | OW | APD | |
| LC TRIBAL 3-16D-56 | 16 | 050S | 060W | 4301351032 | | Indian | OW | APD | |
| CC FEE 6-21-38 | 21 | 030S | 080W | 4301351059 | | Fee | OW | APD | |
| LC TRIBAL 13H-28-45 | 28 | 040S | 050W | 4301351061 | | Indian | OW | APD | |
| LC TRIBAL 5H-23-45 | 23 | 040S | 050W | 4301351071 | | Indian | OW | APD | |
| LC TRIBAL 4H-27-45 | 27 | 040S | 050W | 4301351072 | | Indian | OW | APD | |
| LC TRIBAL 16-27-45 | 27 | 040S | 050W | 4301351074 | | Indian | OW | APD | |
| LC TRIBAL 12-27-45 | 27 | 040S | 050W | 4301351075 | | Indian | OW | APD | |
| LC TRIBAL 16-23-45 | 23 | 040S | 050W | 4301351077 | | Indian | OW | APD | |
| LC TRIBAL 12H-30-56 | 30 | 050S | 060W | 4301351133 | | Indian | OW | APD | |
| LC TRIBAL 5-29D-56 | 29 | 050S | 060W | 4301351184 | | Indian | OW | APD | |
| LC TRIBAL 12H-19-56 | 19 | 050S | 060W | 4301351193 | | Indian | OW | APD | |
| LC FEE 15-11D-56 | 11 | 050S | 060W | 4301351197 | | Fee | OW | APD | |
| LC TRIBAL 13H-10-56 | 11 | 050S | 060W | 4301351209 | | Indian | OW | APD | |
| LC TRIBAL 2-31D-45 | 31 | 040S | 050W | 4301351261 | | Indian | OW | APD | |
| LC TRIBAL 13H-24-45 | 24 | 040S | 050W | 4301351273 | | Indian | OW | APD | |
| UTE TRIBAL 6-21D-55 | 21 | 050S | 050W | 4301351274 | | Indian | OW | APD | |
| UTE TRIBAL 15-16D-55 | 16 | 050S | 050W | 4301351284 | | Indian | OW | APD | |
| UTE TRIBAL 4H-15-55 | 15 | 050S | 050W | 4301351292 | | Indian | OW | APD | |
| UTE TRIBAL 13H-14-54 | 14 | 050S | 040W | 4301351297 | | Indian | OW | APD | |
| UTE TRIBAL 1-32-55 | 32 | 050S | 050W | 4301351298 | | Indian | OW | APD | |
| UTE TRIBAL 4-21D-55 | 21 | 050S | 050W | 4301351299 | | Indian | OW | APD | |
| LC TRIBAL 12-33-45 | 33 | 040S | 050W | 4301351301 | | Indian | OW | APD | |
| UTE TRIBAL 16-15D-55 | 15 | 050S | 050W | 4301351302 | | Indian | OW | APD | |
| UTE TRIBAL 2-24-55 | 24 | 050S | 050W | 4301351304 | | Indian | OW | APD | |
| LC TRIBAL 11-32D-56 | 32 | 050S | 060W | 4301351315 | | Indian | OW | APD | |
| LC TRIBAL 1-32D-56 | 32 | 050S | 060W | 4301351317 | | Indian | OW | APD | |
| LC TRIBAL 5H-32-56 | 32 | 050S | 060W | 4301351318 | | Indian | OW | APD | |
| LC TRIBAL 5H-33-45 | 33 | 040S | 050W | 4301351338 | | Indian | OW | APD | |
| LC TRIBAL 14-28-45 | 28 | 040S | 050W | 4301351339 | | Indian | OW | APD | |
| LC TRIBAL 16-32D-45 | 32 | 040S | 050W | 4301351340 | | Indian | OW | APD | |
| LC TRIBAL 3-31-45 | 31 | 040S | 050W | 4301351347 | | Indian | OW | APD | |
| LC TRIBAL 1-18D-56 | 18 | 050S | 060W | 4301351367 | | Indian | OW | APD | |
| LC TRIBAL 9-18D-56 | 18 | 050S | 060W | 4301351368 | | Indian | OW | APD | |
| LC FEE 9-23D-56 | 23 | 050S | 060W | 4301351380 | | Fee | OW | APD | |
| LC TRIBAL 1-34D-45 | 34 | 040S | 050W | 4301351382 | | Indian | OW | APD | |
| LC TRIBAL 12-21D-56 | 21 | 050S | 060W | 4301351383 | | Indian | OW | APD | |
| LC TRIBAL 7-29D-56 | 29 | 050S | 060W | 4301351386 | | Indian | OW | APD | |

Berry Petroleum Company, LLC (N4075) to Linn Operating, Inc. (N4115)
Effective June 1, 2014

| | | | | | | | |
|----------------------|----|------|------|------------|--------|----|-----|
| UTE TRIBAL 6-15-55 | 15 | 050S | 050W | 4301351399 | Indian | OW | APD |
| UTE TRIBAL 13H-21-55 | 21 | 050S | 050W | 4301351403 | Indian | OW | APD |
| LC TRIBAL 6-16D-56 | 16 | 050S | 060W | 4301351406 | Indian | OW | APD |
| LC TRIBAL 3-14D-56 | 14 | 050S | 060W | 4301351408 | Indian | OW | APD |
| CC FEE 13-9D-37 | 9 | 030S | 070W | 4301351409 | Fee | OW | APD |
| CC FEE 16-21D-38 | 21 | 030S | 080W | 4301351410 | Fee | OW | APD |
| UTE TRIBAL 5H-10-54 | 10 | 050S | 040W | 4301351415 | Indian | OW | APD |
| LC TRIBAL 13-6D-57 | 6 | 050S | 070W | 4301351417 | Indian | OW | APD |
| LC TRIBAL 9-23-45 | 23 | 040S | 050W | 4301351432 | Indian | OW | APD |
| LC TRIBAL 5-28D-56 | 29 | 050S | 060W | 4301351441 | Indian | OW | APD |
| LC TRIBAL 15-20D-56 | 29 | 050S | 060W | 4301351443 | Indian | OW | APD |
| LC FEE 14-1-56 | 1 | 050S | 060W | 4301351457 | Fee | OW | APD |
| LC TRIBAL 5-3D-56 | 3 | 050S | 060W | 4301351459 | Indian | OW | APD |
| LC Tribal 16-33-45 | 33 | 040S | 050W | 4301351463 | Indian | OW | APD |
| LC TRIBAL 7-23D-56 | 23 | 050S | 060W | 4301351479 | Indian | OW | APD |
| LC TRIBAL 4-7-56 | 7 | 050S | 060W | 4301351482 | Indian | OW | APD |
| LC TRIBAL 3-2-56 | 2 | 050S | 060W | 4301351483 | Indian | OW | APD |
| LC TRIBAL 12H-23-56 | 23 | 050S | 060W | 4301351488 | Indian | OW | APD |
| CC TRIBAL 15-34D-38 | 2 | 040S | 080W | 4301351490 | Indian | OW | APD |
| CC TRIBAL 14-35D-38 | 2 | 040S | 080W | 4301351491 | Indian | OW | APD |
| CC TRIBAL 8-3D-48 | 2 | 040S | 080W | 4301351493 | Indian | OW | APD |
| LC TRIBAL 12HH-31-45 | 32 | 040S | 050W | 4301351499 | Indian | OW | APD |
| LC TRIBAL 1-10D-56 | 10 | 050S | 060W | 4301351510 | Indian | OW | APD |
| LC TRIBAL 3-10D-56 | 10 | 050S | 060W | 4301351511 | Indian | OW | APD |
| LC TRIBAL 7-10D-56 | 10 | 050S | 060W | 4301351512 | Indian | OW | APD |
| LC TRIBAL 9-29D-56 | 29 | 050S | 060W | 4301351513 | Indian | OW | APD |
| UTE TRIBAL 1-16-55 | 16 | 050S | 050W | 4301351519 | Indian | OW | APD |
| CC Tribal 3-27D-38 | 27 | 030S | 080W | 4301351604 | Indian | OW | APD |
| LC FEE 10-36D-56 | 36 | 050S | 060W | 4301351622 | Fee | OW | APD |
| Myrin Fee 3-16D-55 | 16 | 050S | 050W | 4301351633 | Fee | OW | APD |
| LC TRIBAL 12H-34-56 | 34 | 050S | 060W | 4301351634 | Indian | OW | APD |
| UTE FEE 12-16D-55 | 16 | 050S | 050W | 4301351635 | Fee | OW | APD |
| LC TRIBAL 15-27-56 | 27 | 050S | 060W | 4301351649 | Indian | OW | APD |
| LC TRIBAL 11-27D-56 | 27 | 050S | 060W | 4301351650 | Indian | OW | APD |
| LC TRIBAL 1-17-56 | 17 | 050S | 060W | 4301351704 | Indian | OW | APD |
| LC Tribal 13-11D-58 | 11 | 050S | 080W | 4301351708 | Indian | OW | APD |
| LC Tribal 15-11D-58 | 11 | 050S | 080W | 4301351709 | Indian | OW | APD |
| LC Tribal 4HW-8-56 | 8 | 050S | 060W | 4301351710 | Indian | OW | APD |
| LC FEE 1-11D-56 | 11 | 050S | 060W | 4301351712 | Fee | OW | APD |
| LC TRIBAL 3-11D-56 | 11 | 050S | 060W | 4301351713 | Indian | OW | APD |
| LC TRIBAL 7-11D-56 | 11 | 050S | 060W | 4301351714 | Indian | OW | APD |
| LC TRIBAL 9-34D-45 | 34 | 040S | 050W | 4301351717 | Indian | OW | APD |
| LC Tribal 8M-23-45 | 23 | 040S | 050W | 4301351722 | Indian | OW | APD |
| LC TRIBAL 4-34D-45 | 34 | 040S | 050W | 4301351723 | Indian | OW | APD |
| LC TRIBAL 7-34D-45 | 34 | 040S | 050W | 4301351724 | Indian | OW | APD |
| LC Tribal 3-14D-58 | 11 | 050S | 080W | 4301351726 | Indian | OW | APD |
| LC Tribal 11-11D-58 | 11 | 050S | 080W | 4301351729 | Indian | OW | APD |
| LC TRIBAL 8-31D-56 | 31 | 050S | 060W | 4301351746 | Indian | OW | APD |
| LC TRIBAL 13-34D-45 | 34 | 040S | 050W | 4301351747 | Indian | OW | APD |
| LC Fee 2-6D-57 | 6 | 050S | 070W | 4301351749 | Fee | OW | APD |
| LC Tribal 15-12D-58 | 12 | 050S | 080W | 4301351783 | Indian | OW | APD |
| LC Tribal 9-12D-58 | 12 | 050S | 080W | 4301351784 | Indian | OW | APD |
| LC Tribal 1-13D-58 | 12 | 050S | 080W | 4301351785 | Indian | OW | APD |
| LC Tribal 13-7D-57 | 12 | 050S | 080W | 4301351786 | Indian | OW | APD |
| LC Tribal 9-2D-58 | 2 | 050S | 080W | 4301351788 | Indian | OW | APD |
| LC Tribal 1-2D-58 | 2 | 050S | 080W | 4301351789 | Indian | OW | APD |
| LC Tribal 5-1D-58 | 2 | 050S | 080W | 4301351790 | Indian | OW | APD |
| LC TRIBAL 12-31D-56 | 31 | 050S | 060W | 4301351799 | Indian | OW | APD |
| LC TRIBAL 8-20D-56 | 20 | 050S | 060W | 4301351800 | Indian | OW | APD |
| LC TRIBAL 6-31D-56 | 31 | 050S | 060W | 4301351801 | Indian | OW | APD |
| LC Tribal 11-7D-57 | 7 | 050S | 070W | 4301351814 | Indian | OW | APD |
| LC Tribal 5-7D-57 | 7 | 050S | 070W | 4301351815 | Indian | OW | APD |
| LC Fee 15-6D-57 | 6 | 050S | 070W | 4301351816 | Fee | OW | APD |
| LC Tribal 11-6D-57 | 6 | 050S | 070W | 4301351817 | Indian | OW | APD |
| LC TRIBAL 9-27-56 | 27 | 050S | 060W | 4301351822 | Indian | OW | APD |
| LC TRIBAL 7-27D-56 | 27 | 050S | 060W | 4301351823 | Indian | OW | APD |

Berry Petroleum Company, LLC N4075) to Linn Operating, Inc. (N4115)
Effective June 1, 2014

| | | | | | | | |
|---------------------|----|------|------|------------|---------|----|-----|
| LC Fee 7-31D-45 | 31 | 040S | 050W | 4301351857 | Fee | OW | APD |
| LC Tribal 5-31D-45 | 31 | 040S | 050W | 4301351858 | Indian | OW | APD |
| LC Tribal 8-33-45 | 33 | 040S | 050W | 4301351859 | Indian | OW | APD |
| LC Tribal 16-31-45 | 31 | 040S | 050W | 4301351863 | Indian | OW | APD |
| LC Tribal 7-23D-45 | 23 | 040S | 050W | 4301351865 | Indian | OW | APD |
| LC Tribal 1-23D-56 | 23 | 050S | 060W | 4301351866 | Indian | OW | APD |
| LC TRIBAL 1-19-56 | 19 | 050S | 060W | 4301351867 | Indian | OW | APD |
| LC TRIBAL 7-19D-56 | 19 | 050S | 060W | 4301351868 | Indian | OW | APD |
| LC TRIBAL 9-4D-56 | 4 | 050S | 060W | 4301351869 | Indian | OW | APD |
| LC Tribal 14-32D-45 | 32 | 040S | 050W | 4301351879 | Indian | OW | APD |
| LC TRIBAL 7-17D-56 | 17 | 050S | 060W | 4301351886 | Indian | OW | APD |
| LC TRIBAL 5-17D-56 | 17 | 050S | 060W | 4301351887 | Indian | OW | APD |
| LC FEE 4-32D-45 | 31 | 040S | 050W | 4301351892 | Fee | OW | APD |
| LC TRIBAL 9-2D-56 | 2 | 050S | 060W | 4301351893 | Indian | OW | APD |
| LC TRIBAL 1-2D-56 | 2 | 050S | 060W | 4301351894 | Indian | OW | APD |
| LC Tribal 15-23D-45 | 23 | 040S | 050W | 4301351895 | Indian | OW | APD |
| LC TRIBAL 11-34D-56 | 34 | 050S | 060W | 4301351900 | Indian | OW | APD |
| LC TRIBAL 9-5D-56 | 4 | 050S | 060W | 4301351901 | Indian | OW | APD |
| LC Tribal 10-28D-45 | 28 | 040S | 050W | 4301351903 | Indian | OW | APD |
| LC TRIBAL 13-20D-56 | 20 | 050S | 060W | 4301351904 | Indian | OW | APD |
| Ute Tribal 14-17-55 | 17 | 050S | 050W | 4301351908 | Indian | OW | APD |
| LC Tribal 3-27D-45 | 27 | 040S | 050W | 4301351911 | Indian | OW | APD |
| LC TRIBAL 9-34D-56 | 34 | 050S | 060W | 4301351914 | Indian | OW | APD |
| CC Fee 8R-9-37 | 9 | 030S | 070W | 4301351937 | Fee | OW | APD |
| LC Tribal 10-33D-45 | 33 | 040S | 050W | 4301351939 | Indian | OW | APD |
| LC Tribal 14-33D-45 | 33 | 040S | 050W | 4301351940 | Indian | OW | APD |
| LC Tribal 10-27D-45 | 27 | 040S | 050W | 4301351941 | Indian | OW | APD |
| LC Tribal 14-27D-45 | 27 | 040S | 050W | 4301351951 | Indian | OW | APD |
| LC Tribal 6-33D-45 | 33 | 040S | 050W | 4301351955 | Indian | OW | APD |
| LC Tribal 6-32D-45 | 32 | 040S | 050W | 4301351956 | Indian | OW | APD |
| Federal 3-11D-65 | 11 | 060S | 050W | 4301351982 | Federal | OW | APD |
| Federal 2-4-64 | 4 | 060S | 040W | 4301351983 | Federal | OW | APD |
| Federal 5-11D-65 | 11 | 060S | 050W | 4301351984 | Federal | OW | APD |
| Federal 7-4D-64 | 4 | 060S | 040W | 4301351985 | Federal | OW | APD |
| Federal 3-4D-64 | 4 | 060S | 040W | 4301351986 | Federal | OW | APD |
| Federal 8-4D-64 | 4 | 060S | 040W | 4301351988 | Federal | OW | APD |
| Federal 6-4D-64 | 4 | 060S | 040W | 4301351989 | Federal | OW | APD |
| Federal 7-9D-64 | 9 | 060S | 040W | 4301351990 | Federal | OW | APD |
| Federal 4-4D-64 | 4 | 060S | 040W | 4301351991 | Federal | OW | APD |
| Federal 9-4D-64 | 4 | 060S | 040W | 4301352004 | Federal | OW | APD |
| Federal 10-4D-64 | 4 | 060S | 040W | 4301352011 | Federal | OW | APD |
| Federal 3-9D-64 | 9 | 060S | 040W | 4301352015 | Federal | OW | APD |
| Federal 1-9D-64 | 9 | 060S | 040W | 4301352020 | Federal | OW | APD |
| Federal 6-9-64 | 9 | 060S | 040W | 4301352021 | Federal | OW | APD |
| Federal 8-9D-64 | 9 | 060S | 040W | 4301352023 | Federal | OW | APD |
| Federal 1-4D-64 | 4 | 060S | 040W | 4301352025 | Federal | OW | APD |
| Federal 16-4D-64 | 4 | 060S | 040W | 4301352026 | Federal | OW | APD |
| LC Tribal 10-23D-45 | 23 | 040S | 050W | 4301352029 | Indian | OW | APD |
| Federal 15-4D-64 | 4 | 060S | 040W | 4301352032 | Federal | OW | APD |
| Federal 5-9D-64 | 9 | 060S | 040W | 4301352035 | Federal | OW | APD |
| Federal 9-9D-64 | 9 | 060S | 040W | 4301352036 | Federal | OW | APD |
| Federal 11-9D-64 | 9 | 060S | 040W | 4301352037 | Federal | OW | APD |
| Federal 12-9D-64 | 9 | 060S | 040W | 4301352038 | Federal | OW | APD |
| Federal 13-9D-64 | 9 | 060S | 040W | 4301352039 | Federal | OW | APD |
| FEDERAL 14-9D-64 | 9 | 060S | 040W | 4301352040 | Federal | OW | APD |
| Federal 10-9D-64 | 9 | 060S | 040W | 4301352041 | Federal | OW | APD |
| Federal 2-9D-64 | 9 | 060S | 040W | 4301352042 | Federal | OW | APD |
| Federal 15-9D-64 | 9 | 060S | 040W | 4301352043 | Federal | OW | APD |
| Federal 16-9D-64 | 9 | 060S | 040W | 4301352044 | Federal | OW | APD |
| LC Tribal 10-32D-45 | 32 | 040S | 050W | 4301352065 | Indian | OW | APD |
| LC Tribal 16-28D-45 | 28 | 040S | 050W | 4301352073 | Indian | OW | APD |
| LC Tribal 15-24D-45 | 24 | 040S | 050W | 4301352074 | Indian | OW | APD |
| LC Tribal 13-17D-56 | 17 | 050S | 060W | 4301352076 | Indian | OW | APD |
| LC Tribal 15-17D-56 | 17 | 050S | 060W | 4301352077 | Indian | OW | APD |
| LC Tribal 5-26D-56 | 26 | 050S | 060W | 4301352097 | Indian | OW | APD |
| LC Tribal 11-26D-56 | 26 | 050S | 060W | 4301352098 | Indian | OW | APD |

Berry Petroleum Company, LLC N4075) to Linn Operating, Inc. (N4115)
Effective June 1, 2014

| | | | | | | | | |
|------------------------|----|------|------|------------|---------|----|-----|-----------------|
| LC Tribal 13-26D-56 | 26 | 050S | 060W | 4301352099 | Indian | OW | APD | |
| LC Tribal 2-27D-45 | 27 | 040S | 050W | 4301352100 | Indian | OW | APD | |
| LC Tribal 8-27D-45 | 27 | 040S | 050W | 4301352101 | Indian | OW | APD | |
| LC Tribal 4-9D-56 | 9 | 050S | 060W | 4301352102 | Indian | OW | APD | |
| LC Tribal 8-32D-45 | 32 | 040S | 050W | 4301352135 | Indian | OW | APD | |
| UTE Tribal 15-24D-54 | 24 | 050S | 040W | 4301352156 | Indian | GW | APD | |
| UTE Tribal 9-24D-54 | 24 | 050S | 040W | 4301352157 | Indian | GW | APD | |
| UTE Tribal 1-25D-54 | 25 | 050S | 040W | 4301352173 | Indian | GW | APD | |
| UTE Tribal 9-25D-54 | 25 | 050S | 040W | 4301352177 | Indian | GW | APD | |
| Myrin Tribal 9-10D-55 | 10 | 050S | 050W | 4301352189 | Indian | OW | APD | |
| Myrin Tribal 16-10D-55 | 10 | 050S | 050W | 4301352190 | Indian | OW | APD | |
| Myrin Tribal 10-10D-55 | 10 | 050S | 050W | 4301352191 | Indian | OW | APD | |
| UTE Tribal 1-24D-54 | 24 | 050S | 040W | 4301352304 | Indian | GW | APD | |
| UTE Tribal 7-24D-54 | 24 | 050S | 040W | 4301352306 | Indian | GW | APD | |
| UTE Tribal 12-25D-54 | 25 | 050S | 040W | 4301352308 | Indian | GW | APD | |
| UTE Tribal 4-13D-54 | 13 | 050S | 040W | 4301352321 | Indian | GW | APD | |
| UTE Tribal 13-25D-54 | 25 | 050S | 040W | 4301352322 | Indian | GW | APD | |
| Abbott Fee 1-6D-54 | 6 | 050S | 040W | 4301352324 | Fee | OW | APD | |
| Abbott Fee 7-6D-54 | 6 | 050S | 040W | 4301352327 | Fee | OW | APD | |
| UTE Tribal 3-24D-54 | 24 | 050S | 040W | 4301352347 | Indian | GW | APD | |
| UTE Tribal 5-24D-54 | 24 | 050S | 040W | 4301352348 | Indian | GW | APD | |
| State Tribal 7-12D-55 | 12 | 050S | 050W | 4301352369 | Indian | OW | APD | |
| State Tribal 14-1D-55 | 1 | 050S | 050W | 4301352372 | Indian | OW | APD | |
| State Tribal 11-1D-55 | 1 | 050S | 050W | 4301352373 | Indian | OW | APD | |
| State Tribal 13-1D-55 | 1 | 050S | 050W | 4301352374 | Indian | OW | APD | |
| State Tribal 12-2D-55 | 2 | 050S | 050W | 4301352391 | Indian | OW | APD | |
| State Tribal 14-2D-55 | 2 | 050S | 050W | 4301352392 | Indian | OW | APD | |
| State Tribal 13-2D-55 | 2 | 050S | 050W | 4301352393 | Indian | OW | APD | |
| State Tribal 14-3D-55 | 3 | 050S | 050W | 4301352430 | Indian | OW | APD | |
| State Tribal 11-3D-55 | 3 | 050S | 050W | 4301352434 | Indian | OW | APD | |
| State Tribal 13-3D-55 | 3 | 050S | 050W | 4301352435 | Indian | OW | APD | |
| UTE TRIBAL 2-5D-55 | 5 | 050S | 050W | 4301352450 | Indian | OW | APD | |
| Ute Tribal 1-5D-55 | 5 | 050S | 050W | 4301352456 | Indian | OW | APD | BRUNDAGE CANYON |
| Ute Tribal 7-5-55 | 5 | 050S | 050W | 4301352459 | Indian | OW | APD | |
| Ute Tribal 3-16D-54 | 9 | 050S | 040W | 4301352467 | Indian | OW | APD | |
| State Tribal 1-3D-55 | 3 | 050S | 050W | 4301352471 | Indian | OW | APD | |
| State Tribal 2-3D-55 | 3 | 050S | 050W | 4301352472 | Indian | OW | APD | |
| State Tribal 7-3D-55 | 3 | 050S | 050W | 4301352473 | Indian | OW | APD | |
| State Tribal 8-3D-55 | 3 | 050S | 050W | 4301352474 | Indian | OW | APD | |
| UTE FEE 10-9D-54 | 9 | 050S | 040W | 4301352475 | Fee | OW | APD | |
| UTE FEE 12-9D-54 | 9 | 050S | 040W | 4301352476 | Fee | OW | APD | |
| UTE FEE 16-9D-54 | 9 | 050S | 040W | 4301352478 | Fee | OW | APD | |
| Ute Tribal 2-16D-54 | 9 | 050S | 040W | 4301352481 | Indian | OW | APD | |
| Federal 14-6D-65 | 6 | 060S | 050W | 4301352495 | Federal | OW | APD | |
| Federal 13-6D-65 | 6 | 060S | 050W | 4301352496 | Federal | OW | APD | |
| Federal 11-6D-65 | 6 | 060S | 050W | 4301352497 | Federal | OW | APD | |
| Federal 10-6D-65 | 6 | 060S | 050W | 4301352498 | Federal | OW | APD | |
| State Tribal 3-3D-55 | 3 | 050S | 050W | 4301352532 | Indian | OW | APD | |
| State Tribal 4-3D-55 | 3 | 050S | 050W | 4301352533 | Indian | OW | APD | |
| State Tribal 5-3D-55 | 3 | 050S | 050W | 4301352535 | Indian | OW | APD | |
| State Tribal 6-3D-55 | 3 | 050S | 050W | 4301352536 | Indian | OW | APD | |
| Federal 2-7D-65 | 7 | 060S | 050W | 4301352537 | Federal | OW | APD | |
| Federal 5-7D-65 | 7 | 060S | 050W | 4301352538 | Federal | OW | APD | |
| Federal 4-7D-65 | 7 | 060S | 050W | 4301352541 | Federal | OW | APD | |
| UTE FEE 11-9D-54 | 9 | 050S | 040W | 4301352544 | Fee | OW | APD | |
| UTE TRIBAL 15-12D-55 | 12 | 050S | 050W | 4301352549 | Indian | OW | APD | |
| UTE TRIBAL 6-5D-55 | 5 | 050S | 050W | 4301352556 | Indian | OW | APD | |
| UTE TRIBAL 5-5D-55 | 5 | 050S | 050W | 4301352557 | Indian | OW | APD | |
| UTE TRIBAL 4-5D-55 | 5 | 050S | 050W | 4301352558 | Indian | OW | APD | |
| UTE TRIBAL 3-5D-55 | 5 | 050S | 050W | 4301352559 | Indian | OW | APD | |
| Federal 3-7-65 | 7 | 060S | 050W | 4301352560 | Federal | OW | APD | |
| Ute Tribal 9-11D-55 | 11 | 050S | 050W | 4301352564 | Indian | OW | APD | |
| UTE TRIBAL 10-11D-55 | 11 | 050S | 050W | 4301352566 | Indian | OW | APD | |
| UTE TRIBAL 15-11D-55 | 11 | 050S | 050W | 4301352567 | Indian | OW | APD | |
| Federal 1-7D-65 | 6 | 060S | 050W | 4301352589 | Federal | OW | APD | |
| Federal 16-6D-65 | 6 | 060S | 050W | 4301352590 | Federal | OW | APD | |

Berry Petroleum Company, LLC N4075) to Linn Operating, Inc. (N4115)
Effective June 1, 2014

| | | | | | | | |
|-----------------------|----|------|------|------------|---------|----|-----|
| Federal 15-6D-65 | 6 | 060S | 050W | 4301352591 | Federal | OW | APD |
| UTE TRIBAL 14-12D-55 | 12 | 050S | 050W | 4301352592 | Indian | OW | APD |
| UTE TRIBAL 13-12D-55 | 12 | 050S | 050W | 4301352593 | Indian | OW | APD |
| UTE TRIBAL 10-11D-54 | 11 | 050S | 040W | 4301352603 | Indian | OW | APD |
| UTE TRIBAL 9-11D-54 | 11 | 050S | 040W | 4301352604 | Indian | OW | APD |
| UTE TRIBAL 15-11-54 | 11 | 050S | 040W | 4301352605 | Indian | OW | APD |
| UTE TRIBAL 16-11D-54 | 11 | 050S | 040W | 4301352606 | Indian | OW | APD |
| UTE TRIBAL 14-11D-55 | 11 | 050S | 050W | 4301352610 | Indian | OW | APD |
| UTE TRIBAL 13-11D-55 | 11 | 050S | 050W | 4301352611 | Indian | OW | APD |
| UTE TRIBAL 12-11D-55 | 11 | 050S | 050W | 4301352612 | Indian | OW | APD |
| UTE TRIBAL 11-11D-55 | 11 | 050S | 050W | 4301352613 | Indian | OW | APD |
| Federal 6-7D-65 | 7 | 060S | 050W | 4301352682 | Federal | OW | APD |
| Federal 11-7D-65 | 7 | 060S | 050W | 4301352683 | Federal | OW | APD |
| Federal 10-7D-65 | 7 | 060S | 050W | 4301352684 | Federal | OW | APD |
| Federal 7-7D-65 | 7 | 060S | 050W | 4301352685 | Federal | OW | APD |
| UTE TRIBAL 14-30D-55 | 30 | 050S | 050W | 4301352687 | Indian | OW | APD |
| UTE TRIBAL 13-30D-55 | 30 | 050S | 050W | 4301352688 | Indian | OW | APD |
| UTE TRIBAL 12-30D-55 | 30 | 050S | 050W | 4301352689 | Indian | OW | APD |
| UTE TRIBAL 11-30D-55 | 30 | 050S | 050W | 4301352690 | Indian | OW | APD |
| UTE TRIBAL 7-17D-55 | 17 | 050S | 050W | 4301352691 | Indian | OW | APD |
| UTE TRIBAL 6-17D-55 | 17 | 050S | 050W | 4301352692 | Indian | OW | APD |
| UTE TRIBAL 3-17D-55 | 17 | 050S | 050W | 4301352693 | Indian | OW | APD |
| UTE TRIBAL 2-17D-55 | 17 | 050S | 050W | 4301352694 | Indian | OW | APD |
| UTE TRIBAL 4-17D-55 | 17 | 050S | 050W | 4301352695 | Indian | OW | APD |
| State Tribal 3-12D-55 | 12 | 050S | 050W | 4301352697 | Indian | OW | APD |
| State Tribal 4-12D-55 | 12 | 050S | 050W | 4301352698 | Indian | OW | APD |
| UTE TRIBAL 12-31D-55 | 31 | 050S | 050W | 4301352699 | Indian | OW | APD |
| UTE TRIBAL 13-31D-55 | 31 | 050S | 050W | 4301352700 | Indian | OW | APD |
| UTE TRIBAL 14-31D-55 | 31 | 050S | 050W | 4301352701 | Indian | OW | APD |
| UTE TRIBAL 14-13D-54 | 13 | 050S | 040W | 4301352702 | Indian | OW | APD |
| UTE TRIBAL 11-31-55 | 31 | 050S | 050W | 4301352703 | Indian | OW | APD |
| State Tribal 3-11D-55 | 11 | 050S | 050W | 4301352704 | Indian | OW | APD |
| State Tribal 4-11D-55 | 11 | 050S | 050W | 4301352705 | Indian | OW | APD |
| State Tribal 5-11D-55 | 11 | 050S | 050W | 4301352706 | Indian | OW | APD |
| State Tribal 6-11D-55 | 11 | 050S | 050W | 4301352707 | Indian | OW | APD |
| State Tribal 8-11D-55 | 11 | 050S | 050W | 4301352708 | Indian | OW | APD |
| State Tribal 7-11D-55 | 11 | 050S | 050W | 4301352709 | Indian | OW | APD |
| State Tribal 2-11D-55 | 11 | 050S | 050W | 4301352710 | Indian | OW | APD |
| State Tribal 1-11D-55 | 11 | 050S | 050W | 4301352711 | Indian | OW | APD |
| UTE TRIBAL 9-4D-55 | 4 | 050S | 050W | 4301352713 | Indian | OW | APD |
| State Tribal 2-10D-55 | 10 | 050S | 050W | 4301352714 | Indian | OW | APD |
| State Tribal 7-10D-55 | 10 | 050S | 050W | 4301352715 | Indian | OW | APD |
| State Tribal 8-10D-55 | 10 | 050S | 050W | 4301352716 | Indian | OW | APD |
| UTE TRIBAL 10-4D-55 | 4 | 050S | 050W | 4301352717 | Indian | OW | APD |
| UTE TRIBAL 15-4D-55 | 4 | 050S | 050W | 4301352718 | Indian | OW | APD |
| State Tribal 1-10D-55 | 10 | 050S | 050W | 4301352720 | Indian | OW | APD |
| UTE TRIBAL 16-4D-55 | 4 | 050S | 050W | 4301352721 | Indian | OW | APD |
| State Tribal 3-10D-55 | 10 | 050S | 050W | 4301352723 | Indian | OW | APD |
| State Tribal 4-10D-55 | 10 | 050S | 050W | 4301352724 | Indian | OW | APD |
| State Tribal 5-10D-55 | 10 | 050S | 050W | 4301352725 | Indian | OW | APD |
| State Tribal 6-10D-55 | 10 | 050S | 050W | 4301352726 | Indian | OW | APD |
| UTE TRIBAL 11-5D-55 | 5 | 050S | 050W | 4301352727 | Indian | OW | APD |
| UTE TRIBAL 12-5D-55 | 5 | 050S | 050W | 4301352728 | Indian | OW | APD |
| UTE TRIBAL 13-5D-55 | 5 | 050S | 050W | 4301352729 | Indian | OW | APD |
| UTE TRIBAL 14-5D-55 | 5 | 050S | 050W | 4301352730 | Indian | OW | APD |
| UTE TRIBAL 9-30D-55 | 30 | 050S | 050W | 4301352731 | Indian | OW | APD |
| State Tribal 15-2D-55 | 2 | 050S | 050W | 4301352732 | Indian | OW | APD |
| State Tribal 16-2D-55 | 2 | 050S | 050W | 4301352733 | Indian | OW | APD |
| State Tribal 10-2D-55 | 2 | 050S | 050W | 4301352734 | Indian | OW | APD |
| State Tribal 9-2D-55 | 2 | 050S | 050W | 4301352735 | Indian | OW | APD |
| UTE TRIBAL 10-30D-55 | 30 | 050S | 050W | 4301352736 | Indian | OW | APD |
| UTE TRIBAL 15-30D-55 | 30 | 050S | 050W | 4301352737 | Indian | OW | APD |
| UTE TRIBAL 16-30D-55 | 30 | 050S | 050W | 4301352738 | Indian | OW | APD |
| Myrin Tribal 9-19D-55 | 19 | 050S | 050W | 4301352739 | Indian | OW | APD |
| State Tribal 16-3D-55 | 3 | 050S | 050W | 4301352740 | Indian | OW | APD |
| State Tribal 15-3D-55 | 3 | 050S | 050W | 4301352741 | Indian | OW | APD |

Berry Petroleum Company, LLC N4075) to Linn Operating, Inc. (N4115)
Effective June 1, 2014

| | | | | | | | | | |
|------------------------|----|------|------|------------|-------|---------|----|-----|--|
| State Tribal 10-3D-55 | 3 | 050S | 050W | 4301352742 | | Indian | OW | APD | |
| State Tribal 9-3D-55 | 3 | 050S | 050W | 4301352743 | | Indian | OW | APD | |
| Myrin Tribal 15-19D-55 | 19 | 050S | 050W | 4301352744 | | Indian | OW | APD | |
| Myrin Tribal 13-19D-55 | 19 | 050S | 050W | 4301352745 | | Indian | OW | APD | |
| Myrin Tribal 12-19D-55 | 19 | 050S | 050W | 4301352746 | | Indian | OW | APD | |
| UTE TRIBAL 5-4D-55 | 4 | 050S | 050W | 4301352747 | | Indian | OW | APD | |
| UTE TRIBAL 4-4D-55 | 4 | 050S | 050W | 4301352748 | | Indian | OW | APD | |
| UTE TRIBAL 3-4D-55 | 4 | 050S | 050W | 4301352749 | | Indian | OW | APD | |
| UTE TRIBAL 6-4D-55 | 4 | 050S | 050W | 4301352754 | | Indian | OW | APD | |
| UTE TRIBAL 3-31D-55 | 31 | 050S | 050W | 4301352757 | | Indian | OW | APD | |
| UTE TRIBAL 5-31D-55 | 31 | 050S | 050W | 4301352758 | | Indian | OW | APD | |
| UTE TRIBAL 6-31D-55 | 31 | 050S | 050W | 4301352759 | | Indian | OW | APD | |
| UTE TRIBAL 7-31D-55 | 31 | 050S | 050W | 4301352764 | | Indian | OW | APD | |
| Myrin Tribal 11-19D-55 | 19 | 050S | 050W | 4301352765 | | Indian | OW | APD | |
| Federal 8-14D-65 | 14 | 060S | 050W | 4301352767 | | Federal | OW | APD | |
| Federal 7-14D-65 | 14 | 060S | 050W | 4301352768 | | Federal | OW | APD | |
| Federal 2-14D-65 | 14 | 060S | 050W | 4301352769 | | Federal | OW | APD | |
| Federal 1-14D-65 | 14 | 060S | 050W | 4301352770 | | Federal | OW | APD | |
| UTE TRIBAL 8-5D-55 | 5 | 050S | 050W | 4301352773 | | Indian | OW | APD | |
| UTE TRIBAL 4-31D-55 | 31 | 050S | 050W | 4301352795 | | Indian | OW | APD | |
| UTE TRIBAL 4-30D-55 | 30 | 050S | 050W | 4301352796 | | Indian | OW | APD | |
| UTE TRIBAL 5-30D-55 | 30 | 050S | 050W | 4301352797 | | Indian | OW | APD | |
| UTE TRIBAL 7-30D-55 | 30 | 050S | 050W | 4301352799 | | Indian | OW | APD | |
| Federal 1-13D-65 | 13 | 060S | 050W | 4301352800 | | Federal | OW | APD | |
| Federal 7-13D-65 | 13 | 060S | 050W | 4301352802 | | Federal | OW | APD | |
| UTE TRIBAL 1-30D-55 | 30 | 050S | 050W | 4301352809 | | Indian | OW | APD | |
| LC TRIBAL 6-25D-56 | 25 | 050S | 060W | 4301352810 | | Indian | OW | APD | |
| LC TRIBAL 4-25D-56 | 25 | 050S | 060W | 4301352812 | | Indian | OW | APD | |
| Federal 6-13D-65 | 13 | 060S | 050W | 4301352813 | | Federal | OW | APD | |
| Federal 4-13D-65 | 13 | 060S | 050W | 4301352814 | | Federal | OW | APD | |
| Federal 3-13D-65 | 13 | 060S | 050W | 4301352815 | | Federal | OW | APD | |
| Federal 3-16D-64 | 16 | 060S | 040W | 4301352823 | | Federal | OW | APD | |
| Federal 4-16D-64 | 16 | 060S | 040W | 4301352824 | | Federal | OW | APD | |
| Federal 5-16D-64 | 16 | 060S | 040W | 4301352825 | | Federal | OW | APD | |
| Federal 6-16D-64 | 16 | 060S | 040W | 4301352826 | | Federal | OW | APD | |
| Federal 5-13D-65 | 13 | 060S | 050W | 4301352827 | | Federal | OW | APD | |
| LC TRIBAL 1-25D-56 | 25 | 050S | 060W | 4301352835 | | Indian | OW | APD | |
| LC TRIBAL 2-25D-56 | 25 | 050S | 060W | 4301352836 | | Indian | OW | APD | |
| LC TRIBAL 8-25D-56 | 25 | 050S | 060W | 4301352837 | | Indian | OW | APD | |
| UTE FEE 1-13D-55 | 13 | 050S | 050W | 4301352838 | | Fee | OW | APD | |
| LC TRIBAL 9-25D-56 | 25 | 050S | 060W | 4301352840 | | Indian | OW | APD | |
| LC TRIBAL 15-25-56 | 25 | 050S | 060W | 4301352844 | | Indian | OW | APD | |
| Federal 9-5D-65 | 5 | 060S | 050W | 4301352846 | | Federal | OW | APD | |
| Federal 10-5D-65 | 5 | 060S | 050W | 4301352847 | | Federal | OW | APD | |
| LC TRIBAL 16-25D-56 | 25 | 050S | 060W | 4301352848 | | Indian | OW | APD | |
| LC TRIBAL 10-25D-56 | 25 | 050S | 060W | 4301352849 | | Indian | OW | APD | |
| UTE TRIBAL 8-30D-55 | 29 | 050S | 050W | 4301352855 | | Indian | OW | APD | |
| UTE TRIBAL 9-29D-55 | 29 | 050S | 050W | 4301352870 | | Indian | OW | APD | |
| UTE TRIBAL 6-24D-55 | 24 | 050S | 050W | 4301352871 | | Indian | OW | APD | |
| UTE TRIBAL 16-17D-55 | 17 | 050S | 050W | 4301352872 | | Indian | OW | APD | |
| UTE TRIBAL 13-27D-55 | 27 | 050S | 050W | 4301352882 | | Indian | OW | APD | |
| UTE TRIBAL 4-29D-55 | 29 | 050S | 050W | 4301352883 | | Indian | OW | APD | |
| UTE TRIBAL 1-29D-55 | 29 | 050S | 050W | 4301352884 | | Indian | OW | APD | |
| Federal 4-2D-65 | 2 | 060S | 050W | 4301352885 | | Federal | OW | APD | |
| Federal 5-2D-65 | 2 | 060S | 050W | 4301352886 | | Federal | OW | APD | |
| Federal 12-2D-65 | 2 | 060S | 050W | 4301352887 | | Federal | OW | APD | |
| LC TRIBAL 12-25D-56 | 25 | 050S | 060W | 4301352888 | | Indian | OW | APD | |
| LC TRIBAL 13-25D-56 | 25 | 050S | 060W | 4301352890 | | Indian | OW | APD | |
| LC TRIBAL 14-25D-56 | 25 | 050S | 060W | 4301352891 | | Indian | OW | APD | |
| Federal 15-3D-65 | 3 | 060S | 050W | 4301352892 | | Federal | OW | APD | |
| Federal 9-3D-65 | 3 | 060S | 050W | 4301352893 | | Federal | OW | APD | |
| Federal 8-3D-65 | 3 | 060S | 050W | 4301352894 | | Federal | OW | APD | |
| Federal 6-3D-65 | 3 | 060S | 050W | 4301352895 | | Federal | OW | APD | |
| UTE TRIBAL 6-28D-55 | 28 | 050S | 050W | 4301334056 | 18593 | Indian | OW | DRL | |
| MOON TRIBAL 9-27D-54 | 27 | 050S | 040W | 4301334108 | 19095 | Indian | OW | DRL | |
| LC TRIBAL 9-16D-56 | 16 | 050S | 060W | 4301350600 | 99999 | Indian | OW | DRL | |

Berry Petroleum Company, LLC N4075) to Linn Operating, Inc. (N4115)
Effective June 1, 2014

| | | | | | | | | | |
|-------------------------|----|------|------|------------|-------|---------|----|-----|--|
| FEDERAL 15-6D-64 | 6 | 060S | 040W | 4301351219 | 18793 | Federal | OW | DRL | |
| UTE TRIBAL 9-21D-55 | 21 | 050S | 050W | 4301351258 | 19401 | Indian | OW | DRL | |
| STATE TRIBAL 2-12D-55 | 12 | 050S | 050W | 4301351310 | 19444 | Indian | OW | DRL | |
| UTE TRIBAL 7-10D-54 | 10 | 050S | 040W | 4301351365 | 19391 | Indian | OW | DRL | |
| LC TRIBAL 9-26D-56 | 26 | 050S | 060W | 4301351381 | 19433 | Indian | OW | DRL | |
| UTE TRIBAL 8-17D-55 | 17 | 050S | 050W | 4301351413 | 19388 | Indian | OW | DRL | |
| LC TRIBAL 9-24D-45 | 24 | 040S | 050W | 4301351431 | 18861 | Indian | OW | DRL | |
| LC TRIBAL 2-29D-45 | 29 | 040S | 050W | 4301351705 | 99999 | Indian | OW | DRL | |
| LC TAYLOR FEE 14-22D-56 | 22 | 050S | 060W | 4301351744 | 19508 | Fee | OW | DRL | |
| LC FEE 14-6D-56 | 6 | 050S | 060W | 4301351787 | 18910 | Fee | OW | DRL | |
| LC FEE 15-6-56 | 6 | 050S | 060W | 4301351792 | 19334 | Fee | OW | DRL | |
| LC Fee 14-36D-56 | 36 | 050S | 060W | 4301351878 | 19376 | Fee | OW | DRL | |
| LC Fee 12-36-56 | 36 | 050S | 060W | 4301351883 | 19377 | Fee | OW | DRL | |
| LC Tribal 6-29D-45 | 29 | 040S | 050W | 4301351902 | 19402 | Indian | OW | DRL | |
| Federal 4-6D-65 | 6 | 060S | 050W | 4301352005 | 19173 | Federal | OW | DRL | |
| Federal 12-6D-65 | 6 | 060S | 050W | 4301352006 | 19174 | Federal | OW | DRL | |
| UTE Tribal 14-18D-54 | 18 | 050S | 040W | 4301352213 | 19509 | Indian | GW | DRL | |
| UTE Tribal 15-31D-55 | 31 | 050S | 050W | 4301352309 | 19472 | Indian | GW | DRL | |
| UTE Tribal 16-31D-55 | 31 | 050S | 050W | 4301352318 | 19473 | Indian | GW | DRL | |
| State Tribal 1-12D-55 | 12 | 050S | 050W | 4301352390 | 19445 | Indian | OW | DRL | |
| State Tribal 16-6D-54 | 6 | 050S | 040W | 4301352394 | 19424 | Indian | OW | DRL | |
| State Tribal 10-6D-54 | 6 | 050S | 040W | 4301352395 | 19425 | Indian | OW | DRL | |
| State Tribal 9-6D-54 | 6 | 050S | 040W | 4301352396 | 19426 | Indian | OW | DRL | |
| State Tribal 7-7D-54 | 7 | 050S | 040W | 4301352426 | 19496 | Indian | OW | DRL | |
| State Tribal 1-7D-54 | 7 | 050S | 040W | 4301352427 | 19497 | Indian | OW | DRL | |
| State Tribal 2-7D-54 | 7 | 050S | 040W | 4301352428 | 19498 | Indian | OW | DRL | |
| State Tribal 3-7D-54 | 7 | 050S | 040W | 4301352429 | 19517 | Indian | OW | DRL | |
| State Tribal 4-7D-54 | 7 | 050S | 040W | 4301352431 | 99999 | Indian | OW | DRL | |
| State Tribal 5-7D-54 | 7 | 050S | 040W | 4301352432 | 99999 | Indian | OW | DRL | |
| State Tribal 6-7D-54 | 7 | 050S | 040W | 4301352433 | 19518 | Indian | OW | DRL | |
| State Tribal 11-6D-54 | 6 | 050S | 040W | 4301352452 | 19474 | Indian | OW | DRL | |
| State Tribal 12-6D-54 | 6 | 050S | 040W | 4301352453 | 19475 | Indian | OW | DRL | |
| State Tribal 13-6D-54 | 6 | 050S | 040W | 4301352454 | 19476 | Indian | OW | DRL | |
| State Tribal 14-6D-54 | 6 | 050S | 040W | 4301352455 | 19477 | Indian | OW | DRL | |
| Ute Tribal 1-9D-54 | 9 | 050S | 040W | 4301352465 | 19356 | Indian | OW | DRL | |
| Ute Tribal 7-9D-54 | 9 | 050S | 040W | 4301352466 | 19357 | Indian | OW | DRL | |
| UTE TRIBAL 12-5D-54 | 5 | 050S | 040W | 4301352480 | 19499 | Indian | OW | DRL | |
| UTE TRIBAL 13-5D-54 | 5 | 050S | 040W | 4301352484 | 19500 | Indian | OW | DRL | |
| UTE TRIBAL 14-5D-54 | 5 | 050S | 040W | 4301352493 | 19510 | Indian | OW | DRL | |
| State Tribal 13-11D-54 | 10 | 050S | 040W | 4301352561 | 19519 | Indian | OW | DRL | |
| State Tribal 1-18D-54 | 18 | 050S | 040W | 4301352568 | 19434 | Indian | OW | DRL | |
| State Tribal 2-18D-54 | 18 | 050S | 040W | 4301352576 | 19427 | Indian | OW | DRL | |
| State Tribal 8-18D-54 | 18 | 050S | 040W | 4301352577 | 19428 | Indian | OW | DRL | |
| State Tribal 4-18D-54 | 18 | 050S | 040W | 4301352607 | 19435 | Indian | OW | DRL | |
| State Tribal 3-18D-54 | 18 | 050S | 040W | 4301352608 | 19436 | Indian | OW | DRL | |
| State Tribal 6-18D-54 | 18 | 050S | 040W | 4301352609 | 19437 | Indian | OW | DRL | |
| State Tribal 5-12-55 | 12 | 050S | 050W | 4301352643 | 19446 | Indian | OW | DRL | |
| State Tribal 12-12D-55 | 12 | 050S | 050W | 4301352644 | 19447 | Indian | OW | DRL | |
| State Tribal 6-12D-55 | 12 | 050S | 050W | 4301352645 | 19438 | Indian | OW | DRL | |
| State Tribal 16-1D-55 | 1 | 050S | 050W | 4301352646 | 19483 | Indian | OW | DRL | |
| State Tribal 15-1D-55 | 1 | 050S | 050W | 4301352647 | 19484 | Indian | OW | DRL | |
| State Tribal 10-1D-55 | 1 | 050S | 050W | 4301352648 | 19485 | Indian | OW | DRL | |
| State Tribal 9-1D-55 | 1 | 050S | 050W | 4301352649 | 19486 | Indian | OW | DRL | |
| LC FEE 16-15D-56 | 14 | 050S | 060W | 4301352655 | 19520 | Fee | OW | DRL | |
| LC Tribal 2-22D-56 | 22 | 050S | 060W | 4301352663 | 99999 | Indian | OW | DRL | |
| LC Tribal 3-22D-56 | 22 | 050S | 060W | 4301352664 | 99999 | Indian | OW | DRL | |
| Federal 2-13-65 | 13 | 060S | 050W | 4301352801 | 19501 | Federal | OW | DRL | |
| Federal 8-13D-65 | 13 | 060S | 050W | 4301352803 | 19502 | Federal | OW | DRL | |
| Federal 12-8D-64 | 7 | 060S | 040W | 4301352832 | 99999 | Federal | OW | DRL | |
| Federal 5-8D-64 | 7 | 060S | 040W | 4301352833 | 99999 | Federal | OW | DRL | |
| Federal 4-8D-64 | 7 | 060S | 040W | 4301352834 | 99999 | Federal | OW | DRL | |
| Federal 3-8D-64 | 5 | 060S | 040W | 4301352845 | 19503 | Federal | OW | DRL | |
| LC TRIBAL 4H-31-56 | 31 | 050S | 060W | 4301351738 | | Indian | OW | NEW | |
| Federal 14-7D-65 | 31 | 050S | 060W | 4301351910 | | Indian | OW | NEW | |
| LC Fee 11-22-57 | 22 | 050S | 070W | 4301352127 | | Fee | OW | NEW | |
| LC Fee 13-22D-57 | 22 | 050S | 070W | 4301352131 | | Fee | OW | NEW | |

Berry Petroleum Company, LLC N4075) to Linn Operating, Inc. (N4115)
Effective June 1, 2014

| | | | | | | | | | |
|-----------------------------|----|------|------|------------|-------|---------|----|-----|--|
| LC Tribal 5-22D-57 | 22 | 050S | 070W | 4301352133 | | Indian | OW | NEW | |
| LC Tribal 15-22D-57 | 22 | 050S | 070W | 4301352134 | | Indian | OW | NEW | |
| LC Tribal 11-18D-56 | 18 | 050S | 060W | 4301352140 | | Indian | OW | NEW | |
| LC Tribal 13-18D-56 | 18 | 050S | 060W | 4301352141 | | Indian | OW | NEW | |
| LC Tribal 15-18D-56 | 18 | 050S | 060W | 4301352142 | | Indian | OW | NEW | |
| LC Tribal 7-18D-56 | 18 | 050S | 060W | 4301352153 | | Indian | OW | NEW | |
| LC Tribal 5-18D-56 | 18 | 050S | 060W | 4301352154 | | Indian | OW | NEW | |
| LC Tribal 3-18-56 | 18 | 050S | 060W | 4301352155 | | Indian | OW | NEW | |
| LC Tribal 6-19D-56 | 19 | 050S | 060W | 4301352247 | | Indian | OW | NEW | |
| LC Tribal 4-19D-56 | 19 | 050S | 060W | 4301352248 | | Indian | OW | NEW | |
| Abbott Fee 3-6D-54 | 6 | 050S | 040W | 4301352325 | | Fee | OW | NEW | |
| LC Fee 9-11D-56 | 11 | 050S | 060W | 4301352479 | | Fee | OW | NEW | |
| Williams Tribal 8-4D-54 | 4 | 050S | 040W | 4301352650 | | Indian | OW | NEW | |
| Williams Tribal 7-4D-54 | 4 | 050S | 040W | 4301352651 | | Indian | OW | NEW | |
| Williams Tribal 2-4D-54 | 4 | 050S | 040W | 4301352652 | | Indian | OW | NEW | |
| Williams Tribal 1-4D-54 | 4 | 050S | 040W | 4301352653 | | Indian | OW | NEW | |
| Federal 9-8D-64 | 9 | 060S | 040W | 4301352880 | | Federal | OW | NEW | |
| Federal 16-8D-64 | 9 | 060S | 040W | 4301352881 | | Federal | OW | NEW | |
| LC Nielsen Tribal 6-33D-56 | 33 | 050S | 060W | 4301352896 | | Indian | OW | NEW | |
| LC Nielsen Tribal 2-33D-56 | 33 | 050S | 060W | 4301352897 | | Indian | OW | NEW | |
| LC Nielsen Tribal 4-33D-56 | 33 | 050S | 060W | 4301352898 | | Indian | OW | NEW | |
| LC Nielsen Tribal 5-33D-56 | 33 | 050S | 060W | 4301352899 | | Indian | OW | NEW | |
| UTE FEE 13-9D-54 | 9 | 050S | 040W | 4301352906 | | Fee | OW | NEW | |
| UTE FEE 2-34D-55 | 27 | 050S | 050W | 4301352971 | | Fee | OW | NEW | |
| Federal 13-7D-65 | 7 | 060S | 050W | 4301352974 | | Federal | OW | NEW | |
| Federal 14-7D-65 | 7 | 060S | 050W | 4301352975 | | Federal | OW | NEW | |
| UTE TRIBAL 6-27D-55 | 27 | 050S | 050W | 4301352976 | | Indian | OW | NEW | |
| LC Nielsen Tribal 12-27D-56 | 27 | 050S | 060W | 4301352977 | | Indian | OW | NEW | |
| LC Nielsen Tribal 13-27D-56 | 27 | 050S | 060W | 4301352978 | | Indian | OW | NEW | |
| LC Nielsen Tribal 16-28D-56 | 27 | 050S | 060W | 4301352979 | | Indian | OW | NEW | |
| LC Nielsen Fee 9-28D-56 | 27 | 050S | 060W | 4301352980 | | Fee | OW | NEW | |
| LC FEE 9-36D-56 | 36 | 050S | 060W | 4301352982 | | Fee | OW | NEW | |
| LC FEE 15-36D-56 | 36 | 050S | 060W | 4301352983 | | Fee | OW | NEW | |
| LC TRIBAL 6-36D-56 | 36 | 050S | 060W | 4301352984 | | Indian | OW | NEW | |
| LC TRIBAL 5-36D-56 | 36 | 050S | 060W | 4301352985 | | Indian | OW | NEW | |
| LC TRIBAL 4-36D-56 | 36 | 050S | 060W | 4301352986 | | Indian | OW | NEW | |
| LC TRIBAL 3-36D-56 | 36 | 050S | 060W | 4301352987 | | Indian | OW | NEW | |
| LC TRIBAL 2-35D-56 | 35 | 050S | 060W | 4301352988 | | Indian | OW | NEW | |
| LC TRIBAL 1-35D-56 | 35 | 050S | 060W | 4301352989 | | Indian | OW | NEW | |
| UTE TRIBAL 13-3R-54 | 3 | 050S | 040W | 4301330924 | 9488 | Indian | OW | OPS | |
| UTE TRIBAL 3-20D-55 | 20 | 050S | 050W | 4301333280 | 18424 | Indian | OW | OPS | |
| LC TRIBAL 4H-17-56 | 17 | 050S | 060W | 4301333540 | 18067 | Indian | OW | OPS | |
| LC TRIBAL 16-21-46 | 21 | 040S | 060W | 4301333575 | 16156 | Indian | OW | OPS | |
| UTE TRIBAL 8-20D-55 | 20 | 050S | 050W | 4301333676 | 17308 | Indian | OW | OPS | |
| UTE TRIBAL 14-14D-55 | 14 | 050S | 050W | 4301333699 | 18409 | Indian | OW | OPS | |
| UTE TRIBAL 5-29D-55 | 29 | 050S | 050W | 4301333740 | 17306 | Indian | OW | OPS | |
| UTE TRIBAL 7-32D-55 | 32 | 050S | 050W | 4301333794 | 18359 | Indian | OW | OPS | |
| UTE TRIBAL 12-27D-55 | 27 | 050S | 050W | 4301333798 | 18360 | Indian | OW | OPS | |
| FOY 9-33D-55 | 33 | 050S | 050W | 4301333802 | 17125 | Fee | OW | OPS | |
| BERRY TRIBAL 2-23D-54 | 23 | 050S | 040W | 4301333805 | 18546 | Indian | OW | OPS | |
| UTE TRIBAL 13-29D-55 | 29 | 050S | 050W | 4301333807 | 18378 | Indian | OW | OPS | |
| UTE TRIBAL 16-28D-55 | 28 | 050S | 050W | 4301333887 | 18594 | Indian | OW | OPS | |
| LC FEE 8-15D-56 | 15 | 050S | 060W | 4301350597 | 19347 | Fee | OW | OPS | |
| SFW FEE 13-10D-54 | 10 | 050S | 040W | 4301350892 | 19186 | Fee | OW | OPS | |
| SFW TRIBAL 11-10D-54 | 10 | 050S | 040W | 4301350893 | 19215 | Indian | OW | OPS | |
| LC TRIBAL 5HH-5-56 | 4 | 050S | 060W | 4301350927 | 18463 | Indian | OW | OPS | |
| LC TRIBAL 16-34D-45 | 34 | 040S | 050W | 4301350977 | 18658 | Indian | OW | OPS | |
| LC TRIBAL 3-4D-56 | 4 | 050S | 060W | 4301351000 | 18852 | Indian | OW | OPS | |
| FEDERAL 7-12D-65 | 12 | 060S | 050W | 4301351058 | 18717 | Federal | OW | OPS | |
| LC TRIBAL 2-33D-45 | 33 | 040S | 050W | 4301351402 | 18854 | Indian | OW | OPS | |
| LC TRIBAL 9-3D-56 | 3 | 050S | 060W | 4301351514 | 18948 | Indian | OW | OPS | |
| LC Tribal 3-34D-56 | 34 | 050S | 060W | 4301352087 | 19234 | Indian | OW | OPS | |
| LC Tribal 7-34D-56 | 34 | 050S | 060W | 4301352088 | 19235 | Indian | OW | OPS | |
| Ute Tribal 5-9D-54 | 9 | 050S | 040W | 4301352463 | 19354 | Indian | OW | OPS | |
| Ute Tribal 3-9D-54 | 9 | 050S | 040W | 4301352464 | 19355 | Indian | OW | OPS | |
| BC UTE TRIBAL 4-22 | 22 | 050S | 040W | 4301330755 | 2620 | Indian | OW | P | |

Berry Petroleum Company, LLC N4075) to Linn Operating, Inc. (N4115)
Effective June 1, 2014

| | | | | | | | | | |
|------------------------------------|----|------|------|------------|-------|--------|----|---|-----------------|
| B C UTE TRIBAL 16-16 | 16 | 050S | 040W | 4301330841 | 9489 | Indian | OW | P | |
| B C UTE TRIBAL 14-15 | 15 | 050S | 040W | 4301330842 | 9440 | Indian | OW | P | |
| UTE TRIBAL 1-32R | 32 | 050S | 040W | 4301330872 | 13020 | Indian | OW | P | |
| UTE TRIBAL 23-3R | 23 | 050S | 040W | 4301330886 | 13034 | Indian | OW | P | |
| S COTTONWOOD RIDGE UTE TRIBAL 1-19 | 19 | 050S | 040W | 4301330933 | 9845 | Indian | OW | P | BRUNDAGE CANYON |
| TABBY CYN UTE TRIBAL 1-25 | 25 | 050S | 050W | 4301330945 | 9722 | Indian | OW | P | |
| S BRUNDAGE UTE TRIBAL 1-30 | 30 | 050S | 040W | 4301330948 | 9850 | Indian | OW | P | |
| SOWERS CYN UTE TRIBAL 3-26 | 26 | 050S | 050W | 4301330955 | 10423 | Indian | OW | P | |
| UTE TRIBAL 3-24R-55 (REENTRY) | 24 | 050S | 050W | 4301330960 | 15173 | Indian | OW | P | |
| UTE TRIBAL 1-20 | 20 | 050S | 040W | 4301330966 | 9925 | Indian | OW | P | |
| T C UTE TRIBAL 9-23X | 23 | 050S | 050W | 4301330999 | 9720 | Indian | OW | P | |
| UTE TRIBAL 15-24R | 24 | 050S | 050W | 4301331129 | 11985 | Indian | OW | P | |
| S BRUNDAGE CYN UTE TRIBAL 4-27 | 27 | 050S | 040W | 4301331131 | 9851 | Indian | OW | P | |
| UTE TRIBAL 5-13 | 13 | 050S | 050W | 4301331152 | 10421 | Indian | OW | P | |
| UTE TRIBAL 7-20R-54 | 20 | 050S | 040W | 4301331281 | 14088 | Indian | OW | P | |
| Z and T UTE TRIBAL 7-19 | 19 | 050S | 040W | 4301331282 | 11131 | Indian | OW | P | BRUNDAGE CANYON |
| UTE TRIBAL 13-19 | 19 | 050S | 040W | 4301331284 | 11134 | Indian | OW | P | |
| Z and T UTE TRIBAL 7-25 | 25 | 050S | 050W | 4301331310 | 11416 | Indian | OW | P | |
| UTE TRIBAL 13-17 | 17 | 050S | 040W | 4301331546 | 11921 | Indian | OW | P | BRUNDAGE CANYON |
| UTE TRIBAL 11-19 | 19 | 050S | 040W | 4301331547 | 11920 | Indian | OW | P | |
| UTE TRIBAL 13-22 | 22 | 050S | 040W | 4301331548 | 11926 | Indian | OW | P | |
| UTE TRIBAL 1-28 | 28 | 050S | 040W | 4301331549 | 11925 | Indian | OW | P | |
| UTE TRIBAL 4-30 | 30 | 050S | 040W | 4301331550 | 11914 | Indian | OW | P | |
| UTE TRIBAL 15-16 | 16 | 050S | 040W | 4301331648 | 11951 | Indian | OW | P | |
| UTE TRIBAL 16-18 | 18 | 050S | 040W | 4301331650 | 11946 | Indian | OW | P | BRUNDAGE CANYON |
| UTE TRIBAL 5-20 | 20 | 050S | 040W | 4301331651 | 11957 | Indian | OW | P | |
| UTE TRIBAL 15-23 | 23 | 050S | 050W | 4301331671 | 11989 | Indian | OW | P | |
| TABBY CANYON 1-21 | 21 | 050S | 050W | 4301331699 | 12225 | Indian | OW | P | |
| TABBY CANYON 8-22 | 22 | 050S | 050W | 4301331700 | 12008 | Indian | OW | P | |
| SOWERS CANYON 9-27 | 27 | 050S | 050W | 4301331701 | 11997 | Indian | OW | P | |
| UTE TRIBAL 3-19 | 19 | 050S | 040W | 4301331830 | 12197 | Indian | OW | P | |
| UTE TRIBAL 9-19 | 19 | 050S | 040W | 4301331831 | 12175 | Indian | OW | P | |
| UTE TRIBAL 15-19 | 19 | 050S | 040W | 4301331832 | 12180 | Indian | OW | P | |
| UTE TRIBAL 2-25 | 25 | 050S | 050W | 4301331833 | 12153 | Indian | OW | P | |
| UTE TRIBAL 3-25 | 25 | 050S | 050W | 4301331834 | 12152 | Indian | OW | P | |
| UTE TRIBAL 11-24 | 24 | 050S | 050W | 4301331909 | 12190 | Indian | OW | P | |
| UTE TRIBAL 13-24 | 24 | 050S | 050W | 4301331910 | 12217 | Indian | OW | P | |
| UTE TRIBAL 11-25 | 25 | 050S | 050W | 4301331911 | 12182 | Indian | OW | P | |
| UTE TRIBAL 1-26 | 26 | 050S | 050W | 4301331912 | 12235 | Indian | OW | P | |
| UTE TRIBAL 2-19 | 19 | 050S | 040W | 4301332140 | 12795 | Indian | OW | P | BRUNDAGE CANYON |
| UTE TRIBAL 6-25H | 25 | 050S | 050W | 4301332143 | 12750 | Indian | OW | P | |
| UTE TRIBAL 9-18 | 18 | 050S | 040W | 4301332144 | 12746 | Indian | OW | P | BRUNDAGE CANYON |
| UTE TRIBAL 11-17 | 17 | 050S | 040W | 4301332145 | 12747 | Indian | OW | P | BRUNDAGE CANYON |
| UTE TRIBAL 12-17 | 17 | 050S | 040W | 4301332146 | 12745 | Indian | OW | P | BRUNDAGE CANYON |
| UTE TRIBAL 14-17 | 17 | 050S | 040W | 4301332147 | 12755 | Indian | OW | P | BRUNDAGE CANYON |
| UTE TRIBAL 15-18 | 18 | 050S | 040W | 4301332148 | 12794 | Indian | OW | P | BRUNDAGE CANYON |
| UTE TRIBAL 6-22 | 22 | 050S | 040W | 4301332163 | 12974 | Indian | OW | P | |
| UTE TRIBAL 6-21 | 21 | 050S | 040W | 4301332164 | 12994 | Indian | OW | P | |
| UTE TRIBAL 7-28 | 28 | 050S | 040W | 4301332166 | 12995 | Indian | OW | P | |
| UTE TRIBAL 11-20 | 20 | 050S | 040W | 4301332168 | 12946 | Indian | OW | P | |
| UTE TRIBAL 13-25 | 25 | 050S | 050W | 4301332169 | 12857 | Indian | OW | P | |
| UTE TRIBAL 2-27 | 27 | 050S | 040W | 4301332179 | 12975 | Indian | OW | P | |
| UTE TRIBAL 1-33 | 33 | 050S | 040W | 4301332185 | 13024 | Indian | OW | P | |
| UTE TRIBAL 1-34 | 34 | 050S | 040W | 4301332186 | 13121 | Indian | OW | P | |
| UTE TRIBAL 2-35 | 35 | 050S | 050W | 4301332187 | 13021 | Indian | OW | P | |
| UTE TRIBAL 4-36 | 36 | 050S | 050W | 4301332188 | 13063 | Indian | OW | P | |
| UTE TRIBAL 5-28 | 28 | 050S | 040W | 4301332189 | 13026 | Indian | OW | P | |
| UTE TRIBAL 5-31 | 31 | 050S | 040W | 4301332190 | 13080 | Indian | OW | P | |
| UTE TRIBAL 9-26 | 26 | 050S | 040W | 4301332191 | 13101 | Indian | OW | P | |
| UTE TRIBAL 11-28 | 28 | 050S | 040W | 4301332192 | 13022 | Indian | OW | P | |
| UTE TRIBAL 3-29 | 29 | 050S | 040W | 4301332193 | 13042 | Indian | OW | P | |
| UTE TRIBAL 5-19 | 19 | 050S | 040W | 4301332204 | 13090 | Indian | OW | P | |
| UTE TRIBAL 12-15 | 15 | 050S | 040W | 4301332205 | 13100 | Indian | OW | P | |
| UTE TRIBAL 13-20 | 20 | 050S | 040W | 4301332206 | 13048 | Indian | OW | P | |
| UTE TRIBAL 1-24-55 | 24 | 050S | 050W | 4301332259 | 13618 | Indian | OW | P | |
| UTE TRIBAL 3-28-54 | 28 | 050S | 040W | 4301332261 | 13644 | Indian | OW | P | |

Berry Petroleum Company, LLC (N4075) to Linn Operating, Inc. (N4115)
Effective June 1, 2014

| | | | | | | | | | |
|----------------------|----|------|------|------------|-------|--------|----|---|------------------------|
| UTE TRIBAL 5-24-55 | 24 | 050S | 050W | 4301332263 | 13621 | Indian | OW | P | |
| UTE TRIBAL 5-26-55 | 26 | 050S | 050W | 4301332264 | 13642 | Indian | OW | P | |
| UTE TRIBAL 6-36-55 | 36 | 050S | 050W | 4301332265 | 13600 | Indian | OW | P | |
| UTE TRIBAL 9-24-55 | 24 | 050S | 050W | 4301332268 | 13620 | Indian | OW | P | |
| UTE TRIBAL 11-23-55 | 23 | 050S | 050W | 4301332269 | 13572 | Indian | OW | P | |
| UTE TRIBAL 15-25-55 | 25 | 050S | 050W | 4301332271 | 13566 | Indian | OW | P | |
| UTE TRIBAL 16-14-55 | 14 | 050S | 050W | 4301332272 | 13567 | Indian | OW | P | |
| UTE TRIBAL 15-27-55 | 27 | 050S | 050W | 4301332339 | 14020 | Indian | OW | P | |
| UTE TRIBAL 5-15-55 | 15 | 050S | 050W | 4301332344 | 13606 | Indian | OW | P | |
| UTE TRIBAL 7-20-55 | 20 | 050S | 050W | 4301332346 | 13607 | Indian | OW | P | |
| MOON TRIBAL 12-23-54 | 23 | 050S | 040W | 4301332347 | 14008 | Indian | OW | P | |
| UTE TRIBAL 14-28-55 | 28 | 050S | 050W | 4301332348 | 13580 | Indian | OW | P | |
| UTE TRIBAL 16-29-55 | 29 | 050S | 050W | 4301332349 | 13581 | Indian | OW | P | |
| UTE TRIBAL 2-32-55 | 32 | 050S | 050W | 4301332350 | 13695 | Indian | OW | P | |
| UTE TRIBAL 16-35-55 | 35 | 050S | 050W | 4301332352 | 14267 | Indian | OW | P | |
| UTE TRIBAL 10-35-55 | 35 | 050S | 050W | 4301332353 | 13645 | Indian | OW | P | |
| UTE TRIBAL 12-36-55 | 36 | 050S | 050W | 4301332354 | 13643 | Indian | OW | P | |
| UTE TRIBAL 14-36-55 | 36 | 050S | 050W | 4301332355 | 14262 | Indian | OW | P | |
| UTE TRIBAL 16-36-55 | 36 | 050S | 050W | 4301332356 | 14122 | Indian | OW | P | |
| UTE TRIBAL 4-33-55 | 33 | 050S | 050W | 4301332357 | 13685 | Indian | OW | P | |
| UTE TRIBAL 15-17-55 | 17 | 050S | 050W | 4301332358 | 13698 | Indian | OW | P | |
| UTE TRIBAL 12-14-54 | 14 | 050S | 040W | 4301332369 | 13647 | Indian | OW | P | |
| UTE TRIBAL 3-20-54 | 20 | 050S | 040W | 4301332377 | 13955 | Indian | OW | P | BRUNDAGE CANYON |
| UTE TRIBAL 4-21-54 | 21 | 050S | 040W | 4301332378 | 13907 | Indian | OW | P | |
| UTE TRIBAL 9-20-54 | 20 | 050S | 040W | 4301332379 | 13906 | Indian | OW | P | |
| UTE TRIBAL 5-30-54 | 30 | 050S | 040W | 4301332380 | 13905 | Indian | OW | P | |
| UTE TRIBAL 16-21-54 | 21 | 050S | 040W | 4301332381 | 13912 | Indian | OW | P | BERRY PILOT EOR 246-02 |
| UTE TRIBAL 15-30-54 | 30 | 050S | 040W | 4301332382 | 13944 | Indian | OW | P | |
| UTE TRIBAL 9-30-54 | 30 | 050S | 040W | 4301332383 | 14050 | Indian | OW | P | |
| UTE TRIBAL 14-21-54 | 21 | 050S | 040W | 4301332384 | 13946 | Indian | OW | P | |
| UTE TRIBAL 12-21-54 | 21 | 050S | 040W | 4301332385 | 13928 | Indian | OW | P | |
| UTE TRIBAL 15-20-54 | 20 | 050S | 040W | 4301332386 | 13911 | Indian | OW | P | |
| UTE TRIBAL 13-28-54 | 28 | 050S | 040W | 4301332387 | 13908 | Indian | OW | P | |
| UTE TRIBAL 9-28-54 | 28 | 050S | 040W | 4301332388 | 13910 | Indian | OW | P | |
| UTE TRIBAL 15-28-54 | 28 | 050S | 040W | 4301332389 | 13909 | Indian | OW | P | |
| UTE TRIBAL 9-25-55 | 25 | 050S | 050W | 4301332390 | 13715 | Indian | OW | P | |
| MOON TRIBAL 6-27-54 | 27 | 050S | 040W | 4301332407 | 13969 | Indian | OW | P | |
| MOON TRIBAL 14-27-54 | 27 | 050S | 040W | 4301332408 | 13998 | Indian | OW | P | |
| UTE TRIBAL 3-32-54 | 32 | 050S | 040W | 4301332410 | 13949 | Indian | OW | P | |
| UTE TRIBAL 7-32-54 | 32 | 050S | 040W | 4301332411 | 13936 | Indian | OW | P | |
| UTE TRIBAL 7-33-54 | 33 | 050S | 040W | 4301332413 | 13945 | Indian | OW | P | |
| UTE TRIBAL 11-20-55 | 20 | 050S | 050W | 4301332415 | 14269 | Indian | OW | P | |
| UTE TRIBAL 1-27-55 | 27 | 050S | 050W | 4301332416 | 13947 | Indian | OW | P | |
| UTE TRIBAL 3-27-55 | 27 | 050S | 050W | 4301332417 | 14022 | Indian | OW | P | |
| UTE TRIBAL 7-27-55 | 27 | 050S | 050W | 4301332418 | 13948 | Indian | OW | P | |
| UTE TRIBAL 10-28-55 | 28 | 050S | 050W | 4301332419 | 14580 | Indian | OW | P | |
| UTE TRIBAL 6-32-55 | 32 | 050S | 050W | 4301332420 | 14895 | Indian | OW | P | |
| UTE TRIBAL 8-32-55 | 32 | 050S | 050W | 4301332421 | 14896 | Indian | OW | P | |
| UTE TRIBAL 2-36-55 | 36 | 050S | 050W | 4301332422 | 13937 | Indian | OW | P | |
| UTE TRIBAL 8-36-55 | 36 | 050S | 050W | 4301332423 | 14021 | Indian | OW | P | |
| UTE TRIBAL 13-16-54 | 16 | 050S | 040W | 4301332511 | 13981 | Indian | OW | P | |
| UTE TRIBAL 13-23-55 | 23 | 050S | 050W | 4301332513 | 13975 | Indian | OW | P | |
| UTE TRIBAL 7-23-55 | 23 | 050S | 050W | 4301332514 | 13976 | Indian | OW | P | |
| UTE TRIBAL 5-33-54 | 33 | 050S | 040W | 4301332521 | 14060 | Indian | OW | P | |
| UTE TRIBAL 11-33-54 | 33 | 050S | 040W | 4301332522 | 14061 | Indian | OW | P | |
| UTE TRIBAL 14-32-54 | 32 | 050S | 040W | 4301332523 | 14062 | Indian | OW | P | |
| UTE TRIBAL 1-23-55 | 23 | 050S | 050W | 4301332524 | 14044 | Indian | OW | P | |
| UTE TRIBAL 5-29-54 | 29 | 050S | 040W | 4301332525 | 14045 | Indian | OW | P | |
| UTE TRIBAL 1-31-54 | 31 | 050S | 040W | 4301332526 | 14116 | Indian | OW | P | |
| UTE TRIBAL 3-31-54 | 31 | 050S | 040W | 4301332527 | 14109 | Indian | OW | P | |
| UTE TRIBAL 7-31-54 | 31 | 050S | 040W | 4301332528 | 14160 | Indian | OW | P | |
| UTE TRIBAL 9-31-54 | 31 | 050S | 040W | 4301332529 | 14177 | Indian | OW | P | |
| UTE TRIBAL 11-31-54 | 31 | 050S | 040W | 4301332530 | 14163 | Indian | OW | P | |
| UTE TRIBAL 3-23-55 | 23 | 050S | 050W | 4301332536 | 14077 | Indian | OW | P | |
| UTE TRIBAL 5-23-55 | 23 | 050S | 050W | 4301332537 | 14108 | Indian | OW | P | |
| UTE TRIBAL 9-32-54 | 32 | 050S | 040W | 4301332538 | 14199 | Indian | OW | P | |

Berry Petroleum Company, LLC (N4075) to Linn Operating, Inc. (N4115)
Effective June 1, 2014

| | | | | | | | | | |
|---------------------------|----|------|------|------------|-------|---------|----|---|-----------------|
| UTE TRIBAL 5-32-54 | 32 | 050S | 040W | 4301332539 | 14112 | Indian | OW | P | |
| MOON TRIBAL 10-27-54 | 27 | 050S | 040W | 4301332540 | 14195 | Indian | OW | P | |
| MOON TRIBAL 12-27-54 | 27 | 050S | 040W | 4301332541 | 14161 | Indian | OW | P | |
| MOON TRIBAL 8-27-54 | 27 | 050S | 040W | 4301332543 | 14139 | Indian | OW | P | |
| UTE TRIBAL 9-33-54 | 33 | 050S | 040W | 4301332549 | 14162 | Indian | OW | P | |
| WILLIAMSON TRIBAL 3-34-54 | 34 | 050S | 040W | 4301332550 | 14222 | Indian | OW | P | |
| WILLIAMSON TRIBAL 5-34-54 | 34 | 050S | 040W | 4301332551 | 14235 | Indian | OW | P | |
| FEDERAL 6-2-65 | 2 | 060S | 050W | 4301332557 | 14655 | Federal | OW | P | |
| UTE TRIBAL 15-29-54 | 29 | 050S | 040W | 4301332561 | 14316 | Indian | OW | P | |
| UTE TRIBAL 7-29-54 | 29 | 050S | 040W | 4301332562 | 14354 | Indian | OW | P | |
| UTE TRIBAL 11-29-54 | 29 | 050S | 040W | 4301332563 | 14337 | Indian | OW | P | |
| UTE TRIBAL 13-29-54 | 29 | 050S | 040W | 4301332564 | 14315 | Indian | OW | P | |
| UTE TRIBAL 4-29-54 | 29 | 050S | 040W | 4301332565 | 14367 | Indian | OW | P | |
| UTE TRIBAL 9-29-54 | 29 | 050S | 040W | 4301332566 | 14369 | Indian | OW | P | |
| UTE TRIBAL 1-35-54 | 35 | 050S | 040W | 4301332567 | 14266 | Indian | OW | P | |
| UTE TRIBAL 11-13-54 | 13 | 050S | 040W | 4301332568 | 14281 | Indian | OW | P | |
| UTE TRIBAL 6-24-54 | 24 | 050S | 040W | 4301332570 | 14299 | Indian | OW | P | |
| UTE TRIBAL 13-18-54 | 18 | 050S | 040W | 4301332571 | 14388 | Indian | OW | P | |
| UTE TRIBAL 12-29-54 | 29 | 050S | 040W | 4301332572 | 14336 | Indian | OW | P | |
| UTE TRIBAL 4-24-54 | 24 | 050S | 040W | 4301332573 | 14247 | Indian | OW | P | |
| UTE TRIBAL 6-14-54 | 14 | 050S | 040W | 4301332586 | 15270 | Indian | OW | P | |
| UTE TRIBAL 10-15-54 | 15 | 050S | 040W | 4301332587 | 14194 | Indian | OW | P | |
| UTE TRIBAL 16-15-54 | 15 | 050S | 040W | 4301332588 | 14311 | Indian | OW | P | |
| UTE TRIBAL 11-16-54 | 16 | 050S | 040W | 4301332589 | 14178 | Indian | OW | P | |
| UTE TRIBAL 8-22-54 | 22 | 050S | 040W | 4301332590 | 14219 | Indian | OW | P | |
| UTE TRIBAL 2-22-54 | 22 | 050S | 040W | 4301332591 | 14328 | Indian | OW | P | |
| UTE TRIBAL 10-22-54 | 22 | 050S | 040W | 4301332592 | 14218 | Indian | OW | P | |
| UTE TRIBAL 14-22-54 | 22 | 050S | 040W | 4301332593 | 14220 | Indian | OW | P | |
| UTE TRIBAL 13-13-55 | 13 | 050S | 050W | 4301332599 | 15134 | Indian | OW | P | |
| UTE TRIBAL 13-14-55 | 14 | 050S | 050W | 4301332600 | 14236 | Indian | OW | P | |
| UTE TRIBAL 13-15-55 | 15 | 050S | 050W | 4301332602 | 14263 | Indian | OW | P | |
| UTE TRIBAL 10-21-55 | 21 | 050S | 050W | 4301332603 | 14385 | Indian | OW | P | |
| UTE TRIBAL 2-22-55 | 22 | 050S | 050W | 4301332604 | 14268 | Indian | OW | P | |
| UTE TRIBAL 3-22-55 | 22 | 050S | 050W | 4301332605 | 14298 | Indian | OW | P | |
| UTE TRIBAL 9-22-55 | 22 | 050S | 050W | 4301332606 | 14330 | Indian | OW | P | |
| UTE TRIBAL 11-22-55 | 22 | 050S | 050W | 4301332607 | 14329 | Indian | OW | P | |
| UTE TRIBAL 5-27-55 | 27 | 050S | 050W | 4301332614 | 14881 | Indian | OW | P | |
| UTE TRIBAL 11-27-55 | 27 | 050S | 050W | 4301332615 | 14882 | Indian | OW | P | |
| UTE TRIBAL 12-22-55 | 22 | 050S | 050W | 4301332616 | 14370 | Indian | OW | P | |
| UTE TRIBAL 15-22-55 | 22 | 050S | 050W | 4301332617 | 14921 | Indian | OW | P | |
| UTE TRIBAL 8-25-55 | 25 | 050S | 050W | 4301332620 | 14365 | Indian | OW | P | |
| UTE TRIBAL 4-20-54 | 20 | 050S | 040W | 4301332621 | 14518 | Indian | OW | P | BRUNDAGE CANYON |
| UTE TRIBAL 6-20-54 | 20 | 050S | 040W | 4301332622 | 14382 | Indian | OW | P | BRUNDAGE CANYON |
| UTE TRIBAL 5-22-54 | 22 | 050S | 040W | 4301332624 | 14547 | Indian | OW | P | |
| UTE TRIBAL 3-30-54 | 30 | 050S | 040W | 4301332625 | 14364 | Indian | OW | P | |
| UTE TRIBAL 3-10-54 | 10 | 050S | 040W | 4301332663 | 14414 | Indian | OW | P | |
| UTE TRIBAL 11-5-54 | 5 | 050S | 040W | 4301332664 | 14415 | Indian | OW | P | |
| UTE TRIBAL 15-32-54 | 32 | 050S | 040W | 4301332666 | 14460 | Indian | OW | P | |
| UTE TRIBAL 8-31-55 | 31 | 050S | 050W | 4301332673 | 14407 | Indian | OW | P | |
| UTE TRIBAL 3-35-54 | 35 | 050S | 040W | 4301332675 | 14656 | Indian | OW | P | |
| UTE TRIBAL 2-30-55 | 30 | 050S | 050W | 4301332680 | 14427 | Indian | OW | P | |
| UTE TRIBAL 9-17-54 | 17 | 050S | 040W | 4301332687 | 15309 | Indian | OW | P | |
| UTE TRIBAL 13-31-54 | 31 | 050S | 040W | 4301332688 | 14517 | Indian | OW | P | |
| UTE TRIBAL 14-19-54 | 19 | 050S | 040W | 4301332690 | 14546 | Indian | OW | P | |
| UTE TRIBAL 16-19-54 | 19 | 050S | 040W | 4301332691 | 14491 | Indian | OW | P | |
| UTE TRIBAL 13-32-54 | 32 | 050S | 040W | 4301332692 | 14490 | Indian | OW | P | |
| UTE TRIBAL 11-14-55 | 14 | 050S | 050W | 4301332693 | 15136 | Indian | OW | P | |
| UTE TRIBAL 8-28-55 | 28 | 050S | 050W | 4301332694 | 14574 | Indian | OW | P | |
| FEDERAL 6-1-65 | 1 | 060S | 050W | 4301332699 | 15776 | Federal | OW | P | |
| UTE TRIBAL 9-15-55 | 15 | 050S | 050W | 4301332701 | 14573 | Indian | OW | P | |
| UTE TRIBAL 14-20-54 | 20 | 050S | 040W | 4301332702 | 14459 | Indian | OW | P | |
| #1 DLB 12-15-56 | 15 | 050S | 060W | 4301332710 | 14943 | Fee | GW | P | |
| UTE TRIBAL 12-19-54 | 19 | 050S | 040W | 4301332716 | 14627 | Indian | OW | P | |
| UTE TRIBAL 10-19-54 | 19 | 050S | 040W | 4301332717 | 14628 | Indian | OW | P | |
| UTE TRIBAL 16-30-54 | 30 | 050S | 040W | 4301332718 | 14604 | Indian | OW | P | |
| UTE TRIBAL 11-12-55 | 12 | 050S | 050W | 4301332721 | 14605 | Indian | OW | P | |

Berry Petroleum Company, LLC (N4075) to Linn Operating, Inc. (N4115)
Effective June 1, 2014

| | | | | | | | | | |
|--------------------------|----|------|------|------------|-------|--------|----|---|-----------------|
| NIELSEN MARSING 13-14-56 | 14 | 050S | 060W | 4301332737 | 15060 | Fee | OW | P | |
| TAYLOR HERRICK 10-22-56 | 22 | 050S | 060W | 4301332738 | 15058 | Fee | OW | P | |
| UTE TRIBAL 16-20-54 | 20 | 050S | 040W | 4301332739 | 14671 | Indian | OW | P | |
| UTE TRIBAL 10-20-54 | 20 | 050S | 040W | 4301332740 | 14691 | Indian | OW | P | |
| UTE TRIBAL 4-28-54 | 28 | 050S | 040W | 4301332741 | 14672 | Indian | OW | P | |
| UTE TRIBAL 13-33-54 | 33 | 050S | 040W | 4301332742 | 14736 | Indian | OW | P | |
| UTE TRIBAL 15-31-54 | 31 | 050S | 040W | 4301332743 | 14690 | Indian | OW | P | |
| UTE TRIBAL 8-30-54 | 30 | 050S | 040W | 4301332746 | 15583 | Indian | OW | P | |
| UTE TRIBAL 10-25-55 | 25 | 050S | 050W | 4301332749 | 14758 | Indian | OW | P | |
| UTE TRIBAL 14-25-55 | 25 | 050S | 050W | 4301332750 | 14798 | Indian | OW | P | |
| UTE TRIBAL 3-36-55 | 36 | 050S | 050W | 4301332751 | 14842 | Indian | OW | P | |
| UTE TRIBAL 16-16-55 | 16 | 050S | 050W | 4301332757 | 14865 | Indian | OW | P | |
| UTE TRIBAL 3-21-55 | 21 | 050S | 050W | 4301332758 | 15112 | Indian | OW | P | |
| UTE TRIBAL 16-25-55 | 25 | 050S | 050W | 4301332759 | 14821 | Indian | OW | P | |
| UTE TRIBAL 1-36-55 | 36 | 050S | 050W | 4301332760 | 14822 | Indian | OW | P | |
| UTE TRIBAL 7-22-54 | 22 | 050S | 040W | 4301332761 | 15661 | Indian | OW | P | |
| UTE TRIBAL 2-31-54 | 31 | 050S | 040W | 4301332762 | 14845 | Indian | OW | P | |
| UTE TRIBAL 2-28-54 | 28 | 050S | 040W | 4301332763 | 14723 | Indian | OW | P | |
| UTE TRIBAL 10-28-54 | 28 | 050S | 040W | 4301332764 | 14722 | Indian | OW | P | |
| UTE TRIBAL 12-28-54 | 28 | 050S | 040W | 4301332765 | 14701 | Indian | OW | P | |
| UTE TRIBAL 8-28-54 | 28 | 050S | 040W | 4301332766 | 14777 | Indian | OW | P | |
| UTE TRIBAL 4-31-54 | 31 | 050S | 040W | 4301332767 | 14494 | Indian | OW | P | |
| UTE TRIBAL 15-33-54 | 33 | 050S | 040W | 4301332768 | 15210 | Indian | OW | P | |
| UTE TRIBAL 12-25-55 | 25 | 050S | 050W | 4301332769 | 14799 | Indian | OW | P | |
| UTE TRIBAL 16-24-54 | 24 | 050S | 040W | 4301332775 | 14762 | Indian | OW | P | |
| UTE TRIBAL 14-25-54 | 25 | 050S | 040W | 4301332776 | 14753 | Indian | OW | P | |
| UTE TRIBAL 8-25-54 | 25 | 050S | 040W | 4301332780 | 15280 | Indian | OW | P | |
| UTE TRIBAL 9-35-54 | 35 | 050S | 040W | 4301332781 | 15535 | Indian | OW | P | |
| MYRIN TRIBAL 14-19-55 | 19 | 050S | 050W | 4301332782 | 15184 | Indian | OW | P | |
| UTE TRIBAL 6-30-55 | 30 | 050S | 050W | 4301332783 | 15163 | Indian | OW | P | |
| MOON TRIBAL 4-23-54 | 23 | 050S | 040W | 4301332800 | 14985 | Indian | OW | P | |
| MOON TRIBAL 5-27-54 | 27 | 050S | 040W | 4301332802 | 14984 | Indian | OW | P | |
| UTE TRIBAL 2-32-54 | 32 | 050S | 040W | 4301332803 | 15151 | Indian | OW | P | |
| UTE TRIBAL 15-35-54 | 35 | 050S | 040W | 4301332804 | 15185 | Indian | OW | P | |
| UTE TRIBAL 5-35-54 | 35 | 050S | 040W | 4301332805 | 15485 | Indian | OW | P | |
| UTE TRIBAL 13-35-54 | 35 | 050S | 040W | 4301332806 | 15292 | Indian | OW | P | |
| UTE TRIBAL 11-35-54 | 35 | 050S | 040W | 4301332807 | 15317 | Indian | OW | P | |
| UTE TRIBAL 8-19-54 | 19 | 050S | 040W | 4301332840 | 14946 | Indian | OW | P | BRUNDAGE CANYON |
| UTE TRIBAL 13-20-55 | 20 | 050S | 050W | 4301332841 | 15097 | Indian | OW | P | |
| UTE TRIBAL 16-22-54 | 22 | 050S | 040W | 4301332842 | 15015 | Indian | OW | P | |
| MOON TRIBAL 6-23-54 | 23 | 050S | 040W | 4301332843 | 15113 | Indian | OW | P | |
| UTE TRIBAL 11-26-54 | 26 | 050S | 040W | 4301332844 | 15233 | Indian | OW | P | |
| MOON TRIBAL 11-27-54 | 27 | 050S | 040W | 4301332845 | 15135 | Indian | OW | P | |
| MOON TRIBAL 15-27-54 | 27 | 050S | 040W | 4301332846 | 15115 | Indian | OW | P | |
| UTE TRIBAL 10-31-54 | 31 | 050S | 040W | 4301332847 | 14956 | Indian | OW | P | |
| ST TRIBAL 6-15-54 | 15 | 050S | 040W | 4301332848 | 16656 | Indian | OW | P | |
| ST TRIBAL 2-15-54 | 15 | 050S | 040W | 4301332849 | 16959 | Indian | OW | P | |
| ST TRIBAL 4-15-54 | 15 | 050S | 040W | 4301332850 | 17478 | Indian | OW | P | |
| ST TRIBAL 8-15-54 | 15 | 050S | 040W | 4301332851 | 16279 | Indian | OW | P | |
| UTE TRIBAL 11-25-54 | 25 | 050S | 040W | 4301332856 | 15430 | Indian | OW | P | |
| UTE TRIBAL 3-30-55 | 30 | 050S | 050W | 4301332862 | 15340 | Indian | OW | P | |
| UTE TRIBAL 7-19-55 | 19 | 050S | 050W | 4301332863 | 15279 | Indian | OW | P | |
| UTE TRIBAL 8-19-55 | 19 | 050S | 050W | 4301332864 | 15241 | Indian | OW | P | |
| UTE TRIBAL 6-19-54 | 19 | 050S | 040W | 4301332865 | 14947 | Indian | OW | P | |
| UTE TRIBAL 12-20-54 | 20 | 050S | 040W | 4301332866 | 14924 | Indian | OW | P | |
| UTE TRIBAL 3-21-54 | 21 | 050S | 040W | 4301332867 | 15554 | Indian | OW | P | |
| UTE TRIBAL 2-26-54 | 26 | 050S | 040W | 4301332868 | 15231 | Indian | OW | P | |
| UTE TRIBAL 8-31-54 | 31 | 050S | 040W | 4301332869 | 14970 | Indian | OW | P | |
| UTE TRIBAL 8-32-54 | 32 | 050S | 040W | 4301332870 | 15152 | Indian | OW | P | |
| UTE TRIBAL 4-33-54 | 33 | 050S | 040W | 4301332871 | 15040 | Indian | OW | P | |
| UTE TRIBAL 6-33-54 | 33 | 050S | 040W | 4301332872 | 15059 | Indian | OW | P | |
| UTE TRIBAL 9-22-54 | 22 | 050S | 040W | 4301332889 | 15607 | Indian | OW | P | |
| UTE TRIBAL 5-26-54 | 26 | 050S | 040W | 4301332890 | 15268 | Indian | OW | P | |
| UTE TRIBAL 13-26-54 | 26 | 050S | 040W | 4301332891 | 15287 | Indian | OW | P | |
| UTE TRIBAL 6-28D-54 | 28 | 050S | 040W | 4301332892 | 15232 | Indian | OW | P | |
| UTE TRIBAL 2-30D-54 | 30 | 050S | 040W | 4301332894 | 15298 | Indian | OW | P | |

Berry Petroleum Company, LLC (N4075) to Linn Operating, Inc. (N4115)
Effective June 1, 2014

| | | | | | | | | | |
|------------------------|----|------|------|------------|-------|--------|----|---|--|
| UTE TRIBAL 4-32-54 | 32 | 050S | 040W | 4301332896 | 15555 | Indian | OW | P | |
| UTE TRIBAL 6-32D-54 | 32 | 050S | 040W | 4301332897 | 15312 | Indian | OW | P | |
| UTE TRIBAL 2-33D-54 | 33 | 050S | 040W | 4301332898 | 15271 | Indian | OW | P | |
| UTE TRIBAL 12-32-54 | 32 | 050S | 040W | 4301332925 | 15503 | Indian | OW | P | |
| UTE TRIBAL 16-32D-54 | 32 | 050S | 040W | 4301332926 | 16971 | Indian | OW | P | |
| MOON TRIBAL 16-23-54 | 23 | 050S | 040W | 4301332927 | 15219 | Indian | OW | P | |
| UTE TRIBAL 4-25-55 | 25 | 050S | 050W | 4301332928 | 15421 | Indian | OW | P | |
| UTE TRIBAL 7-36-55 | 36 | 050S | 050W | 4301332929 | 15341 | Indian | OW | P | |
| MOON TRIBAL 10-2-54 | 2 | 050S | 040W | 4301332931 | 15429 | Indian | OW | P | |
| UTE TRIBAL 10-24-54 | 24 | 050S | 040W | 4301332932 | 15364 | Indian | OW | P | |
| MYRIN TRIBAL 16-19-55 | 19 | 050S | 050W | 4301332934 | 15339 | Indian | OW | P | |
| UTE TRIBAL 2-31-55 | 31 | 050S | 050W | 4301332935 | 15428 | Indian | OW | P | |
| UTE TRIBAL 10-31-55 | 31 | 050S | 050W | 4301332936 | 15354 | Indian | OW | P | |
| MOON TRIBAL 1-27-54 | 27 | 050S | 040W | 4301332937 | 15308 | Indian | OW | P | |
| MOON TRIBAL 5-23-54 | 23 | 050S | 040W | 4301332938 | 15584 | Indian | OW | P | |
| ST TRIBAL 7-18-54 | 18 | 050S | 040W | 4301332952 | 15724 | Indian | OW | P | |
| ST TRIBAL 5-18-54 | 18 | 050S | 040W | 4301332953 | 15781 | Indian | OW | P | |
| UTE TRIBAL 15-15-54 | 15 | 050S | 040W | 4301332971 | 15310 | Indian | OW | P | |
| UTE TRIBAL 4-19-54 | 19 | 050S | 040W | 4301332972 | 15382 | Indian | OW | P | |
| UTE TRIBAL 8-20-54 | 20 | 050S | 040W | 4301332973 | 15245 | Indian | OW | P | |
| UTE TRIBAL 2-20-54 | 20 | 050S | 040W | 4301332974 | 15269 | Indian | OW | P | |
| UTE TRIBAL 7-15-55 | 15 | 050S | 050W | 4301332976 | 15311 | Indian | OW | P | |
| UTE TRIBAL 10-15-55 | 15 | 050S | 050W | 4301332977 | 15380 | Indian | OW | P | |
| UTE TRIBAL 1-15-55 | 15 | 050S | 050W | 4301332978 | 15299 | Indian | OW | P | |
| UTE TRIBAL 14-15-55 | 15 | 050S | 050W | 4301332979 | 15369 | Indian | OW | P | |
| UTE TRIBAL 11-15-55 | 15 | 050S | 050W | 4301332980 | 15342 | Indian | OW | P | |
| UTE TRIBAL 14-18-55 | 18 | 050S | 050W | 4301332984 | 15671 | Indian | OW | P | |
| UTE TRIBAL 14-24-56 | 24 | 050S | 060W | 4301332988 | 15740 | Indian | OW | P | |
| UTE TRIBAL 7-24-56 | 24 | 050S | 060W | 4301332989 | 15782 | Indian | OW | P | |
| UTE TRIBAL 11-25-56 | 25 | 050S | 060W | 4301332990 | 15627 | Indian | OW | P | |
| UTE TRIBAL 7-25-56 | 25 | 050S | 060W | 4301332991 | 15617 | Indian | OW | P | |
| UTE TRIBAL 5-25-56 | 25 | 050S | 060W | 4301332992 | 15648 | Indian | OW | P | |
| UTE TRIBAL 3-25-56 | 25 | 050S | 060W | 4301332993 | 15561 | Indian | OW | P | |
| UTE TRIBAL 13-15D-54 | 15 | 050S | 040W | 4301333039 | 15368 | Indian | OW | P | |
| UTE TRIBAL 16-28D-54 | 28 | 050S | 040W | 4301333041 | 15377 | Indian | OW | P | |
| UTE TRIBAL 14-31D-54 | 31 | 050S | 040W | 4301333042 | 15419 | Indian | OW | P | |
| UTE TRIBAL 4-22-55 | 22 | 050S | 050W | 4301333044 | 15381 | Indian | OW | P | |
| UTE TRIBAL 2-23-55 | 23 | 050S | 050W | 4301333045 | 15416 | Indian | OW | P | |
| UTE TRIBAL 16-23-55 | 23 | 050S | 050W | 4301333046 | 15211 | Indian | OW | P | |
| UTE TRIBAL 9-35-55 | 35 | 050S | 050W | 4301333047 | 15378 | Indian | OW | P | |
| UTE TRIBAL 7-35-55 | 35 | 050S | 050W | 4301333048 | 15367 | Indian | OW | P | |
| UTE TRIBAL 15-36-55 | 36 | 050S | 050W | 4301333049 | 15379 | Indian | OW | P | |
| UTE TRIBAL 10-12-55 | 12 | 050S | 050W | 4301333055 | 15618 | Indian | OW | P | |
| UTE TRIBAL 5-13-54 | 13 | 050S | 040W | 4301333075 | 15873 | Indian | OW | P | |
| UTE TRIBAL 16-29-54 | 29 | 050S | 040W | 4301333076 | 17074 | Indian | OW | P | |
| UTE TRIBAL 12-18-54 | 18 | 050S | 040W | 4301333077 | 15575 | Indian | OW | P | |
| UTE TRIBAL 8-33-54 | 33 | 050S | 040W | 4301333089 | 15398 | Indian | OW | P | |
| UTE TRIBAL 12-33-54 | 33 | 050S | 040W | 4301333090 | 15417 | Indian | OW | P | |
| UTE TRIBAL 16-33-54 | 33 | 050S | 040W | 4301333091 | 15397 | Indian | OW | P | |
| UTE TRIBAL 10-33-54 | 33 | 050S | 040W | 4301333092 | 15418 | Indian | OW | P | |
| UTE TRIBAL 14-33-54 | 33 | 050S | 040W | 4301333093 | 15399 | Indian | OW | P | |
| UTE TRIBAL 2-14-54 | 14 | 050S | 040W | 4301333111 | 16832 | Indian | OW | P | |
| UTE TRIBAL 14-14-54 | 14 | 050S | 040W | 4301333112 | 15440 | Indian | OW | P | |
| UTE TRIBAL 13-21-54 | 21 | 050S | 040W | 4301333113 | 15471 | Indian | OW | P | |
| UTE TRIBAL 11-21-54 | 21 | 050S | 040W | 4301333115 | 15470 | Indian | OW | P | |
| UTE TRIBAL 11-22-54 | 22 | 050S | 040W | 4301333116 | 15662 | Indian | OW | P | |
| UTE TRIBAL 2-21-55 | 21 | 050S | 050W | 4301333117 | 15582 | Indian | OW | P | |
| UTE TRIBAL 4-28-55 | 28 | 050S | 050W | 4301333118 | 15506 | Indian | OW | P | |
| UTE TRIBAL 8-29-55 | 29 | 050S | 050W | 4301333119 | 15507 | Indian | OW | P | |
| UTE TRIBAL 6-29-55 | 29 | 050S | 050W | 4301333120 | 15504 | Indian | OW | P | |
| TAYLOR FEE 13-22-56 | 22 | 050S | 060W | 4301333121 | 15525 | Fee | OW | P | |
| WILCOX ELIASON 7-15-56 | 15 | 050S | 060W | 4301333122 | 15526 | Fee | OW | P | |
| UTE TRIBAL 14-16-54 | 16 | 050S | 040W | 4301333123 | 15639 | Indian | OW | P | |
| UTE TRIBAL 1-16-54 | 16 | 050S | 040W | 4301333128 | 15420 | Indian | OW | P | |
| UTE TRIBAL 7-16-54 | 16 | 050S | 040W | 4301333130 | 15455 | Indian | OW | P | |
| UTE TRIBAL 12-16-54 | 16 | 050S | 040W | 4301333131 | 15456 | Indian | OW | P | |

Berry Petroleum Company, LLC N4075) to Linn Operating, Inc. (N4115)
Effective June 1, 2014

| | | | | | | | | | |
|-----------------------|----|------|------|------------|-------|---------|----|---|--|
| UTE TRIBAL 16-17-54 | 17 | 050S | 040W | 4301333132 | 15524 | Indian | OW | P | |
| UTE TRIBAL 10-17-54 | 17 | 050S | 040W | 4301333133 | 15581 | Indian | OW | P | |
| UTE TRIBAL 12-24D-55 | 24 | 050S | 050W | 4301333134 | 15567 | Indian | OW | P | |
| WILCOX FEE 1-20-56 | 20 | 050S | 060W | 4301333150 | 15745 | Fee | OW | P | |
| WILCOX FEE 15-16-56 | 16 | 050S | 060W | 4301333151 | 15527 | Fee | OW | P | |
| NIELSEN FEE 13-11-56 | 11 | 050S | 060W | 4301333152 | 15600 | Fee | OW | P | |
| UTE TRIBAL 2-29-54 | 29 | 050S | 040W | 4301333153 | 15919 | Indian | OW | P | |
| UTE TRIBAL 14-29-54 | 29 | 050S | 040W | 4301333154 | 15831 | Indian | OW | P | |
| UTE TRIBAL 10-29-54 | 29 | 050S | 040W | 4301333155 | 15847 | Indian | OW | P | |
| UTE TRIBAL 10-24D-55 | 24 | 050S | 050W | 4301333156 | 15556 | Indian | OW | P | |
| UTE TRIBAL 10-29D-55 | 29 | 050S | 050W | 4301333157 | 15505 | Indian | OW | P | |
| UTE TRIBAL 6-29-54 | 29 | 050S | 040W | 4301333172 | 15846 | Indian | OW | P | |
| UTE TRIBAL 12Q-25-55 | 25 | 050S | 050W | 4301333184 | 15744 | Indian | OW | P | |
| UTE TRIBAL 3G-31-54 | 31 | 050S | 040W | 4301333185 | 15746 | Indian | OW | P | |
| UTE TRIBAL 11-36-55 | 36 | 050S | 050W | 4301333186 | 15865 | Indian | OW | P | |
| UTE TRIBAL 6-23D-55 | 23 | 050S | 050W | 4301333187 | 15996 | Indian | OW | P | |
| UTE TRIBAL 8-14-54 | 14 | 050S | 040W | 4301333204 | 15656 | Indian | OW | P | |
| UTE TRIBAL 10-14-54 | 14 | 050S | 040W | 4301333205 | 15680 | Indian | OW | P | |
| UTE TRIBAL 11-15-54 | 15 | 050S | 040W | 4301333206 | 15643 | Indian | OW | P | |
| UTE TRIBAL 9-16-54 | 16 | 050S | 040W | 4301333207 | 15660 | Indian | OW | P | |
| UTE TRIBAL 3-22-54 | 22 | 050S | 040W | 4301333208 | 15640 | Indian | OW | P | |
| UTE TRIBAL 15-13D-55 | 13 | 050S | 050W | 4301333212 | 15642 | Indian | OW | P | |
| UTE TRIBAL 6-22D-55 | 22 | 050S | 050W | 4301333213 | 16831 | Indian | OW | P | |
| UTE TRIBAL 11-36D-55 | 36 | 050S | 050W | 4301333214 | 15702 | Indian | OW | P | |
| UTE TRIBAL 1-22D-54 | 22 | 050S | 040W | 4301333215 | 15641 | Indian | OW | P | |
| BERRY TRIBAL 1-23-54 | 23 | 050S | 040W | 4301333216 | 15931 | Indian | OW | P | |
| BERRY TRIBAL 15-23-54 | 23 | 050S | 040W | 4301333217 | 15932 | Indian | OW | P | |
| UTE TRIBAL 9-36D-55 | 36 | 050S | 050W | 4301333239 | 15933 | Indian | OW | P | |
| UTE TRIBAL 12-32-55 | 32 | 050S | 050W | 4301333266 | 15681 | Indian | OW | P | |
| UTE TRIBAL 16-22D-55 | 22 | 050S | 050W | 4301333267 | 15703 | Indian | OW | P | |
| UTE TRIBAL 11-13-55 | 13 | 050S | 050W | 4301333268 | 15692 | Indian | OW | P | |
| UTE TRIBAL 7-14-55 | 14 | 050S | 050W | 4301333269 | 15693 | Indian | OW | P | |
| UTE TRIBAL 4-14D-54 | 14 | 050S | 040W | 4301333270 | 15679 | Indian | OW | P | |
| UTE TRIBAL 9S-19-54 | 19 | 050S | 040W | 4301333276 | 16153 | Indian | OW | P | |
| UTE TRIBAL 14Q-28-54 | 28 | 050S | 040W | 4301333277 | 15818 | Indian | OW | P | |
| UTE TRIBAL 14-28D-54 | 28 | 050S | 040W | 4301333278 | 15817 | Indian | OW | P | |
| UTE TRIBAL 1-14D-55 | 14 | 050S | 050W | 4301333279 | 18408 | Indian | OW | P | |
| UTE TRIBAL 10-18-54 | 18 | 050S | 040W | 4301333300 | 15747 | Indian | OW | P | |
| UTE TRIBAL 5-21-54 | 21 | 050S | 040W | 4301333324 | 15748 | Indian | OW | P | |
| UTE TRIBAL 6-31D-54 | 31 | 050S | 040W | 4301333325 | 16185 | Indian | OW | P | |
| UTE TRIBAL 16-31D-54 | 31 | 050S | 040W | 4301333326 | 15800 | Indian | OW | P | |
| UTE TRIBAL 16-13D-55 | 13 | 050S | 050W | 4301333327 | 15891 | Indian | OW | P | |
| UTE TRIBAL 9-13D-55 | 13 | 050S | 050W | 4301333328 | 15892 | Indian | OW | P | |
| UTE TRIBAL 15-21-55 | 21 | 050S | 050W | 4301333357 | 15791 | Indian | OW | P | |
| UTE TRIBAL 10-23D-55 | 23 | 050S | 050W | 4301333358 | 15799 | Indian | OW | P | |
| UTE TRIBAL 9-26D-55 | 26 | 050S | 050W | 4301333359 | 15853 | Indian | OW | P | |
| UTE TRIBAL 10-26D-55 | 26 | 050S | 050W | 4301333360 | 15852 | Indian | OW | P | |
| UTE TRIBAL 14-26D-55 | 26 | 050S | 050W | 4301333361 | 15938 | Indian | OW | P | |
| UTE TRIBAL 15-26D-55 | 26 | 050S | 050W | 4301333362 | 15869 | Indian | OW | P | |
| UTE TRIBAL 3-32D-55 | 32 | 050S | 050W | 4301333363 | 15936 | Indian | OW | P | |
| UTE TRIBAL 13-14-54 | 14 | 050S | 040W | 4301333364 | 15790 | Indian | OW | P | |
| MOON TRIBAL 7-27D-54 | 27 | 050S | 040W | 4301333365 | 15935 | Indian | OW | P | |
| 14-11-56 DLB | 11 | 050S | 060W | 4301333378 | 15801 | Fee | OW | P | |
| UTE TRIBAL 4-32-55 | 32 | 050S | 050W | 4301333379 | 15819 | Indian | OW | P | |
| UTE TRIBAL 13H-16-55 | 16 | 050S | 050W | 4301333380 | 18357 | Indian | OW | P | |
| BERRY TRIBAL 7-23-54 | 23 | 050S | 040W | 4301333381 | 15934 | Indian | OW | P | |
| BERRY TRIBAL 9-34-54 | 34 | 050S | 040W | 4301333382 | 16024 | Indian | OW | P | |
| BERRY TRIBAL 7-34-54 | 34 | 050S | 040W | 4301333383 | 16102 | Indian | OW | P | |
| BERRY TRIBAL 4-34-54 | 34 | 050S | 040W | 4301333384 | 16588 | Indian | OW | P | |
| FEDERAL 2-2-65 | 2 | 060S | 050W | 4301333385 | 16150 | Federal | OW | P | |
| FEDERAL 10-3-65 | 3 | 060S | 050W | 4301333386 | 16297 | Federal | OW | P | |
| FEDERAL 5-4-65 | 4 | 060S | 050W | 4301333387 | 17599 | Federal | OW | P | |
| UTE TRIBAL 1A-29-54 | 29 | 050S | 040W | 4301333393 | 17075 | Indian | OW | P | |
| BERRY TRIBAL 15-34-54 | 34 | 050S | 040W | 4301333411 | 16037 | Indian | OW | P | |
| BERRY TRIBAL 8-23D-54 | 23 | 050S | 040W | 4301333417 | 16101 | Indian | OW | P | |
| UTE TRIBAL 12-29D-55 | 29 | 050S | 050W | 4301333418 | 17307 | Indian | OW | P | |

Berry Petroleum Company, LLC (N4075) to Linn Operating, Inc. (N4115)
Effective June 1, 2014

| | | | | | | | | |
|------------------------|----|------|------|------------|-------|---------|----|---|
| UTE TRIBAL 8-24-55 | 24 | 050S | 050W | 4301333420 | 15997 | Indian | OW | P |
| UTE TRIBAL 5-25D-55 | 25 | 050S | 050W | 4301333421 | 16589 | Indian | OW | P |
| BERRY TRIBAL 10-34D-54 | 34 | 050S | 040W | 4301333422 | 16038 | Indian | OW | P |
| 1-15-56 DLB | 15 | 050S | 060W | 4301333447 | 15854 | Fee | OW | P |
| FEDERAL 5-3-64 | 3 | 060S | 040W | 4301333448 | 16098 | Federal | OW | P |
| FEDERAL 8-1-64 | 1 | 060S | 040W | 4301333449 | 16152 | Federal | OW | P |
| FEDERAL 5-4-64 | 4 | 060S | 040W | 4301333450 | 17851 | Federal | OW | P |
| FEDERAL 11-10-65 | 10 | 060S | 050W | 4301333451 | 16281 | Federal | OW | P |
| BERRY TRIBAL 16-34D-54 | 34 | 050S | 040W | 4301333464 | 16280 | Indian | OW | P |
| BERRY TRIBAL 9-23-54 | 23 | 050S | 040W | 4301333465 | 16590 | Indian | OW | P |
| UTE TRIBAL 6-26D-55 | 26 | 050S | 050W | 4301333476 | 16657 | Indian | OW | P |
| UTE TRIBAL 7-26D-55 | 26 | 050S | 050W | 4301333477 | 16658 | Indian | OW | P |
| UTE TRIBAL 11-26D-55 | 26 | 050S | 050W | 4301333478 | 16659 | Indian | OW | P |
| UTE TRIBAL 14Q-30-54 | 30 | 050S | 040W | 4301333479 | 16151 | Indian | OW | P |
| FEDERAL 5-6-65 | 6 | 060S | 050W | 4301333489 | 17852 | Federal | OW | P |
| FEDERAL 16-5-65 | 5 | 060S | 050W | 4301333490 | 16833 | Federal | OW | P |
| FEDERAL 6-11-65 | 11 | 060S | 050W | 4301333491 | 16335 | Federal | OW | P |
| LC TRIBAL 14-2-56 | 2 | 050S | 060W | 4301333492 | 18358 | Indian | OW | P |
| UTE TRIBAL 1-31-55 | 31 | 050S | 050W | 4301333501 | 17104 | Indian | OW | P |
| UTE TRIBAL 9-31-55 | 31 | 050S | 050W | 4301333508 | 17103 | Indian | OW | P |
| BERRY TRIBAL 11-34D-54 | 34 | 050S | 040W | 4301333529 | 16099 | Indian | OW | P |
| LC TRIBAL 2-16D-56 | 16 | 050S | 060W | 4301333538 | 17305 | Indian | OW | P |
| LC TRIBAL 4-16-56 | 16 | 050S | 060W | 4301333539 | 16272 | Indian | OW | P |
| LC TRIBAL 3-17-56 | 17 | 050S | 060W | 4301333541 | 16459 | Indian | OW | P |
| FEDERAL 10-2-65 | 2 | 060S | 050W | 4301333542 | 16181 | Federal | OW | P |
| UTE TRIBAL 4-20D-55 | 20 | 050S | 050W | 4301333549 | 18075 | Indian | OW | P |
| UTE TRIBAL 8-23D-55 | 23 | 050S | 050W | 4301333552 | 16662 | Indian | OW | P |
| LC TRIBAL 8-28-46 | 28 | 040S | 060W | 4301333576 | 16155 | Indian | OW | P |
| LC TRIBAL 7-3-56 | 3 | 050S | 060W | 4301333577 | 16379 | Indian | OW | P |
| LC TRIBAL 3-5-56 | 5 | 050S | 060W | 4301333580 | 17082 | Indian | OW | P |
| FEDERAL 8-2D-64 | 2 | 060S | 040W | 4301333581 | 16100 | Federal | OW | P |
| LC TRIBAL 13H-3-56 | 3 | 050S | 060W | 4301333591 | 18129 | Indian | OW | P |
| LC FEE 6-12-57 | 12 | 050S | 070W | 4301333593 | 17083 | Fee | OW | P |
| UTE TRIBAL 4-26D-54 | 26 | 050S | 040W | 4301333595 | 16591 | Indian | OW | P |
| LC TRIBAL 8-4-56 | 4 | 050S | 060W | 4301333605 | 17046 | Indian | OW | P |
| LC TRIBAL 12H-6-56 | 6 | 050S | 060W | 4301333606 | 18037 | Indian | OW | P |
| LC TRIBAL 7-7D-56 | 7 | 050S | 060W | 4301333607 | 18038 | Indian | OW | P |
| LC TRIBAL 1-9-56 | 9 | 050S | 060W | 4301333608 | 16380 | Indian | OW | P |
| UTE TRIBAL 5-14-54 | 14 | 050S | 040W | 4301333619 | 16945 | Indian | OW | P |
| UTE TRIBAL 10-26D-54 | 26 | 050S | 040W | 4301333620 | 16663 | Indian | OW | P |
| UTE TRIBAL 7-26D-54 | 26 | 050S | 040W | 4301333621 | 16664 | Indian | OW | P |
| UTE TRIBAL 13-36D-55 | 36 | 050S | 050W | 4301333624 | 17744 | Indian | OW | P |
| UTE TRIBAL 6-26D-54 | 26 | 050S | 040W | 4301333625 | 16619 | Indian | OW | P |
| UTE TRIBAL 1-22D-55 | 22 | 050S | 050W | 4301333626 | 16777 | Indian | OW | P |
| UTE TRIBAL 4-23D-55 | 23 | 050S | 050W | 4301333627 | 16818 | Indian | OW | P |
| UTE TRIBAL 2-27D-55 | 27 | 050S | 050W | 4301333628 | 16746 | Indian | OW | P |
| UTE TRIBAL 12-28D-55 | 28 | 050S | 050W | 4301333645 | 17999 | Indian | OW | P |
| UTE TRIBAL 13-28D-55 | 28 | 050S | 050W | 4301333646 | 18000 | Indian | OW | P |
| UTE TRIBAL 14-26D-54 | 26 | 050S | 040W | 4301333673 | 16299 | Indian | OW | P |
| UTE FEE 7-13D-55 | 13 | 050S | 050W | 4301333674 | 18089 | Fee | OW | P |
| UTE TRIBAL 9-20D-55 | 20 | 050S | 050W | 4301333675 | 17309 | Indian | OW | P |
| LC TRIBAL 11-17-56 | 17 | 050S | 060W | 4301333677 | 17600 | Indian | OW | P |
| UTE TRIBAL 1-26D-54 | 26 | 050S | 040W | 4301333680 | 16638 | Indian | OW | P |
| UTE TRIBAL 3-26D-54 | 26 | 050S | 040W | 4301333681 | 16665 | Indian | OW | P |
| UTE TRIBAL 8-26D-54 | 26 | 050S | 040W | 4301333682 | 17031 | Indian | OW | P |
| UTE TRIBAL 10-27D-55 | 27 | 050S | 050W | 4301333683 | 16666 | Indian | OW | P |
| UTE TRIBAL 14-27D-55 | 27 | 050S | 050W | 4301333684 | 16667 | Indian | OW | P |
| UTE TRIBAL 12-21D-55 | 21 | 050S | 050W | 4301333694 | 16296 | Indian | OW | P |
| UTE TRIBAL 5-21D-55 | 21 | 050S | 050W | 4301333706 | 16298 | Indian | OW | P |
| UTE TRIBAL 2-29D-55 | 29 | 050S | 050W | 4301333714 | 16854 | Indian | OW | P |
| UTE TRIBAL 7-29D-55 | 29 | 050S | 050W | 4301333715 | 16853 | Indian | OW | P |
| UTE TRIBAL 13-22D-55 | 22 | 050S | 050W | 4301333716 | 16668 | Indian | OW | P |
| UTE TRIBAL 14-22D-55 | 22 | 050S | 050W | 4301333717 | 16669 | Indian | OW | P |
| UTE FEE 2-13-55 | 13 | 050S | 050W | 4301333720 | 18659 | Indian | OW | P |
| UTE TRIBAL 7-22D-55 | 22 | 050S | 050W | 4301333721 | 16670 | Indian | OW | P |
| UTE TRIBAL 10-22D-55 | 22 | 050S | 050W | 4301333722 | 16671 | Indian | OW | P |

Berry Petroleum Company, LLC (N4075) to Linn Operating, Inc. (N4115)
Effective June 1, 2014

| | | | | | | | | | |
|------------------------|----|------|------|------------|-------|---------|----|---|--|
| UTE TRIBAL 3-29-55 | 29 | 050S | 050W | 4301333723 | 16857 | Indian | OW | P | |
| BERRY TRIBAL 10-23D-54 | 23 | 050S | 040W | 4301333724 | 16592 | Indian | OW | P | |
| BERRY TRIBAL 11-23D-54 | 23 | 050S | 040W | 4301333725 | 16672 | Indian | OW | P | |
| UTE TRIBAL 4-24D-55 | 24 | 050S | 050W | 4301333726 | 16673 | Indian | OW | P | |
| FEDERAL 6-6D-64 | 6 | 060S | 040W | 4301333745 | 17084 | Federal | OW | P | |
| UTE TRIBAL 15-26D-54 | 26 | 050S | 040W | 4301333768 | 17450 | Indian | OW | P | |
| UTE TRIBAL 1-14D-54 | 14 | 050S | 040W | 4301333769 | 17483 | Indian | OW | P | |
| UTE TRIBAL 12-35D-55 | 35 | 050S | 050W | 4301333782 | 16856 | Indian | OW | P | |
| UTE TRIBAL 11-35-55 | 35 | 050S | 050W | 4301333783 | 16855 | Indian | OW | P | |
| UTE TRIBAL 1-28D-55 | 28 | 050S | 050W | 4301333784 | 16852 | Indian | OW | P | |
| UTE TRIBAL 16-27D-55 | 27 | 050S | 050W | 4301333786 | 17800 | Indian | OW | P | |
| UTE TRIBAL 9-28D-55 | 28 | 050S | 050W | 4301333787 | 16887 | Indian | OW | P | |
| UTE TRIBAL 7-28D-55 | 28 | 050S | 050W | 4301333788 | 16886 | Indian | OW | P | |
| UTE TRIBAL 11-32D-54 | 32 | 050S | 040W | 4301333793 | 17003 | Indian | OW | P | |
| UTE TRIBAL 9-14D-54 | 14 | 050S | 040W | 4301333796 | 17482 | Indian | OW | P | |
| UTE TRIBAL 4-27D-55 | 27 | 050S | 050W | 4301333797 | 16700 | Indian | OW | P | |
| FOY TRIBAL 12H-33-55 | 33 | 050S | 050W | 4301333799 | 18232 | Indian | OW | P | |
| UTE TRIBAL 9-32D-55 | 32 | 050S | 050W | 4301333800 | 18361 | Indian | OW | P | |
| UTE TRIBAL 12-26D-54 | 26 | 050S | 040W | 4301333801 | 16639 | Indian | OW | P | |
| UTE TRIBAL 8-26D-55 | 26 | 050S | 050W | 4301333859 | 17859 | Indian | OW | P | |
| BERRY TRIBAL 2-34D-54 | 34 | 050S | 040W | 4301333867 | 17889 | Indian | OW | P | |
| UTE TRIBAL 3-35D-55 | 35 | 050S | 050W | 4301333888 | 17421 | Indian | OW | P | |
| UTE TRIBAL 10-32-54 | 32 | 050S | 040W | 4301333902 | 16819 | Indian | OW | P | |
| UTE TRIBAL 12-31D-54 | 31 | 050S | 040W | 4301333907 | 17480 | Indian | OW | P | |
| UTE TRIBAL 12-23D-55 | 23 | 050S | 050W | 4301333908 | 17814 | Indian | OW | P | |
| UTE TRIBAL 14-20D-55 | 20 | 050S | 050W | 4301333909 | 18559 | Indian | OW | P | |
| UTE TRIBAL 6-20D-55 | 20 | 050S | 050W | 4301333910 | 18481 | Indian | OW | P | |
| UTE TRIBAL 12-20-55 | 20 | 050S | 050W | 4301333911 | 18520 | Indian | OW | P | |
| UTE TRIBAL 14-24D-55 | 24 | 050S | 050W | 4301333912 | 16943 | Indian | OW | P | |
| UTE TRIBAL 14-23D-55 | 23 | 050S | 050W | 4301333915 | 17457 | Indian | OW | P | |
| ST TRIBAL 1-15D-54 | 15 | 050S | 040W | 4301333916 | 16889 | Indian | OW | P | |
| ST TRIBAL 7-15D-54 | 15 | 050S | 040W | 4301333950 | 16972 | Indian | OW | P | |
| ST TRIBAL 9-15D-54 | 15 | 050S | 040W | 4301333951 | 16973 | Indian | OW | P | |
| UTE TRIBAL 15-35D-55 | 35 | 050S | 050W | 4301333954 | 17417 | Indian | OW | P | |
| UTE TRIBAL 14-35D-55 | 35 | 050S | 050W | 4301333955 | 17416 | Indian | OW | P | |
| UTE TRIBAL 16-26D-55 | 26 | 050S | 050W | 4301333965 | 17418 | Indian | OW | P | |
| FEDERAL 1-2D-65 | 2 | 060S | 050W | 4301333966 | 16888 | Federal | OW | P | |
| UTE TRIBAL 1-35D-55 | 35 | 050S | 050W | 4301333967 | 17420 | Indian | OW | P | |
| UTE TRIBAL 10-36D-55 | 36 | 050S | 050W | 4301333968 | 17743 | Indian | OW | P | |
| UTE TRIBAL 4-26D-55 | 26 | 050S | 050W | 4301333978 | 17455 | Indian | OW | P | |
| UTE TRIBAL 2-26D-55 | 26 | 050S | 050W | 4301333979 | 17456 | Indian | OW | P | |
| BERRY TRIBAL 14-23D-54 | 23 | 050S | 040W | 4301333989 | 17903 | Indian | OW | P | |
| FEDERAL 3-2D-65 | 2 | 060S | 050W | 4301334001 | 16944 | Federal | OW | P | |
| UTE TRIBAL 13-26D-55 | 26 | 050S | 050W | 4301334002 | 17481 | Indian | OW | P | |
| FEDERAL 7-1D-65 | 1 | 060S | 050W | 4301334015 | 17775 | Federal | OW | P | |
| FEDERAL 2-2D-64 | 2 | 060S | 040W | 4301334018 | 17086 | Federal | OW | P | |
| FEDERAL 7-6D-64 | 6 | 060S | 040W | 4301334020 | 17085 | Federal | OW | P | |
| UTE TRIBAL 6-35D-55 | 35 | 050S | 050W | 4301334028 | 17785 | Indian | OW | P | |
| UTE TRIBAL 16-26-54 | 26 | 050S | 040W | 4301334042 | 17413 | Indian | OW | P | |
| BERRY TRIBAL 13-23-54 | 23 | 050S | 040W | 4301334043 | 17100 | Indian | OW | P | |
| UTE TRIBAL 11-28-55 | 28 | 050S | 050W | 4301334057 | 18001 | Indian | OW | P | |
| UTE TRIBAL 8-27D-55 | 27 | 050S | 050W | 4301334058 | 17842 | Indian | OW | P | |
| ST TRIBAL 3-15D-54 | 15 | 050S | 040W | 4301334059 | 17477 | Indian | OW | P | |
| ST TRIBAL 5-15D-54 | 15 | 050S | 040W | 4301334060 | 17479 | Indian | OW | P | |
| FEDERAL 7-11D-65 | 11 | 060S | 050W | 4301334061 | 17776 | Federal | OW | P | |
| FEDERAL 7-3D-65 | 3 | 060S | 050W | 4301334065 | 17124 | Federal | OW | P | |
| MOON TRIBAL 16-27D-54 | 27 | 050S | 040W | 4301334109 | 17414 | Indian | OW | P | |
| UTE TRIBAL 15-22D-54 | 22 | 050S | 040W | 4301334116 | 17415 | Indian | OW | P | |
| UTE TRIBAL 13-35D-55 | 35 | 050S | 050W | 4301334117 | 18442 | Indian | OW | P | |
| UTE TRIBAL 12-26D-55 | 26 | 050S | 050W | 4301334118 | 17786 | Indian | OW | P | |
| LC TRIBAL 13-16D-56 | 16 | 050S | 060W | 4301334282 | 17601 | Indian | OW | P | |
| FEDERAL 11-6D-64 | 6 | 060S | 040W | 4301334284 | 17615 | Federal | OW | P | |
| FEDERAL 14-6D-64 | 6 | 060S | 040W | 4301334285 | 17616 | Federal | OW | P | |
| FEDERAL 2-6D-64 | 6 | 060S | 040W | 4301334286 | 17663 | Federal | OW | P | |
| FEDERAL 3-5D-64 | 5 | 060S | 040W | 4301334287 | 17617 | Federal | OW | P | |
| FEDERAL 6-5D-64 | 5 | 060S | 040W | 4301334288 | 17649 | Federal | OW | P | |

Berry Petroleum Company, LLC N4075) to Linn Operating, Inc. (N4115)
Effective June 1, 2014

| | | | | | | | | | |
|------------------------|----|------|------|------------|-------|---------|----|---|--|
| SFW TRIBAL 10-10D-54 | 10 | 050S | 040W | 4301334295 | 17564 | Indian | OW | P | |
| SFW TRIBAL 9-10D-54 | 10 | 050S | 040W | 4301334296 | 17565 | Indian | OW | P | |
| STATE TRIBAL 16-10-54 | 10 | 050S | 040W | 4301350245 | 17553 | Indian | OW | P | |
| UTE TRIBAL 6-14D-55 | 14 | 050S | 050W | 4301350246 | 17602 | Indian | OW | P | |
| SFW FEE 15-10-54 | 10 | 050S | 040W | 4301350247 | 17566 | Fee | OW | P | |
| FEDERAL 5-5D-64 | 5 | 060S | 040W | 4301350259 | 17648 | Federal | OW | P | |
| LC TRIBAL 6-22D-56 | 22 | 050S | 060W | 4301350260 | 17567 | Indian | OW | P | |
| FEDERAL 12-6D-64 | 6 | 060S | 040W | 4301350261 | 17618 | Federal | OW | P | |
| LC TRIBAL 4-27D-56 | 27 | 050S | 060W | 4301350262 | 17568 | Indian | OW | P | |
| FEDERAL 4-5D-64 | 5 | 060S | 040W | 4301350263 | 17661 | Federal | OW | P | |
| FEDERAL 1-6-64 | 6 | 060S | 040W | 4301350266 | 17662 | Federal | OW | P | |
| FEDERAL 4-6D-64 | 6 | 060S | 040W | 4301350267 | 17651 | Federal | OW | P | |
| FEDERAL 3-6D-64 | 6 | 060S | 040W | 4301350268 | 17650 | Federal | OW | P | |
| FEDERAL 5-6D-64 | 6 | 060S | 040W | 4301350269 | 17652 | Federal | OW | P | |
| FEDERAL 8-6D-64 | 6 | 060S | 040W | 4301350325 | 17664 | Federal | OW | P | |
| FEDERAL 10-1D-65 | 1 | 060S | 050W | 4301350326 | 18027 | Federal | OW | P | |
| FEDERAL 11-1D-65 | 1 | 060S | 050W | 4301350327 | 18039 | Federal | OW | P | |
| FEDERAL 12-1D-65 | 1 | 060S | 050W | 4301350328 | 18040 | Federal | OW | P | |
| FEDERAL 13-1D-65 | 1 | 060S | 050W | 4301350329 | 18042 | Federal | OW | P | |
| FEDERAL 14-1D-65 | 1 | 060S | 050W | 4301350330 | 18041 | Federal | OW | P | |
| FEDERAL 13-5D-64 | 5 | 060S | 040W | 4301350337 | 17714 | Federal | OW | P | |
| FEDERAL 14-5D-64 | 5 | 060S | 040W | 4301350338 | 17715 | Federal | OW | P | |
| FEDERAL 9-1D-65 | 1 | 060S | 050W | 4301350342 | 18026 | Federal | OW | P | |
| FEDERAL 13-6D-64 | 6 | 060S | 040W | 4301350347 | 17619 | Federal | OW | P | |
| FEDERAL 11-5D-64 | 5 | 060S | 040W | 4301350348 | 17690 | Federal | OW | P | |
| FEDERAL 12-5D-64 | 5 | 060S | 040W | 4301350349 | 17713 | Federal | OW | P | |
| FEDERAL 8-1D-65 | 1 | 060S | 050W | 4301350350 | 18025 | Federal | OW | P | |
| UTE TRIBAL 3-14D-54 | 14 | 050S | 040W | 4301350389 | 17904 | Indian | OW | P | |
| UTE TRIBAL 1-34D-55 | 34 | 050S | 050W | 4301350408 | 17931 | Indian | OW | P | |
| UTE TRIBAL 7-14-54 | 14 | 050S | 040W | 4301350409 | 17924 | Indian | OW | P | |
| UTE TRIBAL 8-21D-55 | 21 | 050S | 050W | 4301350435 | 17963 | Indian | OW | P | |
| UTE TRIBAL 8-34D-55 | 34 | 050S | 050W | 4301350436 | 17952 | Indian | OW | P | |
| UTE TRIBAL 5-16D-54 | 16 | 050S | 040W | 4301350475 | 17991 | Indian | OW | P | |
| UTE TRIBAL 12-14D-55 | 14 | 050S | 050W | 4301350476 | 17973 | Indian | OW | P | |
| UTE TRIBAL 8-15D-55 | 15 | 050S | 050W | 4301350477 | 17974 | Indian | OW | P | |
| UTE TRIBAL 3-14-55 | 14 | 050S | 050W | 4301350478 | 18002 | Indian | OW | P | |
| UTE TRIBAL 5-14-55 | 14 | 050S | 050W | 4301350479 | 18021 | Indian | OW | P | |
| UTE TRIBAL 8-10D-54 | 10 | 050S | 040W | 4301350488 | 18099 | Indian | OW | P | |
| UTE TRIBAL 7-34-55 | 34 | 050S | 050W | 4301350510 | 17949 | Indian | OW | P | |
| FEDERAL 4-4D-65 | 4 | 060S | 050W | 4301350521 | 18557 | Federal | OW | P | |
| FEDERAL 6-3D-64 | 3 | 060S | 040W | 4301350522 | 18073 | Federal | OW | P | |
| FEDERAL 1-1D-64 | 1 | 060S | 040W | 4301350524 | 18088 | Federal | OW | P | |
| FEDERAL 7-2D-65 | 2 | 060S | 050W | 4301350525 | 18100 | Federal | OW | P | |
| BERRY TRIBAL 12-34D-54 | 34 | 050S | 040W | 4301350527 | 17998 | Indian | OW | P | |
| FEDERAL 15-5D-65 | 5 | 060S | 050W | 4301350553 | 18537 | Federal | OW | P | |
| FEDERAL 11-4D-64 | 4 | 060S | 040W | 4301350565 | 18043 | Federal | OW | P | |
| FEDERAL 6-6D-65 | 6 | 060S | 050W | 4301350566 | 18521 | Federal | OW | P | |
| LC TRIBAL 3-15D-56 | 15 | 050S | 060W | 4301350598 | 18097 | Indian | OW | P | |
| LC TRIBAL 8-16D-56 | 16 | 050S | 060W | 4301350599 | 18161 | Indian | OW | P | |
| LC FEE 16-16D-56 | 16 | 050S | 060W | 4301350601 | 18165 | Fee | OW | P | |
| LC TRIBAL 10-16D-56 | 16 | 050S | 060W | 4301350602 | 18586 | Indian | OW | P | |
| LC TRIBAL 15-22D-56 | 22 | 050S | 060W | 4301350606 | 18278 | Indian | OW | P | |
| LC TRIBAL 5-23D-56 | 23 | 050S | 060W | 4301350625 | 18285 | Indian | OW | P | |
| LC TRIBAL 5-14D-56 | 14 | 050S | 060W | 4301350661 | 18219 | Indian | OW | P | |
| SFW FEE 14-10D-54 | 10 | 050S | 040W | 4301350686 | 18070 | Fee | OW | P | |
| LC FEE 1-22D-56 | 22 | 050S | 060W | 4301350718 | 18101 | Fee | OW | P | |
| FEDERAL 8-2D-65 | 2 | 060S | 050W | 4301350719 | 18614 | Federal | OW | P | |
| FEDERAL 1-2D-64 | 2 | 060S | 040W | 4301350730 | 18585 | Federal | OW | P | |
| FEDERAL 7-2D-64 | 2 | 060S | 040W | 4301350734 | 18584 | Federal | OW | P | |
| FEDERAL 10-6D-64 | 6 | 060S | 040W | 4301350735 | 18162 | Federal | OW | P | |
| FEDERAL 4-3D-64 | 3 | 060S | 040W | 4301350736 | 18621 | Federal | OW | P | |
| FEDERAL 12-3D-64 | 3 | 060S | 040W | 4301350737 | 18620 | Federal | OW | P | |
| LC TRIBAL 3-21D-56 | 21 | 050S | 060W | 4301350751 | 18462 | Indian | OW | P | |
| LC TRIBAL 5-21D-56 | 21 | 050S | 060W | 4301350752 | 18286 | Indian | OW | P | |
| FEDERAL 2-1D-65 | 1 | 060S | 050W | 4301350759 | 18172 | Federal | OW | P | |
| FEDERAL 3-1D-65 | 1 | 060S | 050W | 4301350760 | 18173 | Federal | OW | P | |

Berry Petroleum Company, LLC N4075) to Linn Operating, Inc. (N4115)
Effective June 1, 2014

| | | | | | | | | | |
|-----------------------|----|------|------|------------|-------|---------|----|---|------------------------|
| FEDERAL 5-1D-65 | 1 | 060S | 050W | 4301350761 | 18174 | Federal | OW | P | |
| FEDERAL 9-2D-65 | 2 | 060S | 050W | 4301350762 | 18245 | Federal | OW | P | |
| FEDERAL 11-2D-65 | 2 | 060S | 050W | 4301350763 | 18589 | Federal | OW | P | |
| FEDERAL 15-2D-65 | 2 | 060S | 050W | 4301350764 | 18590 | Federal | OW | P | |
| LC TRIBAL 14-14D-56 | 14 | 050S | 060W | 4301350776 | 18287 | Indian | OW | P | |
| LC FEE 2-20D-56 | 20 | 050S | 060W | 4301350777 | 18622 | Fee | OW | P | |
| LC TRIBAL 12-22D-56 | 22 | 050S | 060W | 4301350780 | 18341 | Indian | OW | P | |
| FEDERAL 3-4D-65 | 4 | 060S | 050W | 4301350782 | 18556 | Federal | OW | P | |
| FEDERAL 6-4D-65 | 4 | 060S | 050W | 4301350783 | 19162 | Federal | OW | P | |
| FEDERAL 12-4D-65 | 4 | 060S | 050W | 4301350784 | 19171 | Federal | OW | P | |
| LC TRIBAL 14-15D-56 | 15 | 050S | 060W | 4301350834 | 18362 | Indian | OW | P | |
| UTE TRIBAL 7I-21D-54 | 21 | 050S | 040W | 4301350852 | 18423 | Indian | OW | P | BERRY PILOT EOR 246-02 |
| UTE TRIBAL 8L-21D-54 | 21 | 050S | 040W | 4301350853 | 18423 | Indian | OW | P | BERRY PILOT EOR 246-02 |
| UTE TRIBAL 10S-21D-54 | 21 | 050S | 040W | 4301350854 | 18423 | Indian | OW | P | BERRY PILOT EOR 246-02 |
| UTE TRIBAL 11-11-54 | 11 | 050S | 040W | 4301350861 | 18775 | Indian | OW | P | |
| LC TRIBAL 2-28D-56 | 28 | 050S | 060W | 4301350866 | 18592 | Indian | OW | P | |
| LC FEE 8-28D-56 | 28 | 050S | 060W | 4301350867 | 18342 | Fee | OW | P | |
| LC TRIBAL 6-27D-56 | 27 | 050S | 060W | 4301350868 | 18480 | Indian | OW | P | |
| LC FEE 15-23D-56 | 23 | 050S | 060W | 4301350870 | 18410 | Fee | OW | P | |
| LC TRIBAL 15-26-56 | 26 | 050S | 060W | 4301350871 | 18377 | Indian | OW | P | |
| UTE TRIBAL 16-11-55 | 11 | 050S | 050W | 4301350888 | 18707 | Indian | OW | P | |
| LC TRIBAL 2-5D-56 | 5 | 050S | 060W | 4301350925 | 18568 | Indian | OW | P | |
| LC TRIBAL 2-9D-56 | 9 | 050S | 060W | 4301350926 | 18425 | Indian | OW | P | |
| LC FEE 8-29-45 | 29 | 040S | 050W | 4301350928 | 18313 | Fee | OW | P | |
| LC FEE 13-29-45 | 29 | 040S | 050W | 4301350929 | 18426 | Fee | OW | P | |
| LC FEE 9-12D-57 | 12 | 050S | 070W | 4301350963 | 18541 | Fee | OW | P | |
| LC FEE 1-22-57 | 22 | 050S | 070W | 4301350965 | 18558 | Fee | OW | P | |
| LC TRIBAL 11-3D-56 | 3 | 050S | 060W | 4301350966 | 18464 | Indian | OW | P | |
| LC TRIBAL 3-34-45 | 34 | 040S | 050W | 4301350976 | 18661 | Indian | OW | P | |
| LC TRIBAL 9-10D-56 | 10 | 050S | 060W | 4301350987 | 18944 | Indian | OW | P | |
| LC TRIBAL 10-9D-56 | 9 | 050S | 060W | 4301350990 | 18864 | Indian | OW | P | |
| LC FEE 10-31D-45 | 31 | 040S | 050W | 4301350994 | 18443 | Fee | OW | P | |
| VIEIRA TRIBAL 4-4-54 | 4 | 050S | 040W | 4301350997 | 18747 | Indian | OW | P | |
| LC TRIBAL 10-21-56 | 21 | 050S | 060W | 4301350999 | 18439 | Indian | OW | P | |
| FEDERAL 1-5D-64 | 5 | 060S | 040W | 4301351012 | 18720 | Federal | OW | P | |
| FEDERAL 2-5D-64 | 5 | 060S | 040W | 4301351013 | 18723 | Federal | OW | P | |
| FEDERAL 7-5D-64 | 5 | 060S | 040W | 4301351014 | 18722 | Federal | OW | P | |
| FEDERAL 8-5D-64 | 5 | 060S | 040W | 4301351015 | 18721 | Federal | OW | P | |
| MYRIN TRIBAL 15-10-55 | 10 | 050S | 050W | 4301351024 | 18771 | Indian | OW | P | |
| LC TRIBAL 15-15D-56 | 15 | 050S | 060W | 4301351030 | 18440 | Indian | OW | P | |
| LC TRIBAL 9-15D-56 | 15 | 050S | 060W | 4301351031 | 18441 | Indian | OW | P | |
| LC TRIBAL 6-28-45 | 28 | 040S | 050W | 4301351034 | 18700 | Indian | OW | P | |
| FEDERAL 1-12D-65 | 12 | 060S | 050W | 4301351055 | 18739 | Federal | OW | P | |
| FEDERAL 8-12D-65 | 12 | 060S | 050W | 4301351056 | 18718 | Federal | OW | P | |
| FEDERAL 2-12D-65 | 12 | 060S | 050W | 4301351057 | 18738 | Federal | OW | P | |
| LC TRIBAL 15-8D-56 | 8 | 050S | 060W | 4301351060 | 18862 | Indian | OW | P | |
| LC TRIBAL 8-22D-56 | 22 | 050S | 060W | 4301351069 | 19233 | Indian | OW | P | |
| LC TRIBAL 9-17D-56 | 17 | 050S | 060W | 4301351070 | 18945 | Indian | OW | P | |
| LC TRIBAL 7-27-45 | 27 | 040S | 050W | 4301351073 | 18685 | Indian | OW | P | |
| LC TRIBAL 11-24-45 | 24 | 040S | 050W | 4301351076 | 18745 | Indian | OW | P | |
| FEDERAL 3-12D-65 | 12 | 060S | 050W | 4301351093 | 18705 | Federal | OW | P | |
| FEDERAL 4-12D-65 | 12 | 060S | 050W | 4301351094 | 18704 | Federal | OW | P | |
| FEDERAL 5-12D-65 | 12 | 060S | 050W | 4301351095 | 18702 | Federal | OW | P | |
| FEDERAL 6-12D-65 | 12 | 060S | 050W | 4301351096 | 18703 | Federal | OW | P | |
| LC TRIBAL 9-8D-56 | 8 | 050S | 060W | 4301351112 | 18522 | Indian | OW | P | |
| UTE TRIBAL 4-9-54 | 9 | 050S | 040W | 4301351126 | 19059 | Indian | OW | P | |
| UTE TRIBAL 6-9-54 | 9 | 050S | 040W | 4301351127 | 19017 | Indian | OW | P | |
| UTE TRIBAL 2-9-54 | 9 | 050S | 040W | 4301351128 | 18946 | Indian | OW | P | |
| UTE TRIBAL 1-10-54 | 10 | 050S | 040W | 4301351129 | 18879 | Indian | OW | P | |
| LC TRIBAL 8-30D-56 | 30 | 050S | 060W | 4301351131 | 18539 | Indian | OW | P | |
| LC TRIBAL 16-30D-56 | 30 | 050S | 060W | 4301351132 | 18540 | Indian | OW | P | |
| FEDERAL 1-1D-65 | 1 | 060S | 050W | 4301351142 | 18623 | Federal | OW | P | |
| UTE TRIBAL 8-9-54 | 9 | 050S | 040W | 4301351143 | 18947 | Indian | OW | P | |
| FEDERAL 15-1D-65 | 1 | 060S | 050W | 4301351175 | 18654 | Federal | OW | P | |
| FEDERAL 16-1D-65 | 1 | 060S | 050W | 4301351176 | 18655 | Federal | OW | P | |
| LC TRIBAL 11-29D-56 | 29 | 050S | 060W | 4301351183 | 18873 | Indian | OW | P | |

Berry Petroleum Company, LLC N4075) to Linn Operating, Inc. (N4115)
Effective June 1, 2014

| | | | | | | | | | |
|----------------------|----|------|------|------------|-------|---------|----|---|--|
| STATE TRIBAL 8-12-55 | 12 | 050S | 050W | 4301351188 | 18986 | Indian | OW | P | |
| LC TRIBAL 11-20D-56 | 20 | 050S | 060W | 4301351189 | 18819 | Indian | OW | P | |
| LC FEE 5-20D-56 | 20 | 050S | 060W | 4301351190 | 18818 | Fee | OW | P | |
| LC FEE 9-19-56 | 19 | 050S | 060W | 4301351192 | 18596 | Fee | OW | P | |
| LC TRIBAL 9-9D-56 | 9 | 050S | 060W | 4301351198 | 18595 | Indian | OW | P | |
| FEDERAL 16-6-64 | 6 | 060S | 040W | 4301351217 | 18792 | Federal | OW | P | |
| FEDERAL 9-6D-64 | 6 | 060S | 040W | 4301351218 | 18791 | Federal | OW | P | |
| UTE TRIBAL 5-17-55 | 17 | 050S | 050W | 4301351220 | 18841 | Indian | OW | P | |
| UTE TRIBAL 16-3-54 | 3 | 050S | 040W | 4301351226 | 18664 | Indian | OW | P | |
| STATE TRIBAL 15-6-54 | 6 | 050S | 040W | 4301351227 | 18746 | Indian | OW | P | |
| STATE TRIBAL 8-7-54 | 7 | 050S | 040W | 4301351228 | 18743 | Indian | OW | P | |
| STATE TRIBAL 12-1-55 | 1 | 050S | 050W | 4301351229 | 18741 | Indian | OW | P | |
| STATE TRIBAL 11-2-55 | 2 | 050S | 050W | 4301351230 | 18742 | Indian | OW | P | |
| FEDERAL 1-11-65 | 11 | 060S | 050W | 4301351231 | 18689 | Federal | OW | P | |
| FEDERAL 8-11D-65 | 11 | 060S | 050W | 4301351232 | 18688 | Federal | OW | P | |
| FEDERAL 2-11D-65 | 11 | 060S | 050W | 4301351233 | 18690 | Federal | OW | P | |
| STATE TRIBAL 12-3-55 | 3 | 050S | 050W | 4301351236 | 18744 | Indian | OW | P | |
| UTE TRIBAL 11-4-55 | 4 | 050S | 050W | 4301351237 | 18663 | Indian | OW | P | |
| UTE TRIBAL 4-9-55 | 9 | 050S | 050W | 4301351238 | 18796 | Indian | OW | P | |
| UTE TRIBAL 15-5-55 | 5 | 050S | 050W | 4301351239 | 18740 | Indian | OW | P | |
| UTE FEE 9-9-54 | 9 | 050S | 040W | 4301351259 | 18642 | Fee | OW | P | |
| LC TRIBAL 4-29-45 | 29 | 040S | 050W | 4301351260 | 18719 | Indian | OW | P | |
| UTE FEE 14-9D-54 | 9 | 050S | 040W | 4301351271 | 18684 | Fee | OW | P | |
| UTE FEE 15-9D-54 | 9 | 050S | 040W | 4301351272 | 18687 | Fee | OW | P | |
| LC FEE 10-28D-56 | 28 | 050S | 060W | 4301351288 | 18591 | Fee | OW | P | |
| UTE TRIBAL 8-16D-54 | 16 | 050S | 040W | 4301351295 | 19003 | Indian | OW | P | |
| FEE TRIBAL 4-5-54 | 5 | 050S | 040W | 4301351303 | 19187 | Indian | OW | P | |
| LC TRIBAL 1-26-56 | 26 | 050S | 060W | 4301351306 | 18816 | Indian | OW | P | |
| UTE TRIBAL 6-16D-54 | 16 | 050S | 040W | 4301351307 | 19060 | Indian | OW | P | |
| LC TRIBAL 7-22D-56 | 22 | 050S | 060W | 4301351308 | 18795 | Indian | OW | P | |
| LC TRIBAL 9-22D-56 | 22 | 050S | 060W | 4301351309 | 18794 | Indian | OW | P | |
| LC TRIBAL 9-32D-56 | 32 | 050S | 060W | 4301351316 | 19228 | Indian | OW | P | |
| LC TRIBAL 7-26D-56 | 26 | 050S | 060W | 4301351319 | 18817 | Indian | OW | P | |
| LC FEE 8-6D-56 | 6 | 050S | 060W | 4301351342 | 18657 | Fee | OW | P | |
| LC FEE 10-29D-45 | 29 | 040S | 050W | 4301351343 | 18850 | Fee | OW | P | |
| LC TRIBAL 1-7D-56 | 7 | 050S | 060W | 4301351344 | 18774 | Indian | OW | P | |
| LC TRIBAL 9-7D-56 | 7 | 050S | 060W | 4301351346 | 18773 | Indian | OW | P | |
| LC TRIBAL 11-10D-56 | 10 | 050S | 060W | 4301351369 | 18840 | Indian | OW | P | |
| LC FEE 1-31D-45 | 31 | 040S | 050W | 4301351371 | 18686 | Fee | OW | P | |
| LC TRIBAL 14-21D-56 | 21 | 050S | 060W | 4301351384 | 18877 | Indian | OW | P | |
| LC TRIBAL 4-22D-56 | 22 | 050S | 060W | 4301351385 | 18878 | Indian | OW | P | |
| LC TRIBAL 8-21D-56 | 21 | 050S | 060W | 4301351392 | 18874 | Indian | OW | P | |
| UTE TRIBAL 1-17-55 | 17 | 050S | 050W | 4301351393 | 18848 | Indian | OW | P | |
| LC TRIBAL 4-33D-45 | 33 | 040S | 050W | 4301351401 | 18853 | Indian | OW | P | |
| LC TRIBAL 16-21D-56 | 21 | 050S | 060W | 4301351407 | 18875 | Indian | OW | P | |
| UTE TRIBAL 2-10D-54 | 10 | 050S | 040W | 4301351411 | 19172 | Indian | OW | P | |
| UTE TRIBAL 4-10D-54 | 10 | 050S | 040W | 4301351414 | 19069 | Indian | OW | P | |
| LC TRIBAL 2-21D-56 | 16 | 050S | 060W | 4301351418 | 19252 | Indian | OW | P | |
| LC TRIBAL 1-23D-45 | 23 | 040S | 050W | 4301351425 | 18855 | Indian | OW | P | |
| LC TRIBAL 2-28D-45 | 28 | 040S | 050W | 4301351429 | 18701 | Indian | OW | P | |
| LC TRIBAL 9-28D-45 | 28 | 040S | 050W | 4301351430 | 18656 | Indian | OW | P | |
| LC TRIBAL 1-29-56 | 29 | 050S | 060W | 4301351442 | 18876 | Indian | OW | P | |
| LC FEE 1-1-56 | 1 | 050S | 060W | 4301351458 | 18829 | Fee | OW | P | |
| LC Tribal 12-32-45 | 32 | 040S | 050W | 4301351465 | 18772 | Indian | OW | P | |
| UTE TRIBAL 2-5-54 | 5 | 050S | 040W | 4301351520 | 18880 | Indian | OW | P | |
| LC Tribal 3-32D-45 | 32 | 040S | 050W | 4301351561 | 18842 | Indian | OW | P | |
| LC TRIBAL 5-15D-56 | 15 | 050S | 060W | 4301351562 | 19253 | Indian | OW | P | |
| LC FEE 16-36-56 | 36 | 050S | 060W | 4301351611 | 19096 | Fee | OW | P | |
| LC TRIBAL 15-34-56 | 34 | 050S | 060W | 4301351647 | 18962 | Indian | OW | P | |
| LC TRIBAL 1-34D-56 | 34 | 050S | 060W | 4301351660 | 18988 | Indian | OW | P | |
| LC FEE 13-23-56 | 23 | 050S | 060W | 4301351706 | 18994 | Fee | OW | P | |
| LC FEE 11-23D-56 | 23 | 050S | 060W | 4301351707 | 18995 | Fee | OW | P | |
| LC TRIBAL 3-33-56 | 33 | 050S | 060W | 4301351711 | 19242 | Indian | OW | P | |
| LC FEE 11-29D-45 | 29 | 040S | 050W | 4301351743 | 19188 | Fee | OW | P | |
| LC FEE 4-28D-45 | 29 | 040S | 050W | 4301351745 | 18849 | Fee | OW | P | |
| CC Fee 7R-28-38 | 28 | 030S | 080W | 4301351852 | 18863 | Fee | OW | P | |

Berry Petroleum Company, LLC N4075) to Linn Operating, Inc. (N4115)
Effective June 1, 2014

| | | | | | | | | | |
|-------------------------|----|------|------|------------|-------|---------|----|---|--|
| FEDERAL 6-7-64 | 7 | 060S | 040W | 4301351915 | 19117 | Federal | OW | P | |
| FEDERAL 3-7D-64 | 7 | 060S | 040W | 4301351916 | 19115 | Federal | OW | P | |
| FEDERAL 4-7D-64 | 7 | 060S | 040W | 4301351917 | 19110 | Federal | OW | P | |
| FEDERAL 5-7D-64 | 7 | 060S | 040W | 4301351918 | 19111 | Federal | OW | P | |
| FEDERAL 2-7-64 | 7 | 060S | 040W | 4301351919 | 19139 | Federal | OW | P | |
| FEDERAL 1-7D-64 | 7 | 060S | 040W | 4301351920 | 19140 | Federal | OW | P | |
| FEDERAL 12-7D-64 | 7 | 060S | 040W | 4301351924 | 19025 | Federal | OW | P | |
| FEDERAL 11-7D-64 | 7 | 060S | 040W | 4301351925 | 19039 | Federal | OW | P | |
| FEDERAL 13-7D-64 | 7 | 060S | 040W | 4301351926 | 19026 | Federal | OW | P | |
| FEDERAL 14-7D-64 | 7 | 060S | 040W | 4301351927 | 19040 | Federal | OW | P | |
| FEDERAL 7-7D-64 | 7 | 060S | 040W | 4301351933 | 19141 | Federal | OW | P | |
| FEDERAL 8-7D-64 | 7 | 060S | 040W | 4301351934 | 19142 | Federal | OW | P | |
| FEDERAL 9-7D-64 | 7 | 060S | 040W | 4301351935 | 19143 | Federal | OW | P | |
| FEDERAL 10-7D-64 | 7 | 060S | 040W | 4301351936 | 19144 | Federal | OW | P | |
| ABBOTT FEE 2-6D-54 | 6 | 050S | 040W | 4301351949 | 18974 | Fee | OW | P | |
| ABBOTT FEE 8-6D-54 | 6 | 050S | 040W | 4301351950 | 18964 | Fee | OW | P | |
| ABBOTT FEE 4-6-54 | 6 | 050S | 040W | 4301351952 | 18965 | Fee | OW | P | |
| Federal 15-12D-65 | 12 | 060S | 050W | 4301351992 | 19051 | Federal | OW | P | |
| Federal 10-12D-65 | 12 | 060S | 050W | 4301351999 | 19052 | Federal | OW | P | |
| Federal 9-12D-65 | 12 | 060S | 050W | 4301352000 | 19053 | Federal | OW | P | |
| Federal 16-12D-65 | 12 | 060S | 050W | 4301352003 | 19054 | Federal | OW | P | |
| Federal 1-6D-65 | 6 | 060S | 050W | 4301352012 | 19189 | Federal | OW | P | |
| Federal 3-6D-65 | 6 | 060S | 050W | 4301352014 | 19190 | Federal | OW | P | |
| Federal 2-6-65 | 6 | 060S | 050W | 4301352017 | 19191 | Federal | OW | P | |
| Federal 7-6D-65 | 6 | 060S | 050W | 4301352018 | 19192 | Federal | OW | P | |
| Federal 16-11D-65 | 11 | 060S | 050W | 4301352045 | 19070 | Federal | OW | P | |
| Federal 15-11D-65 | 11 | 060S | 050W | 4301352046 | 19076 | Federal | OW | P | |
| Federal 10-11D-65 | 11 | 060S | 050W | 4301352047 | 19077 | Federal | OW | P | |
| Federal 9-11D-65 | 11 | 060S | 050W | 4301352048 | 19071 | Federal | OW | P | |
| Federal 11-12D-65 | 12 | 060S | 050W | 4301352049 | 19121 | Federal | OW | P | |
| Federal 12-12D-65 | 12 | 060S | 050W | 4301352050 | 19122 | Federal | OW | P | |
| Federal 13-12D-65 | 12 | 060S | 050W | 4301352052 | 19123 | Federal | OW | P | |
| Federal 14-12D-65 | 12 | 060S | 050W | 4301352053 | 19124 | Federal | OW | P | |
| LC Tribal 12-28D-45 | 28 | 040S | 050W | 4301352089 | 19378 | Indian | OW | P | |
| LC Tribal 2-32D-45 | 32 | 040S | 050W | 4301352113 | 19348 | Indian | OW | P | |
| LC Tribal 16-29D-45 | 32 | 040S | 050W | 4301352114 | 19349 | Indian | OW | P | |
| Vieira Tribal 3-4D-54 | 4 | 050S | 040W | 4301352145 | 19210 | Indian | OW | P | |
| Vieira Tribal 5-4D-54 | 4 | 050S | 040W | 4301352146 | 19193 | Indian | OW | P | |
| Vieira Tribal 6-4D-54 | 4 | 050S | 040W | 4301352147 | 19216 | Indian | OW | P | |
| Lamplugh Tribal 6-3D-54 | 3 | 050S | 040W | 4301352148 | 19289 | Indian | OW | P | |
| Lamplugh Tribal 5-3D-54 | 3 | 050S | 040W | 4301352149 | 19290 | Indian | GW | P | |
| Lamplugh Tribal 4-3D-54 | 3 | 050S | 040W | 4301352150 | 19291 | Indian | OW | P | |
| Lamplugh Tribal 3-3D-54 | 3 | 050S | 040W | 4301352151 | 19292 | Indian | OW | P | |
| UTE Tribal 6-35D-54 | 35 | 050S | 040W | 4301352158 | 19254 | Indian | GW | P | |
| UTE Tribal 4-35D-54 | 35 | 050S | 040W | 4301352159 | 19255 | Indian | GW | P | |
| Heiner Tribal 3-11D-54 | 11 | 050S | 040W | 4301352165 | 19194 | Indian | OW | P | |
| Heiner Tribal 4-11-54 | 11 | 050S | 040W | 4301352166 | 19195 | Indian | OW | P | |
| Heiner Tribal 5-11D-54 | 11 | 050S | 040W | 4301352167 | 19196 | Indian | OW | P | |
| Conolly Tribal 1-11D-54 | 11 | 050S | 040W | 4301352168 | 19270 | Indian | OW | P | |
| Conolly Tribal 2-11D-54 | 11 | 050S | 040W | 4301352169 | 19197 | Indian | OW | P | |
| Conolly Tribal 7-11D-54 | 11 | 050S | 040W | 4301352170 | 19280 | Indian | OW | P | |
| Conolly Tribal 8-11D-54 | 11 | 050S | 040W | 4301352171 | 19281 | Indian | OW | P | |
| Casper Tribal 1-5D-54 | 5 | 050S | 040W | 4301352180 | 19198 | Indian | OW | P | |
| Fee Tribal 6-5D-54 | 5 | 050S | 040W | 4301352181 | 19199 | Indian | OW | P | |
| Fee Tribal 5-5D-54 | 5 | 050S | 040W | 4301352182 | 19200 | Indian | OW | P | |
| Fee Tribal 3-5D-54 | 5 | 050S | 040W | 4301352184 | 19201 | Indian | OW | P | |
| Casper Tribal 7-5D-54 | 5 | 050S | 040W | 4301352185 | 19202 | Indian | OW | P | |
| UTE Tribal 10-35D-54 | 35 | 050S | 040W | 4301352198 | 19320 | Indian | OW | P | |
| UTE Tribal 14-35D-54 | 35 | 050S | 040W | 4301352199 | 19311 | Indian | GW | P | |
| UTE Tribal 12-35D-54 | 35 | 050S | 040W | 4301352200 | 19312 | Indian | OW | P | |
| UTE Tribal 16-35D-54 | 35 | 050S | 040W | 4301352230 | 19321 | Indian | OW | P | |
| Evans Tribal 1-3-54 | 3 | 050S | 040W | 4301352234 | 19264 | Indian | OW | P | |
| Evans Tribal 2-3D-54 | 3 | 050S | 040W | 4301352235 | 19265 | Indian | OW | P | |
| Evans Tribal 7-3D-54 | 3 | 050S | 040W | 4301352236 | 19256 | Indian | OW | P | |
| Evans Tribal 8-3D-54 | 3 | 050S | 040W | 4301352237 | 19257 | Indian | OW | P | |
| Ute Tribal 9-3D-54 | 3 | 050S | 040W | 4301352249 | 19236 | Indian | OW | P | |

Berry Petroleum Company, LLC N4075) to Linn Operating, Inc. (N4115)
Effective June 1, 2014

| | | | | | | | | | |
|---------------------------------|----|------|------|------------|-------|---------|----|----|------------------------|
| Ute Tribal 15-3D-54 | 3 | 050S | 040W | 4301352250 | 19237 | Indian | OW | P | |
| Ute Tribal 10-3-54 | 3 | 050S | 040W | 4301352251 | 19238 | Indian | OW | P | |
| Ute Tribal 14-3D-54 | 3 | 050S | 040W | 4301352298 | 19258 | Indian | OW | P | |
| Ute Tribal 12-3D-54 | 3 | 050S | 040W | 4301352299 | 19259 | Indian | OW | P | |
| Ute Tribal 11-3D-54 | 3 | 050S | 040W | 4301352300 | 19260 | Indian | OW | P | |
| Ute Tribal 16-4D-54 | 4 | 050S | 040W | 4301352302 | 19350 | Indian | OW | P | |
| Ute Tribal 15-4D-54 | 4 | 050S | 040W | 4301352303 | 19293 | Indian | OW | P | |
| Ute Tribal 9-4D-54 | 4 | 050S | 040W | 4301352305 | 19304 | Indian | OW | P | |
| Ute Tribal 10-4D-54 | 4 | 050S | 040W | 4301352307 | 19294 | Indian | OW | P | |
| UTE Tribal 2-35D-54 | 35 | 050S | 040W | 4301352319 | 19322 | Indian | OW | P | |
| UTE Tribal 8-35D-54 | 35 | 050S | 040W | 4301352320 | 19323 | Indian | OW | P | |
| Abbott Fee 5-6D-54 | 6 | 050S | 040W | 4301352326 | 19351 | Fee | OW | P | |
| Ute Tribal 6-11D-54 | 11 | 050S | 040W | 4301352330 | 19243 | Indian | OW | P | |
| Ute Tribal 12-11D-54 | 11 | 050S | 040W | 4301352331 | 19244 | Indian | OW | P | |
| Ute Tribal 14-11D-54 | 11 | 050S | 040W | 4301352332 | 19245 | Indian | OW | P | |
| Ute Tribal 11-4D-54 | 4 | 050S | 040W | 4301352343 | 19305 | Indian | OW | P | |
| Ute Tribal 12-4D-54 | 4 | 050S | 040W | 4301352344 | 19352 | Indian | OW | P | |
| Ute Tribal 13-4D-54 | 4 | 050S | 040W | 4301352345 | 19353 | Indian | OW | P | |
| Ute Tribal 14-4D-54 | 4 | 050S | 040W | 4301352346 | 19306 | Indian | OW | P | |
| Ute Tribal 16-5D-54 | 5 | 050S | 040W | 4301352545 | 99999 | Indian | OW | P | |
| Ute Tribal 15-5D-54 | 5 | 050S | 040W | 4301352546 | 99999 | Indian | OW | P | |
| Ute Tribal 10-5D-54 | 5 | 050S | 040W | 4301352547 | 99999 | Indian | OW | P | |
| Ute Tribal 8-5D-54 | 5 | 050S | 040W | 4301352548 | 99999 | Indian | OW | P | |
| SCOFIELD-THORPE 26-31 | 26 | 120S | 070E | 4300730987 | 15218 | Fee | D | PA | |
| SCOFIELD-THORPE 26-43 | 26 | 120S | 070E | 4300730990 | 14922 | Fee | D | PA | |
| SCOFIELD CHRISTIANSEN 8-23 | 8 | 120S | 070E | 4300730999 | 15172 | Fee | D | PA | |
| CC FEE 7-28-38 | 28 | 030S | 080W | 4301350887 | 18288 | Fee | D | PA | |
| CC FEE 8-9-37 | 9 | 030S | 070W | 4301350896 | 18660 | Fee | D | PA | |
| ST LOST CREEK 32-44 | 32 | 110S | 070E | 4304930023 | 14450 | State | D | PA | |
| SCOFIELD THORPE 22-41X RIG SKID | 22 | 120S | 070E | 4300730890 | 13719 | Fee | GW | S | |
| SCOFIELD-THORPE 35-13 | 35 | 120S | 070E | 4300730991 | 14846 | Fee | GW | S | |
| SCOFIELD-THORPE 23-31 | 23 | 120S | 070E | 4300731001 | 14923 | Fee | GW | S | |
| NUTTERS RIDGE FED 5-1 | 5 | 060S | 040W | 4301330403 | 8231 | Federal | OW | S | |
| WIRE FENCE CYN FED 15-1 | 15 | 060S | 050W | 4301330404 | 8233 | Federal | GW | S | |
| R FORK ANTELOPE CYN FED 25-1 | 25 | 060S | 050W | 4301330406 | 8234 | Federal | OW | S | |
| WOLF HOLLOW 22-1 | 22 | 060S | 050W | 4301330425 | 10370 | Federal | GW | S | |
| ANTELOPE RIDGE 24-1 | 24 | 060S | 050W | 4301330426 | 10371 | Federal | OW | S | |
| B C UTE TRIBAL 8-21 | 21 | 050S | 040W | 4301330829 | 8414 | Indian | OW | S | BERRY PILOT EOR 246-02 |
| Z and T UTE TRIBAL 10-21 | 21 | 050S | 040W | 4301331283 | 11133 | Indian | GW | S | BERRY PILOT EOR 246-02 |
| Z and T UTE TRIBAL 12-22 | 22 | 050S | 040W | 4301331311 | 11421 | Indian | OW | S | |
| UTE TRIBAL 15-17 | 17 | 050S | 040W | 4301331649 | 11956 | Indian | OW | S | |
| UTE TRIBAL 7-30 | 30 | 050S | 040W | 4301332167 | 12945 | Indian | OW | S | |
| UTE TRIBAL 8-35-55 | 35 | 050S | 050W | 4301332267 | 13571 | Indian | OW | S | |
| UTE TRIBAL 10-16-55 | 16 | 050S | 050W | 4301332345 | 13693 | Indian | OW | S | |
| FOY TRIBAL 11-34-55 | 34 | 050S | 050W | 4301332351 | 13648 | Indian | OW | S | |
| UTE TRIBAL 13-30-54 | 30 | 050S | 040W | 4301332409 | 13968 | Indian | OW | S | |
| UTE TRIBAL 3-33-54 | 33 | 050S | 040W | 4301332412 | 13938 | Indian | OW | S | |
| UTE TRIBAL 1-20-55 | 20 | 050S | 050W | 4301332414 | 14548 | Indian | OW | S | |
| UTE TRIBAL 11-30-54 | 30 | 050S | 040W | 4301332512 | 13982 | Indian | OW | S | |
| UTE TRIBAL 2-24-54 | 24 | 050S | 040W | 4301332569 | 14314 | Indian | OW | S | |
| UTE TRIBAL 10-14-55 | 14 | 050S | 050W | 4301332601 | 14331 | Indian | OW | S | |
| MOON TRIBAL 3-27-54 | 27 | 050S | 040W | 4301332613 | 14416 | Indian | OW | S | |
| UTE TRIBAL 7-21-54 | 21 | 050S | 040W | 4301332623 | 14383 | Indian | OW | S | BERRY PILOT EOR 246-02 |
| UTE TRIBAL 16-24-55 | 24 | 050S | 050W | 4301332672 | 14384 | Indian | GW | S | |
| UTE TRIBAL 7-35-54 | 35 | 050S | 040W | 4301332774 | 15019 | Indian | OW | S | |
| UTE TRIBAL 16-25-54 | 25 | 050S | 040W | 4301332779 | 15078 | Indian | OW | S | |
| MOON TRIBAL 13-27-54 | 27 | 050S | 040W | 4301332801 | 15057 | Indian | OW | S | |
| UTE TRIBAL 15-15-55 | 15 | 050S | 050W | 4301332855 | 15114 | Indian | OW | S | |
| UTE TRIBAL 5-36-55 | 36 | 050S | 050W | 4301332930 | 15301 | Indian | OW | S | |
| UTE TRIBAL 8-24-54 | 24 | 050S | 040W | 4301332933 | 15402 | Indian | OW | S | |
| UTE TRIBAL 12-15-55 | 15 | 050S | 050W | 4301332981 | 15348 | Indian | OW | S | |
| UTE TRIBAL 9-21-54 | 21 | 050S | 040W | 4301333040 | 15360 | Indian | OW | S | BERRY PILOT EOR 246-02 |
| UTE TRIBAL 15-21-54 | 21 | 050S | 040W | 4301333114 | 15441 | Indian | OW | S | BERRY PILOT EOR 246-02 |
| UTE TRIBAL 10-16-54 | 16 | 050S | 040W | 4301333129 | 15454 | Indian | OW | S | |
| TAYLOR FEE 7-14-56 | 14 | 050S | 060W | 4301333140 | 15601 | Fee | OW | S | |
| UTE TRIBAL 9S-25-55 | 25 | 050S | 050W | 4301333245 | 15962 | Indian | OW | S | |

Berry Petroleum Company, LLC N4075) to Linn Operating, Inc. (N4115)
Effective June 1, 2014

| | | | | | | | | | |
|-------------------|---|------|------|------------|-------|--------|----|---|--|
| UTE TRIBAL 9-5-54 | 5 | 050S | 040W | 4301351111 | 18909 | Indian | OW | S | |
| ABBOTT FEE 6-6-54 | 6 | 050S | 040W | 4301351948 | 18963 | Fee | OW | S | |